

CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

Last Updated: 9th of October 2024

Columns

Show

All ▼

entries

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	Min... Max...	Min... Max...	Min... Max...	Min... Max...		
<a href="#">AArch64</a>	4	833	368	NA	Unknown	Mobile/Embedded
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,391	903	NA	Unknown	Mobile/Embedded
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,813	588	NA	Unknown	Mobile/Embedded
<a href="#">AC8257V/WAB</a>	8	788	485	NA	Unknown	Unknown
<a href="#">AC8259V/WAB</a>	8	943	509	NA	Unknown	Mobile/Embedded
<a href="#">Allwinner A133</a>	4	673	411	NA	Unknown	Mobile/Embedded
<a href="#">Allwinner A523</a>	8	1,902	589	NA	Unknown	Mobile/Embedded
<a href="#">Allwinner A527</a>	8	2,297	678	NA	Unknown	Mobile/Embedded
<a href="#">Allwinner H618</a>	4	617	395	NA	Unknown	Mobile/Embedded
<a href="#">AMD 3015Ce</a>	2	2,099	1,337	6	FT5	Mobile/Embedded
<a href="#">AMD 3015e</a>	2	2,712	1,339	6	Unknown	Laptop
<a href="#">AMD 3020e</a>	2	2,439	1,407	6	Unknown	Laptop
<a href="#">AMD 4700S</a>	8	17,851	2,359	NA	Unknown	Desktop
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,426	722	5	FT3b	Laptop
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,915	917	19	FP3	Laptop
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,319	1,493	65	FM2+	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,459	1,573	95	FM2+	Desktop
<a href="#">AMD A10-4600M APU</a>	2	1,938	1,080	35	FS1r2	Laptop
<a href="#">AMD A10-4655M APU</a>	2	1,658	909	25	FP2	Laptop
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop
<a href="#">AMD A10-5700 APU</a>	2	2,741	1,430	65	FM2	Desktop
<a href="#">AMD A10-5745M APU</a>	4	1,779	949	25	FP2	Laptop
<a href="#">AMD A10-5750M APU</a>	4	2,050	1,164	35	FS1r2	Laptop
<a href="#">AMD A10-5757M APU</a>	4	1,998	1,151	35	FP2	Laptop
<a href="#">AMD A10-5800B APU</a>	2	3,034	1,579	100	FM2	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,964	1,496	100	FM2	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,104	1,604	65	FM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD A10-6790K APU</a>	2	3,071	1,551	100	FM2	Desktop
<a href="#">AMD A10-6800B APU</a>	2	3,106	1,654	100	FM2	Desktop
<a href="#">AMD A10-6800K APU</a>	2	3,189	1,596	100	FM2	Desktop
<a href="#">AMD A10-7300 APU</a>	4	1,742	863	19	FP3	Laptop
<a href="#">AMD A10-7400P</a>	4	2,100	1,040	35	FP3	Laptop
<a href="#">AMD A10-7700K APU</a>	2	3,203	1,435	95	FM2+	Desktop
<a href="#">AMD A10-7800 APU</a>	2	3,210	1,462	65	FM2+	Desktop
<a href="#">AMD A10-7850K APU</a>	2	3,395	1,498	95	FM2+	Desktop
<a href="#">AMD A10-7860K</a>	2	3,282	1,488	65	FM2+	Desktop
<a href="#">AMD A10-7870K</a>	2	3,458	1,512	95	FM2+	Desktop
<a href="#">AMD A10-7890K</a>	2	3,533	1,576	95	FM2+	Desktop
<a href="#">AMD A10-8700P</a>	2	2,245	1,146	35	FP4	Laptop
<a href="#">AMD A10-8750</a>	2	3,228	1,516	65	FM2+	Desktop
<a href="#">AMD A10-8850</a>	2	3,438	1,608	NA	Unknown	Desktop
<a href="#">AMD A10-9600P</a>	4	2,338	1,147	15	FP4	Laptop
<a href="#">AMD A10-9620P</a>	4	2,543	1,272	15	Unknown	Laptop
<a href="#">AMD A10-9630P</a>	4	2,909	1,397	35	FP4	Laptop
<a href="#">AMD A10-9700</a>	4	3,546	1,615	65	AM4	Desktop
<a href="#">AMD A10-9700E</a>	4	3,229	1,501	35	AM4	Desktop
<a href="#">AMD A12-9700P</a>	4	2,437	1,214	15	FP4	Laptop
<a href="#">AMD A12-9720P</a>	4	2,663	1,318	15	FP4	Laptop
<a href="#">AMD A12-9730P</a>	4	2,980	1,386	35	FP4	Laptop
<a href="#">AMD A12-9800</a>	2	3,599	1,670	65	AM4	Desktop
<a href="#">AMD A12-9800E</a>	4	3,471	1,617	35	AM4	Desktop
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,082	540	4.5	FT3b	Laptop
<a href="#">AMD A4 PRO-3340B</a>	4	1,645	676	25	BGA769 (FT3)	Laptop
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,458	1,445	65	Unknown	Desktop
<a href="#">AMD A4 PRO-7350B</a>	1	1,544	1,438	65	FM2+	Desktop
<a href="#">AMD A4-1200 APU</a>	2	369	303	3.9	FT3	Laptop
<a href="#">AMD A4-1250 APU</a>	2	406	329	8	FT3	Laptop
<a href="#">AMD A4-1350 APU</a>	4	911	345	8	FT3	Laptop
<a href="#">AMD A4-3300 APU</a>	2	942	973	65	FM1	Desktop
<a href="#">AMD A4-3300M APU</a>	2	714	790	65	FM1	Laptop
<a href="#">AMD A4-3305M APU</a>	2	758	837	35	FS1	Laptop
<a href="#">AMD A4-3310MX APU</a>	2	782	832	45	FS1	Laptop
<a href="#">AMD A4-3320M APU</a>	2	668	708	35	FS1	Laptop
<a href="#">AMD A4-3330MX APU</a>	2	756	908	45	FS1 uPGA	Laptop
<a href="#">AMD A4-3400 APU</a>	2	1,086	1,082	65	FM1	Desktop
<a href="#">AMD A4-3420 APU</a>	2	1,054	1,113	65	FM1	Desktop
<a href="#">AMD A4-4000 APU</a>	1	1,145	1,134	65	FM2	Desktop
<a href="#">AMD A4-4020 APU</a>	2	1,268	1,220	65	FM2	Desktop
<a href="#">AMD A4-4300M APU</a>	1	1,000	1,014	35	FS1	Laptop
<a href="#">AMD A4-4355M APU</a>	2	806	813	17	FP2	Laptop
<a href="#">AMD A4-5000 APU</a>	4	1,297	508	15	FT3	Laptop
<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3	Laptop
<a href="#">AMD A4-5150M APU</a>	2	765	800	35	FS1r2	Laptop
<a href="#">AMD A4-5300 APU</a>	2	1,357	1,329	65	FM2	Desktop
<a href="#">AMD A4-5300B APU</a>	2	1,243	1,233	65	FM2	Desktop
<a href="#">AMD A4-6210 APU</a>	4	1,501	610	15	FT3b	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD A4-6300 APU</a>	1	1,426	1,403	65	FM2	Desktop
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">AMD A4-6320 APU</a>	1	1,530	1,529	65	FM2	Desktop
<a href="#">AMD A4-7210 APU</a>	4	1,656	725	25	BGA	Laptop
<a href="#">AMD A4-7300 APU</a>	1	1,529	1,477	65	FM2	Desktop
<a href="#">AMD A4-9120</a>	2	1,218	1,043	15	BGA	Laptop
<a href="#">AMD A4-9120C</a>	2	852	891	6	FT4	Laptop
<a href="#">AMD A4-9120e</a>	2	851	744	NA	FT4	Laptop
<a href="#">AMD A4-9125</a>	2	1,210	1,041	15	BGA (FT4)	Laptop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,009	875	17	FP3	Laptop
<a href="#">AMD A6 PRO-7400B</a>	1	1,696	1,505	65	FM2+	Desktop
<a href="#">AMD A6-1450 APU</a>	4	1,072	460	8	FT3	Laptop
<a href="#">AMD A6-3400M APU</a>	4	1,191	691	35	FS1	Laptop
<a href="#">AMD A6-3410MX APU</a>	4	1,263	732	45	FS1	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,294	773	35	FS1	Laptop
<a href="#">AMD A6-3430MX APU</a>	4	1,448	822	45	FS1	Laptop
<a href="#">AMD A6-3500 APU</a>	3	1,420	963	65	FM1	Desktop
<a href="#">AMD A6-3600 APU</a>	4	1,697	909	65	FM1	Desktop
<a href="#">AMD A6-3620 APU</a>	4	1,848	979	65	FM1	Desktop
<a href="#">AMD A6-3650 APU</a>	4	2,070	1,038	100	FM1	Desktop
<a href="#">AMD A6-3670 APU</a>	4	2,171	1,144	100	FM1	Desktop
<a href="#">AMD A6-4400M APU</a>	1	1,010	1,027	35	FS1r2	Laptop
<a href="#">AMD A6-4455M APU</a>	1	793	786	17	FP2	Laptop
<a href="#">AMD A6-5200 APU</a>	4	1,665	664	25	FT3	Laptop
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">AMD A6-5350M APU</a>	2	1,232	1,236	35	FS1r2	Laptop
<a href="#">AMD A6-5357M APU</a>	2	1,165	1,243	35	FP2	Laptop
<a href="#">AMD A6-5400B APU</a>	1	1,459	1,408	65	FM2	Desktop
<a href="#">AMD A6-5400K APU</a>	1	1,273	1,271	65	FM2	Desktop
<a href="#">AMD A6-6310 APU</a>	4	1,677	742	15	FT3	Laptop
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">AMD A6-6400K APU</a>	1	1,501	1,449	65	FM2	Desktop
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">AMD A6-6420K APU</a>	2	1,576	1,553	65	FM2	Desktop
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">AMD A6-7310 APU</a>	4	1,724	775	25	Unknown	Laptop
<a href="#">AMD A6-7400K APU</a>	2	1,631	1,438	65	FM2+	Desktop
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
<a href="#">AMD A6-7480</a>	2	1,836	1,558	65	FM2+	Desktop
<a href="#">AMD A6-8500P</a>	2	1,445	1,253	15	BGA (FP4)	Laptop
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop
<a href="#">AMD A6-9200</a>	2	1,116	970	10	BGA	Laptop
<a href="#">AMD A6-9210</a>	2	1,230	1,076	15	FP4	Laptop
<a href="#">AMD A6-9220</a>	2	1,280	1,135	15	Unknown	Laptop
<a href="#">AMD A6-9220C</a>	2	1,053	995	6	FT4	Laptop
<a href="#">AMD A6-9220e</a>	2	977	863	NA	Unknown	Laptop
<a href="#">AMD A6-9225</a>	2	1,330	1,158	15	BGA (FT4)	Laptop
<a href="#">AMD A6-9230</a>	2	1,303	1,124	15	Unknown	Desktop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">AMD A6-9500E</a>	2	1,756	1,347	35	AM4	Desktop
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,528	763	19	FP3	Laptop
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,960	1,389	65	FM2+	Desktop
<a href="#">AMD A8-3500M APU</a>	4	1,400	813	35	FS1	Laptop
<a href="#">AMD A8-3510MX APU</a>	4	1,631	898	45	FS1	Laptop
<a href="#">AMD A8-3520M APU</a>	4	1,448	845	35	FS1	Laptop
<a href="#">AMD A8-3530MX APU</a>	4	1,608	938	45	FS1	Laptop
<a href="#">AMD A8-3550MX APU</a>	4	1,687	962	45	FS1	Laptop
<a href="#">AMD A8-3800 APU</a>	4	2,049	1,068	65	FM1	Desktop
<a href="#">AMD A8-3820 APU</a>	4	2,174	1,131	65	FM1	Desktop
<a href="#">AMD A8-3850 APU</a>	4	2,374	1,214	100	FM1	Desktop
<a href="#">AMD A8-3870K APU</a>	4	2,319	1,210	100	FM1	Desktop
<a href="#">AMD A8-4500M APU</a>	2	1,687	920	35	FS1r2	Laptop
<a href="#">AMD A8-4555M APU</a>	2	1,331	789	19	FP2	Laptop
<a href="#">AMD A8-5500 APU</a>	2	2,611	1,334	65	FM2	Desktop
<a href="#">AMD A8-5500B APU</a>	2	2,612	1,327	65	FM2	Desktop
<a href="#">AMD A8-5545M APU</a>	4	1,567	832	19	FP2	Laptop
<a href="#">AMD A8-5550M APU</a>	4	1,862	1,036	35	FS1r2	Laptop
<a href="#">AMD A8-5557M APU</a>	4	1,801	1,037	35	FP2	Laptop
<a href="#">AMD A8-5600K APU</a>	4	2,857	1,430	100	FM2	Desktop
<a href="#">AMD A8-6410 APU</a>	4	1,771	783	15	BGA769 (FT3b)	Laptop
<a href="#">AMD A8-6500 APU</a>	2	2,823	1,473	65	FM2	Desktop
<a href="#">AMD A8-6500B APU</a>	2	2,886	1,506	65	FM2	Desktop
<a href="#">AMD A8-6500T APU</a>	2	1,929	1,111	45	FM2	Desktop
<a href="#">AMD A8-6600K APU</a>	2	3,007	1,538	100	FM2	Desktop
<a href="#">AMD A8-7050</a>	2	1,152	945	15	Unknown	Laptop
<a href="#">AMD A8-7100 APU</a>	4	1,638	840	19	FP3	Laptop
<a href="#">AMD A8-7200P</a>	4	2,154	1,054	35	FP3	Laptop
<a href="#">AMD A8-7410 APU</a>	4	1,815	804	25	Unknown	Laptop
<a href="#">AMD A8-7500</a>	2	3,422	1,410	65	FM2+	Desktop
<a href="#">AMD A8-7600 APU</a>	2	3,220	1,449	65	FM2+	Desktop
<a href="#">AMD A8-7650K</a>	2	3,123	1,404	65	FM2+	Desktop
<a href="#">AMD A8-7670K</a>	4	3,192	1,485	95	FM2+	Desktop
<a href="#">AMD A8-7680</a>	4	3,544	1,619	45	FM2+	Laptop
<a href="#">AMD A8-7690K</a>	4	2,157	1,441	95	FM2+	Desktop
<a href="#">AMD A8-8600P</a>	2	2,240	1,103	15	FP4	Laptop
<a href="#">AMD A8-8650</a>	4	2,996	1,483	65	FM2+	Desktop
<a href="#">AMD A8-9600</a>	4	3,307	1,488	65	AM4	Desktop
<a href="#">AMD A9-9400</a>	2	1,329	1,195	10	FP4	Laptop
<a href="#">AMD A9-9410</a>	2	1,523	1,338	25	FP4	Laptop
<a href="#">AMD A9-9420</a>	2	1,498	1,294	15	Unknown	Laptop
<a href="#">AMD A9-9420e</a>	2	1,107	962	NA	Unknown	Laptop
<a href="#">AMD A9-9425</a>	2	1,510	1,317	15	BGA (FT4)	Laptop
<a href="#">AMD A9-9430</a>	2	1,658	1,427	NA	Unknown	Desktop
<a href="#">AMD A9-9820</a>	8	3,938	800	NA	Unknown	Desktop
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Desktop
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon 200GE</a>	2	4,114	1,799	35	AM4	Desktop
<a href="#">AMD Athlon 220GE</a>	2	4,424	1,959	35	AM4	Laptop
<a href="#">AMD Athlon 240GE</a>	2	4,534	1,968	35	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Desktop
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,484	1,984	35	AM4	Desktop
<a href="#">AMD Athlon 300GE</a>	2	4,273	1,869	35	AM4	Desktop
<a href="#">AMD Athlon 300U</a>	2	3,867	1,774	15	FP5	Laptop
<a href="#">AMD Athlon 320GE</a>	2	4,399	1,929	35	AM4	Desktop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	872	898	65	AM2,AM2+	Desktop
<a href="#">AMD Athlon 5150 APU</a>	4	1,388	545	25	AM1,FS1b	Desktop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
<a href="#">AMD Athlon 5350 APU</a>	4	1,783	699	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 5370 APU</a>	4	1,905	757	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Desktop
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Desktop
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Desktop
<a href="#">AMD Athlon 64 3000+</a>	1	334	615	89	Socket 754	Desktop
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">AMD Athlon 64 3200+</a>	1	305	621	62	AM2	Desktop
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Desktop
<a href="#">AMD Athlon 64 3400+</a>	1	317	547	89	754	Desktop
<a href="#">AMD Athlon 64 3500+</a>	1	377	576	45	AM2	Desktop
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Desktop
<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Desktop
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	993	1,022	125	AM2	Desktop
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	633	666	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	629	718	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	692	737	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	728	802	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	675	764	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	720	835	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	679	876	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	786	898	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	846	932	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	907	999	65	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">5600+</a>						
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	653	746	89	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	934	1,036	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	998	1,141	125	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	558	602	31	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	518	609	35	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	620	626	31	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	652	654	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	525	623	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	624	731	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	637	681	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	900	934	95	AM2+	Desktop
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	987	1,043	95	AM2+	Desktop
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,058	1,118	95	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4050e</a>	2	674	751	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	711	792	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4450e</a>	2	705	801	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4850e</a>	2	783	903	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	856	942	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5050e</a>	2	846	917	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5200B</a>	2	823	966	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	914	985	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">AMD Athlon Gold 3150C</a>	2	3,292	1,706	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Athlon Gold 3150G</a>	4	7,112	2,265	65	AM4	Desktop
<a href="#">AMD Athlon Gold 3150U</a>	2	3,992	1,764	15	FP5	Laptop
<a href="#">AMD Athlon Gold 7220U</a>	2	4,740	2,094	15	FP6	Laptop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop
<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,006	2,165	35	AM4	Desktop
<a href="#">AMD Athlon Gold PRO 4150GE</a>	4	8,259	2,384	35	FP6	Laptop
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
<a href="#">AMD Athlon II 170u</a>	1	355	731	20	AM2+,AM3	Desktop
<a href="#">AMD Athlon II Dual-Core M300</a>	2	670	776	35	Unknown	Laptop
<a href="#">AMD Athlon II Dual-Core M320</a>	2	749	855	35	Unknown	Laptop
<a href="#">AMD Athlon II Dual-Core M340</a>	2	807	858	35	Unknown	Laptop
<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Laptop
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD Athlon II Neo K125</a>	1	315	616	12	S1	Laptop
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	417	486	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	487	524	12	Unknown	Laptop
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	702	820	25	Unknown	Laptop
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	704	843	25	S1g4	Laptop
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	730	861	25	S1g4	Laptop
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop
<a href="#">AMD Athlon II X2 215</a>	2	973	1,023	65	AM3	Desktop
<a href="#">AMD Athlon II X2 220</a>	2	1,041	1,091	65	AM3	Desktop
<a href="#">AMD Athlon II X2 235e</a>	2	1,079	1,098	45	AM3	Desktop
<a href="#">AMD Athlon II X2 240</a>	2	1,039	1,079	65	AM3	Desktop
<a href="#">AMD Athlon II X2 240e</a>	2	987	1,091	45	AM3	Desktop
<a href="#">AMD Athlon II X2 245</a>	2	1,110	1,150	65	AM2+/AM3	Desktop
<a href="#">AMD Athlon II X2 245e</a>	2	1,171	1,182	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,160	1,197	65	AM3	Desktop
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250u</a>	2	598	637	25	AM3	Desktop
<a href="#">AMD Athlon II X2 255</a>	2	1,175	1,234	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260</a>	2	1,178	1,256	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260u</a>	2	713	716	25	AM3	Desktop
<a href="#">AMD Athlon II X2 265</a>	2	1,267	1,336	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270</a>	2	1,301	1,360	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Desktop
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Desktop
<a href="#">AMD Athlon II X2 4400e</a>	2	944	1,063	37	Unknown	Desktop
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">AMD Athlon II X2 B22</a>	2	1,053	1,129	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B24</a>	2	1,120	1,206	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B26</a>	2	1,206	1,266	65	Unknown	Unknown
<a href="#">AMD Athlon II X2 B28</a>	2	1,269	1,350	65	AM3	Desktop
<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3	Desktop
<a href="#">AMD Athlon II X3 425</a>	3	1,576	1,084	95	AM3	Desktop
<a href="#">AMD Athlon II X3 435</a>	3	1,630	1,166	95	AM3	Desktop
<a href="#">AMD Athlon II X3 440</a>	3	1,712	1,194	95	AM3	Desktop
<a href="#">AMD Athlon II X3 445</a>	3	1,823	1,274	95	AM3	Desktop
<a href="#">AMD Athlon II X3 450</a>	3	1,847	1,301	95	AM3	Desktop
<a href="#">AMD Athlon II X3 455</a>	3	1,879	1,332	95	AM3	Desktop
<a href="#">AMD Athlon II X3 460</a>	3	2,008	1,395	95	AM3	Desktop
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Desktop
<a href="#">AMD Athlon II X4 555</a>	4	2,526	1,244	NA	Unknown	Desktop
<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
<a href="#">AMD Athlon II X4 559</a>	4	2,602	1,399	NA	Unknown	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Athlon II X4 605e</a>	4	1,997	1,009	45	AM3	Desktop
<a href="#">AMD Athlon II X4 610e</a>	4	1,964	1,037	45	AM3	Desktop
<a href="#">AMD Athlon II X4 615e</a>	4	2,000	1,037	45	AM3	Desktop
<a href="#">AMD Athlon II X4 620</a>	4	2,018	1,062	95	AM3	Desktop
<a href="#">AMD Athlon II X4 630</a>	4	2,153	1,129	95	AM3	Desktop
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,122	1,115	100	FM1	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,237	1,168	95	AM3	Desktop
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,250	1,163	65	FM1	Desktop
<a href="#">AMD Athlon II X4 640</a>	4	2,245	1,212	95	AM3	Desktop
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,313	1,189	100	FM1	Desktop
<a href="#">AMD Athlon II X4 645</a>	4	2,348	1,256	95	AM3	Desktop
<a href="#">AMD Athlon II X4 650</a>	4	2,426	1,305	95	Unknown	Desktop
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,500	1,287	100	FM1	Desktop
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Desktop
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">AMD Athlon Neo MV-40</a>	1	275	485	15	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	556	567	18	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
<a href="#">AMD Athlon PRO 200GE</a>	2	3,693	1,736	35	AM4	Desktop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,308	1,911	35	AM4	Desktop
<a href="#">AMD Athlon PRO 300U</a>	2	4,080	1,931	15	FP5	Laptop
<a href="#">AMD Athlon PRO 3045B</a>	2	2,618	1,493	15	FP5	Laptop
<a href="#">AMD Athlon Silver 3050C</a>	2	2,879	1,809	15	FP5	Laptop
<a href="#">AMD Athlon Silver 3050e</a>	2	2,939	1,447	6	Unknown	Laptop
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">AMD Athlon Silver 3050U</a>	2	2,993	1,702	15	FP5	Laptop
<a href="#">AMD Athlon Silver 7120U</a>	2	3,209	1,965	15	FP6	Laptop
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
<a href="#">AMD Athlon TF-20</a>	1	265	454	15	Unknown	Unknown
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">AMD Athlon X2 250</a>	2	855	1,099	65	Unknown	Unknown
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,307	1,296	65	FM2	Desktop
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">AMD Athlon X2 450</a>	2	1,295	878	65	FM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">3250e</a>						
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop
<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	674	749	18	FT1	Desktop
<a href="#">AMD Athlon X2 Dual Core L310</a>	2	329	395	13	S1	Laptop
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
<a href="#">AMD Athlon X3 445</a>	3	1,626	1,270	95	Unknown	Unknown
<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
<a href="#">AMD Athlon X4 530</a>	4	1,786	690	25	AM1	Desktop
<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown	Unknown
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
<a href="#">AMD Athlon X4 730</a>	2	2,278	937	65	FM2	Desktop
<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,626	1,355	65	FM2	Desktop
<a href="#">AMD Athlon X4 750 Quad Core</a>	4	2,625	1,497	65	FM2	Desktop
<a href="#">AMD Athlon X4 750K Quad Core</a>	2	2,861	1,465	100	FM2	Unknown
<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,971	1,533	100	FM2	Desktop
<a href="#">AMD Athlon X4 830</a>	2	2,901	1,292	65	FM2+	Desktop
<a href="#">AMD Athlon X4 840</a>	2	3,321	1,487	65	FM2+	Desktop
<a href="#">AMD Athlon X4 845</a>	2	3,796	1,680	65	FM2+	Desktop
<a href="#">AMD Athlon X4 850</a>	4	3,366	1,575	65	FM2+	Unknown
<a href="#">AMD Athlon X4 860K</a>	2	3,434	1,529	95	FM2+	Desktop
<a href="#">AMD Athlon X4 870K</a>	2	3,410	1,558	95	FM2+	Desktop
<a href="#">AMD Athlon X4 880K</a>	2	3,659	1,633	95	FM2+	Desktop
<a href="#">AMD Athlon X4 950</a>	4	3,596	1,638	65	AM4	Desktop
<a href="#">AMD Athlon X4 970</a>	4	3,811	1,700	65	AM4	Desktop
<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2400+</a>	1	234	375	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">AMD C-50</a>	2	265	312	9	FT1	Laptop
<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
<a href="#">AMD C-60 APU</a>	2	316	357	9	Unknown	Laptop, Mobile/Embedded
<a href="#">AMD C-70 APU</a>	2	315	364	9	Unknown	Laptop, Mobile/Embedded
<a href="#">AMD Custom APU 0932</a>	4	9,443	2,294	15	Unknown	Mobile/Embedded
<a href="#">AMD E-240</a>	1	195	403	18	FT1	Laptop
<a href="#">AMD E-300 APU</a>	2	339	394	18	FT1	Laptop
<a href="#">AMD E-350</a>	2	421	485	18	FT1	Desktop, Laptop
<a href="#">AMD E-350 APU</a>	2	423	490	18	FT1 BGA	Desktop, Laptop
<a href="#">AMD E-350D APU</a>	2	486	523	18	Unknown	Laptop, Mobile/Embedded
<a href="#">AMD E-450 APU</a>	2	437	499	18	FT1	Laptop
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
<a href="#">AMD E1-1200 APU</a>	2	380	430	18	FT1	Laptop
<a href="#">AMD E1-1500 APU</a>	2	398	458	18	FT1	Laptop
<a href="#">AMD E1-2100 APU</a>	2	405	322	9	FT3	Laptop
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">AMD E1-2500 APU</a>	2	591	453	15	FT3	Laptop
<a href="#">AMD E1-6010 APU</a>	2	535	425	10	FT3b	Laptop
<a href="#">AMD E1-6015 APU</a>	2	571	448	NA	BGA769 (FT3b)	Laptop
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">AMD E1-7010 APU</a>	2	592	484	10	BGA769 (FT3b)	Laptop
<a href="#">AMD E2-1800 APU</a>	2	449	525	18	FT1	Desktop
<a href="#">AMD E2-2000 APU</a>	2	496	538	18	BGA413,FT1	Laptop
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">AMD E2-3000M APU</a>	2	668	731	35	FS1	Laptop
<a href="#">AMD E2-3200 APU</a>	2	968	971	65	FM1	Desktop
<a href="#">AMD E2-3800 APU</a>	4	1,152	436	15	FT3	Laptop
<a href="#">AMD E2-6110 APU</a>	4	1,128	474	15	AM1,FT3b	Laptop
<a href="#">AMD E2-7015</a>	2	637	491	NA	Unknown	Laptop
<a href="#">AMD E2-7015 APU</a>	2	662	507	NA	Unknown	Laptop
<a href="#">AMD E2-7110 APU</a>	4	1,515	611	15	FP4 BGA	Laptop
<a href="#">AMD E2-9000</a>	2	967	816	10	Unknown	Laptop
<a href="#">AMD E2-9000e</a>	2	890	753	6	Unknown	Laptop
<a href="#">AMD E2-9010</a>	2	1,093	909	15	FP4	Laptop
<a href="#">AMD E2-9030</a>	2	983	860	NA	BGA (FT4)	Desktop
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,064	861	10	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,590	837	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-421ND</a>	4	3,024	1,337	35	FP4	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">AMD EPYC 3151</a>	4	8,376	1,883	45	SP4r2	Server
<a href="#">AMD EPYC 3201</a>	8	8,672	1,564	30	SP4r2	Server
<a href="#">AMD EPYC 3251</a>	8	13,912	1,881	50	SP4r2	Server
<a href="#">AMD EPYC 3451</a>	16	19,532	1,700	NA	Unknown	Server
<a href="#">AMD EPYC 4124P</a>	4	18,637	3,901	65	AM5	Server
<a href="#">AMD EPYC 4244P</a>	6	27,446	3,960	65	AM5	Server
<a href="#">AMD EPYC 4344P</a>	8	35,191	4,094	65	AM5	Server
<a href="#">AMD EPYC 4364P</a>	8	36,124	4,246	105	AM5	Server
<a href="#">AMD EPYC 4464P</a>	12	48,793	4,124	NA	AM5	Server
<a href="#">AMD EPYC 4484PX</a>	12	51,115	4,251	120	AM5	Server
<a href="#">AMD EPYC 4564P</a>	16	62,058	4,309	170	AM5	Server
<a href="#">AMD EPYC 4584PX</a>	16	60,736	3,952	120	AM5	Server
<a href="#">AMD EPYC 7232P</a>	8	17,731	1,767	120	SP3	Server
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
<a href="#">AMD EPYC 7252</a>	8	19,411	2,020	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7252</a>	8	34,911	2,095	120	SP3	Server
<a href="#">AMD EPYC 7262</a>	8	20,779	2,041	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7262</a>	8	34,227	2,023	155	SP3	Server
<a href="#">AMD EPYC 7272</a>	12	25,161	1,886	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7272</a>	12	44,270	2,019	120	SP3	Server
<a href="#">AMD EPYC 7281</a>	16	21,621	1,626	155	SP3	Server
<a href="#">AMD EPYC 7282</a>	16	30,128	1,899	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7282</a>	16	51,546	2,046	120	SP3	Server
<a href="#">AMD EPYC 72F3</a>	8	27,252	3,070	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 72F3</a>	8	50,017	3,034	180	SP3	Server
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7301</a>	16	34,148	1,654	155	SP3	Server
<a href="#">AMD EPYC 7302</a>	16	33,106	2,019	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7302</a>	16	51,405	1,936	155	SP3	Server
<a href="#">AMD EPYC 7302P</a>	16	32,626	1,877	155	SP3	Server
<a href="#">AMD EPYC 7303</a>	16	28,572	1,460	130	SP3	Server
<a href="#">AMD EPYC 7313</a>	16	39,091	2,417	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7313</a>	16	67,180	2,626	155	SP3	Server
<a href="#">AMD EPYC 7313P</a>	16	41,657	2,685	155	SP3	Server
<a href="#">AMD EPYC 7343</a>	16	43,368	2,703	190	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7343</a>	16	73,934	2,806	190	SP3	Server
<a href="#">AMD EPYC 7351</a>	16	23,226	1,803	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7351</a>	16	25,431	1,747	155	SP3	Server
<a href="#">AMD EPYC 7351P</a>	16	25,657	1,788	155	SP3	Server
<a href="#">AMD EPYC 7352</a>	24	40,096	1,969	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7352</a>	24	65,921	2,040	155	SP3	Server
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7371</a>	16	54,894	2,320	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7373X</a>	16	74,709	2,761	240	SP3	Server
<a href="#">AMD EPYC 73F3</a>	16	46,103	2,883	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 73F3</a>	16	72,363	2,831	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7401</a>	24	55,280	1,850	155	SP3	Server
<a href="#">AMD EPYC 7401P</a>	24	28,546	1,731	155	SP3	Server
<a href="#">AMD EPYC 7402</a>	24	46,012	2,129	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7402</a>	24	63,999	1,980	180	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">AMD EPYC 7413</a>	24	50,223	2,365	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7413</a>	24	74,990	2,248	180	SP3	Server
<a href="#">AMD EPYC 7443</a>	24	56,601	2,907	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7443</a>	24	71,156	2,380	200	SP3	Server
<a href="#">AMD EPYC 7443P</a>	24	57,088	2,916	200	SP3	Server
<a href="#">AMD EPYC 7451</a>	24	25,863	1,955	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7451</a>	24	52,322	1,931	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	44,759	1,990	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7452</a>	32	77,746	2,160	155	SP3	Server
<a href="#">AMD EPYC 7453</a>	28	50,575	2,522	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7453</a>	28	80,327	2,371	225	SP3	Server
<a href="#">AMD EPYC 7473X</a>	24	59,280	2,751	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7473X</a>	24	81,282	2,201	240	SP3	Server
<a href="#">AMD EPYC 74F3</a>	24	60,666	2,942	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 74F3</a>	24	95,621	2,982	240	SP3	Server
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">AMD EPYC 7502</a>	32	47,983	2,021	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7502</a>	32	80,300	2,189	180	SP3	Server
<a href="#">AMD EPYC 7502P</a>	32	50,667	2,014	180	SP3	Server
<a href="#">AMD EPYC 7513</a>	32	59,285	2,442	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7513</a>	32	96,409	2,730	200	SP3	Server
<a href="#">AMD EPYC 7532</a>	32	52,755	2,056	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7532</a>	32	82,196	2,139	200	SP3	Server
<a href="#">AMD EPYC 7542</a>	32	45,003	2,102	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7542</a>	32	73,885	2,073	225	SP3	Server
<a href="#">AMD EPYC 7543</a>	32	59,750	2,354	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7543</a>	32	98,074	2,621	240	SP3	Server
<a href="#">AMD EPYC 7543P</a>	32	66,687	2,741	225	SP3	Server
<a href="#">AMD EPYC 7551</a>	32	24,534	1,758	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7551</a>	32	57,865	1,789	180	SP3	Server
<a href="#">AMD EPYC 7551P</a>	32	38,126	1,770	180	SP3	Server
<a href="#">AMD EPYC 7552</a>	48	61,282	2,163	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7552</a>	48	72,235	1,527	200	SP3	Server
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3	Server
<a href="#">AMD EPYC 7573X</a>	32	69,432	2,674	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7573X</a>	32	103,531	2,650	280	SP3	Server
<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 75F3</a>	32	101,429	2,664	280	SP3	Server
<a href="#">AMD EPYC 7601</a>	32	34,079	1,890	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7601</a>	32	53,737	1,765	180	SP3	Server
<a href="#">AMD EPYC 7642</a>	48	58,248	2,045	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7642</a>	48	94,050	2,140	225	SP3	Server
<a href="#">AMD EPYC 7643</a>	48	76,050	2,691	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7643</a>	48	88,348	1,915	225	SP3	Server
<a href="#">AMD EPYC 7662</a>	64	72,298	2,102	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7662</a>	64	97,178	2,089	225	SP3	Server
<a href="#">AMD EPYC 7663</a>	56	82,087	2,606	240	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	70,107	2,095	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7702</a>	64	94,529	2,102	200	SP3	Server
<a href="#">AMD EPYC 7702P</a>	64	63,300	2,124	200	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">[Dual CPU] AMD EPYC 7713</a>	64	114,468	2,590	225	SP3	Server
<a href="#">AMD EPYC 7713P</a>	64	81,201	2,609	225	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	69,663	2,162	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7742</a>	64	94,081	2,046	225	SP3	Server
<a href="#">AMD EPYC 7763</a>	64	84,193	2,505	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7763</a>	64	115,607	2,512	280	SP3	Server
<a href="#">AMD EPYC 7773X</a>	64	91,491	2,570	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7773X</a>	64	108,504	2,437	280	SP3	Server
<a href="#">AMD EPYC 7B12</a>	64	66,044	1,927	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7B12</a>	64	102,240	2,145	240	SP3	Server
<a href="#">AMD EPYC 7B13</a>	60	77,460	2,564	NA	Unknown	Server
<a href="#">AMD EPYC 7C13</a>	64	70,474	2,607	NA	Unknown	Server
<a href="#">AMD EPYC 7D12</a>	32	43,032	1,895	85	Unknown	Server
<a href="#">AMD EPYC 7F32</a>	8	23,453	2,466	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F32</a>	8	39,712	2,415	180	SP3	Server
<a href="#">AMD EPYC 7F52</a>	16	40,251	2,471	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F52</a>	16	64,806	2,439	240	SP3	Server
<a href="#">AMD EPYC 7F72</a>	24	52,597	2,381	240	SP3	Server
<a href="#">AMD EPYC 7H12</a>	64	69,633	1,774	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7H12</a>	64	97,573	2,022	280	SP3	Server
<a href="#">AMD EPYC 7J13</a>	64	84,786	2,450	NA	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7J13</a>	64	119,134	2,594	NA	Unknown	Server
<a href="#">AMD EPYC 7K62</a>	48	58,203	2,120	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7K62</a>	48	91,903	2,134	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7K83</a>	64	102,053	2,458	NA	Unknown	Server
<a href="#">AMD EPYC 7R12</a>	48	48,934	2,079	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7R12</a>	48	92,961	2,142	200	SP3	Server
<a href="#">AMD EPYC 7R13 64-Core</a>	48	82,158	2,752	NA	Unknown	Server
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7R32</a>	48	74,520	1,918	NA	Unknown	Server
<a href="#">AMD EPYC 7T83</a>	64	81,757	2,462	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7T83</a>	64	114,770	2,532	280	SP3	Server
<a href="#">AMD EPYC 7V13</a>	64	82,878	2,729	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7V73X</a>	64	94,451	2,277	280	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7Y83</a>	64	108,281	2,622	280	SP3	Mobile/Embedded
<a href="#">AMD EPYC 8024P</a>	8	20,556	2,371	90	SP6	Server
<a href="#">AMD EPYC 8124P</a>	16	36,470	2,373	125	SP6	Server
<a href="#">AMD EPYC 8224P</a>	24	44,990	2,367	160	SP6	Server
<a href="#">AMD EPYC 8324P</a>	32	57,127	2,367	180	SP6	Server
<a href="#">AMD EPYC 8434P</a>	48	66,490	2,448	200	SP6	Server
<a href="#">AMD EPYC 8534P</a>	64	71,900	2,441	200	SP6	Server
<a href="#">AMD EPYC 9124</a>	16	43,963	2,729	200	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9124</a>	16	63,027	2,346	200	SP5	Server
<a href="#">AMD EPYC 9174F</a>	16	55,485	3,318	320	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9174F</a>	16	90,483	3,439	320	SP5	Server
<a href="#">AMD EPYC 9184X</a>	16	50,344	3,196	320	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9184X</a>	16	84,253	3,222	320	SP5	Server
<a href="#">AMD EPYC 9224</a>	24	42,448	2,057	200	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 9224</a>	24	92,518	2,881	200	Unknown	Server
<a href="#">AMD EPYC 9254</a>	24	67,343	3,190	200	SP5	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">[Dual CPU] AMD EPYC 9274F</a>	24	113,019	3,365	NA	SP5	Server
<a href="#">AMD EPYC 9334</a>	32	64,841	2,367	NA	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9334</a>	32	110,928	3,076	NA	SP5	Server
<a href="#">AMD EPYC 9354</a>	32	67,842	2,310	280	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9354</a>	32	112,027	2,881	280	SP5	Server
<a href="#">AMD EPYC 9354P</a>	32	76,605	2,857	280	SP5	Server
<a href="#">AMD EPYC 9374F</a>	32	79,826	3,055	320	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9374F</a>	32	131,140	3,383	320	SP5	Server
<a href="#">AMD EPYC 9454</a>	48	95,495	2,990	290	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9454</a>	48	134,517	3,030	290	SP5	Server
<a href="#">AMD EPYC 9454P</a>	48	95,891	2,993	290	SP5	Server
<a href="#">AMD EPYC 9474F</a>	48	105,213	3,189	360	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9474F</a>	48	148,891	3,243	360	SP5	Server
<a href="#">AMD EPYC 9534</a>	64	93,884	2,579	280	SP5	Server
<a href="#">AMD EPYC 9554</a>	64	111,794	2,937	360	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9554</a>	64	146,218	2,949	360	SP5	Server
<a href="#">AMD EPYC 9554P</a>	64	110,790	2,942	360	SP5	Server
<a href="#">AMD EPYC 9634</a>	84	107,944	2,924	290	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9634</a>	84	142,801	2,821	290	SP5	Server
<a href="#">AMD EPYC 9654</a>	96	117,179	2,908	360	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9654</a>	96	147,224	2,759	360	SP5	Server
<a href="#">AMD EPYC 9654P</a>	96	113,949	2,616	360	SP5	Server
<a href="#">AMD EPYC 9684X</a>	96	120,760	2,883	400	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9684X</a>	96	157,672	2,881	400	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9734</a>	112	130,034	2,369	340	SP5	Server
<a href="#">AMD EPYC 9754</a>	128	100,460	2,433	360	SP5	Server
<a href="#">[Dual CPU] AMD EPYC 9754</a>	128	132,951	2,419	360	SP5	Server
<a href="#">AMD EPYC 9R14</a>	96	116,475	2,920	NA	Unknown	Server
<a href="#">AMD EPYC Embedded 7292P</a>	16	30,542	2,091	NA	Unknown	Server
<a href="#">AMD FirePro A320 APU</a>	4	2,153	1,193	100	FM2	Desktop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,610	1,286	95	AM3+	Desktop
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,686	1,336	125	AM3+	Desktop
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,034	1,464	125	AM3+	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,119	1,313	125	AM3+	Desktop
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,985	1,481	95	AM3+	Desktop
<a href="#">AMD FX-4320</a>	2	3,150	1,564	95	AM3+	Desktop
<a href="#">AMD FX-4330</a>	2	3,098	1,559	95	AM3+	Desktop
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,313	1,618	125	AM3+	Desktop
<a href="#">AMD FX-6100 Six-Core</a>	3	3,685	1,316	95	AM3+	Desktop
<a href="#">AMD FX-6120 Six-Core</a>	3	3,887	1,409	95	AM3+	Desktop
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
<a href="#">AMD FX-6200 Six-Core</a>	3	4,097	1,408	125	AM3+	Desktop
<a href="#">AMD FX-6300 Six-Core</a>	3	4,209	1,488	95	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,433	1,531	95	AM3+	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,551	1,560	125	AM3+	Desktop
<a href="#">AMD FX-670K Quad-Core</a>	2	2,980	1,578	65	FM2	Desktop
<a href="#">AMD FX-7500 APU</a>	4	1,967	973	19	FP3	Laptop
<a href="#">AMD FX-7600P</a>	4	2,582	1,253	35	FP3	Laptop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD FX-8100 Eight-Core</a>	4	4,046	1,137	95	AM3+	Desktop
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,641	1,335	125	AM3+	Desktop
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,250	1,432	125	AM3+	Desktop
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,319	1,494	95	AM3+	Desktop
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,149	1,416	95	AM3+	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,445	1,468	125	AM3+	Desktop
<a href="#">AMD FX-8320E Eight-Core</a>	4	5,089	1,433	95	AM3+	Desktop
<a href="#">AMD FX-8350 Eight-Core</a>	4	6,064	1,581	125	AM3+	Desktop
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,173	1,625	125	AM3+	Desktop
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,306	1,463	95	AM3+	Desktop
<a href="#">AMD FX-870K Quad Core</a>	2	3,227	1,470	NA	Unknown	Unknown
<a href="#">AMD FX-8800P</a>	2	2,851	1,380	35	FP4	Laptop
<a href="#">AMD FX-9370 Eight-Core</a>	4	6,187	1,691	220	AM3+	Desktop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,789	1,813	220	AM3+	Desktop
<a href="#">AMD FX-9800P</a>	4	2,543	1,228	15	Unknown	Laptop
<a href="#">AMD FX-9830P</a>	4	3,330	1,581	35	FP4	Laptop
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
<a href="#">AMD G-T40N</a>	2	299	323	9	FT1	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">AMD G-T44R</a>	1	120	302	9	FT1	Laptop
<a href="#">AMD G-T48E</a>	2	427	457	18	FT1	Laptop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
<a href="#">AMD G-T56N</a>	2	484	528	18	FT1	Laptop
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-212JC SOC</a>	2	646	452	6	FT3b	Laptop
<a href="#">AMD GX-217GA SOC</a>	2	794	565	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">AMD GX-222GC SOC</a>	2	1,044	783	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">AMD GX-412HC</a>	4	1,095	414	7	FT3b	Laptop
<a href="#">AMD GX-412TC SOC</a>	4	650	250	6	FT3b	Mobile/Embedded
<a href="#">AMD GX-415GA SOC</a>	4	1,414	515	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-416RA SOC</a>	4	1,604	561	NA	FT3	Mobile/Embedded
<a href="#">AMD GX-420CA SOC</a>	4	1,785	677	25	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">AMD GX-424CC SOC</a>	4	1,803	802	25	FT3b	Laptop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">AMD Opteron 1212 HE</a>	2	771	731	65	AM2	Server
<a href="#">AMD Opteron 1214</a>	2	696	830	103	AM2	Server
<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2	Server
<a href="#">AMD Opteron 1216</a>	2	781	810	103	AM2	Server
<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
<a href="#">AMD Opteron 1218 HE</a>	2	979	940	65	AM2	Server
<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
<a href="#">AMD Opteron 1352</a>	4	1,547	857	75	AM2	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3	Server
<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
<a href="#">AMD Opteron 146</a>	1	346	400	67	939	Server
<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
<a href="#">[Dual CPU] AMD Opteron 2216</a>	2	1,771	865	95	F (1207)	Server
<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2218</a>	2	1,994	964	95	F (1207)	Server
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2220</a>	2	1,533	1,013	95	F (1207)	Server
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2222</a>	2	2,098	964	95	F (1207)	Server
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2354</a>	4	3,242	899	115	F (1207)	Server
<a href="#">AMD Opteron 2356</a>	4	1,733	849	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2356</a>	4	3,009	894	75	F (1207)	Server
<a href="#">AMD Opteron 2373 EE</a>	4	1,744	876	60	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2373 EE</a>	4	3,521	865	60	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2374 HE</a>	4	3,667	915	55	F (1207)	Server
<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2382</a>	4	4,516	1,157	115	F (1207)	Server
<a href="#">AMD Opteron 2384</a>	4	2,074	1,074	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2387</a>	4	4,105	1,107	75	F (1207)	Server
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2427</a>	6	4,499	906	75	F (1207)	Server
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)	Server
<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2435</a>	6	5,260	1,122	75	F (1207)	Server
<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
<a href="#">AMD Opteron 270</a>	2	736	587	95	940	Server
<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server
<a href="#">AMD Opteron 280</a>	2	765	430	95	940	Server
<a href="#">AMD Opteron 285</a>	2	956	509	95	940	Server
<a href="#">[Dual CPU] AMD Opteron 285</a>	2	1,441	989	95	940	Server
<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
<a href="#">AMD Opteron 3280</a>	8	3,723	1,036	65	AM3+	Server
<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
<a href="#">AMD Opteron 3350 HE</a>	4	2,699	1,263	45	Unknown	Server
<a href="#">AMD Opteron 3365</a>	4	4,105	1,132	65	AM3+	Server
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown	Server
<a href="#">AMD Opteron 4130</a>	4	2,347	1,149	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 4130</a>	4	4,200	1,086	95	F (1207)	Server
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
<a href="#">AMD Opteron 4174 HE</a>	6	2,986	1,035	65	C32	Server
<a href="#">[Dual CPU] AMD Opteron 4174 HE</a>	6	5,656	950	65	C32	Server
<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server
<a href="#">AMD Opteron 4226</a>	3	3,400	1,157	95	Socket C32	Server
<a href="#">[Dual CPU] AMD Opteron 4238</a>	3	7,236	1,313	95	Socket C32	Server
<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32	Server
<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32	Server
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server
<a href="#">[Dual CPU] AMD Opteron 4284</a>	4	8,560	1,369	95	Socket C32	Server
<a href="#">AMD Opteron 4332 HE</a>	6	3,911	1,362	65	Socket C32	Server
<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
<a href="#">AMD Opteron 4365 EE</a>	4	3,485	958	40	Socket C32	Server
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32	Server
<a href="#">[Dual CPU] AMD Opteron 4386</a>	4	9,253	1,309	95	C32	Server
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6128</a>	8	6,141	862	115	G34	Server
<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6128 HE</a>	8	6,339	883	85	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6134</a>	8	6,053	898	115	G34	Server
<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6136</a>	8	7,964	1,059	115	Socket G34	Server
<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6168</a>	12	15,745	845	115	G34	Server
<a href="#">AMD Opteron 6172</a>	12	2,615	564	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6172</a>	12	16,032	919	115	G34	Server
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6174</a>	12	12,607	939	115	Socket G34	Server
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6176 SE</a>	12	7,818	963	140	G34	Server
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34	Server
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6220</a>	4	7,951	1,235	115	Socket G34	Server
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6234</a>	6	8,644	887	115	G34	Server
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6238</a>	6	8,206	1,076	115	Socket G34	Server
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Opteron 6274</a>	8	5,643	871	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6274</a>	8	10,313	974	115	G34	Server
<a href="#">AMD Opteron 6276</a>	8	6,348	1,033	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6276</a>	8	10,763	969	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6276</a>	8	9,168	916	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6278</a>	16	13,733	1,007	115	Unknown	Server
<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
<a href="#">[Quad CPU] AMD Opteron 6282 SE</a>	16	12,083	894	140	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6282 SE</a>	16	7,130	517	140	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6284 SE</a>	16	10,619	857	140	Socket G34	Server
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">AMD Opteron 6328</a>	4	5,306	1,419	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6328</a>	4	10,076	1,252	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6328</a>	4	9,508	1,442	115	G34	Server
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">AMD Opteron 6348</a>	6	7,850	1,333	115	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6348</a>	6	13,470	1,344	115	Unknown	Server
<a href="#">AMD Opteron 6366 HE</a>	8	5,613	1,003	85	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6366 HE</a>	8	10,265	1,167	85	Unknown	Server
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6376</a>	8	21,745	1,185	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6376</a>	8	12,278	1,131	115	Socket G34	Server
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6378</a>	8	13,236	1,065	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6378</a>	8	12,352	1,018	115	G34	Server
<a href="#">AMD Opteron 6380</a>	8	6,687	1,092	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6380</a>	8	14,622	1,334	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6380</a>	8	12,377	1,133	115	G34	Server
<a href="#">AMD Opteron 6386 SE</a>	16	8,291	1,305	140	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6386 SE</a>	16	12,761	1,297	140	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 8356</a>	4	5,397	929	75	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 8378</a>	4	7,726	1,044	115	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 8431</a>	6	5,716	1,002	115	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 8435</a>	6	11,843	1,156	75	F (1207)	Server
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 8439 SE</a>	6	6,340	1,204	105	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 885</a>	2	2,696	NA	95	949	Server
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">AMD Opteron X3216 APU</a>	2	1,475	1,264	15	Unknown	Server
<a href="#">AMD Opteron X3418 APU</a>	4	3,043	1,427	25	Unknown	Server
<a href="#">AMD Opteron X3421 APU</a>	4	3,440	1,515	35	Unknown	Server
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,164	819	95	AM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,257	826	65	AM2+	Desktop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,464	969	95	AM2+	Desktop
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,218	865	95	AM2+	Desktop
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,445	976	95	AM2+	Desktop
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop
<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,414	721	65	AM2+	Desktop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,590	795	65	AM2+	Desktop
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,549	861	95	AM2+	Desktop
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,656	862	95	AM2+	Desktop
<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,597	887	95	AM2+	Desktop
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,822	934	95	AM2+	Desktop
<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,713	904	95	AM2+	Desktop
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,843	949	125	AM2+	Desktop
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,712	938	125	AM2+	Desktop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Desktop
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,884	1,027	125	AM2+	Desktop
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Desktop
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Desktop
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	992	1,092	35	S1	Laptop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,083	1,093	35	S1	Laptop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,222	823	35	S1	Laptop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,298	895	35	S1	Laptop
<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,324	900	35	S1	Laptop
<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,584	817	35	S1	Laptop
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,587	859	35	S1	Laptop
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,687	904	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

Core						
<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1	Laptop
<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,079	760	35	S1	Laptop
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,250	831	35	S1	Laptop
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,006	597	25	S1	Laptop
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,386	737	35	S1	Laptop
<a href="#">AMD Phenom II X2 511</a>	2	1,265	1,295	65	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 521</a>	2	1,374	1,409	65	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 545</a>	2	1,222	1,183	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 550</a>	2	1,167	1,233	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 555</a>	2	1,296	1,307	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 560</a>	2	1,375	1,389	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 565</a>	2	1,442	1,376	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 570</a>	2	1,395	1,412	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B53</a>	2	1,137	1,161	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B55</a>	2	1,183	1,201	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B57</a>	2	1,260	1,273	80	Unknown	Desktop
<a href="#">AMD Phenom II X2 B59</a>	2	1,431	1,395	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X3 700e</a>	3	1,451	961	65	AM3	Desktop
<a href="#">AMD Phenom II X3 705e</a>	3	1,222	962	65	AM3	Desktop
<a href="#">AMD Phenom II X3 710</a>	3	1,551	1,070	95	AM3	Desktop
<a href="#">AMD Phenom II X3 720</a>	3	1,575	1,105	95	AM3	Desktop
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Desktop
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3	Desktop
<a href="#">AMD Phenom II X3 B75</a>	3	1,781	1,256	95	AM3	Desktop
<a href="#">AMD Phenom II X3 B77</a>	3	1,844	1,310	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 805</a>	4	1,959	1,017	95	AM3	Desktop
<a href="#">AMD Phenom II X4 810</a>	4	2,003	1,047	95	AM3	Desktop
<a href="#">AMD Phenom II X4 820</a>	4	2,081	1,121	95	AM3	Desktop
<a href="#">AMD Phenom II X4 830</a>	4	2,070	1,084	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 840</a>	4	2,407	1,298	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 840T</a>	4	2,330	1,264	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 850</a>	4	2,400	1,230	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3	Desktop
<a href="#">AMD Phenom II X4 905e</a>	4	1,936	1,012	65	AM3	Desktop
<a href="#">AMD Phenom II X4 910</a>	4	1,776	988	95	AM3	Desktop
<a href="#">AMD Phenom II X4 910e</a>	4	2,131	1,082	65	AM3	Desktop
<a href="#">AMD Phenom II X4 920</a>	4	2,156	1,130	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 925</a>	4	2,265	1,150	95	AM3	Desktop
<a href="#">AMD Phenom II X4 940</a>	4	2,345	1,212	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 945</a>	4	2,387	1,233	125	AM3	Desktop
<a href="#">AMD Phenom II X4 955</a>	4	2,510	1,292	125	AM3	Desktop
<a href="#">AMD Phenom II X4 960T</a>	4	2,353	1,299	95	AM3	Desktop
<a href="#">AMD Phenom II X4 965</a>	4	2,637	1,364	125	AM3	Desktop
<a href="#">AMD Phenom II X4 970</a>	4	2,739	1,417	125	AM3	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Phenom II X4 975</a>	4	2,536	1,350	125	AM3	Desktop
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Desktop
<a href="#">AMD Phenom II X4 980</a>	4	2,839	1,511	125	AM3	Desktop
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B35</a>	4	2,319	1,182	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B45</a>	4	2,267	1,235	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B50</a>	4	2,379	1,281	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B55</a>	4	2,483	1,322	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B60</a>	4	2,627	1,346	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B65</a>	4	2,690	1,370	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
<a href="#">AMD Phenom II X4 B93</a>	4	2,159	1,142	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B95</a>	4	2,401	1,242	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B97</a>	4	2,539	1,320	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Desktop
<a href="#">AMD Phenom II X6 1035T</a>	6	3,000	1,226	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1045T</a>	6	3,200	1,282	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1055T</a>	6	3,328	1,330	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1065T</a>	6	3,387	1,362	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1075T</a>	6	3,423	1,379	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1090T</a>	6	3,766	1,455	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1100T</a>	6	3,865	1,494	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Desktop
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Desktop
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Desktop
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Desktop
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Desktop
<a href="#">AMD Phenom X3 8550</a>	3	1,079	835	95	AM2/AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Desktop
<a href="#">AMD PRO A10-8700B</a>	2	2,212	1,122	15	BGA (FP4)	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">AMD PRO A10-8750B</a>	2	2,935	1,320	65	FM2+	Desktop
<a href="#">AMD PRO A10-8770</a>	4	3,574	1,596	65	AM4	Desktop
<a href="#">AMD PRO A10-8770E</a>	4	3,036	1,446	35	AM4	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop
<a href="#">AMD PRO A10-9700</a>	2	3,652	1,644	65	AM4	Desktop
<a href="#">AMD PRO A10-9700B</a>	4	2,545	1,294	15	FP4	Laptop
<a href="#">AMD PRO A10-9700E</a>	2	2,985	1,418	35	AM4	Desktop
<a href="#">AMD PRO A12-8800B</a>	2	2,580	1,315	15	FP4	Laptop
<a href="#">AMD PRO A12-8830B</a>	4	2,517	1,321	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A12-8870</a>	4	3,869	1,782	65	AM4	Desktop
<a href="#">AMD PRO A12-8870E</a>	4	3,043	1,440	35	AM4	Desktop
<a href="#">AMD PRO A12-9800</a>	4	3,705	1,686	65	AM4	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,691	1,392	15	FP4	Laptop
<a href="#">AMD PRO A12-9800E</a>	4	3,171	1,518	35	AM4	Desktop
<a href="#">AMD PRO A4-3350B APU</a>	4	1,799	795	15	FT3b	Laptop
<a href="#">AMD PRO A4-4350B</a>	2	1,118	941	15	FT4	Laptop
<a href="#">AMD PRO A4-8350B</a>	1	1,651	1,433	65	FM2+	Desktop
<a href="#">AMD PRO A6-7350B</a>	2	1,218	1,154	15	FMA4	Laptop
<a href="#">AMD PRO A6-8500B</a>	2	1,601	1,340	15	FP4	Laptop
<a href="#">AMD PRO A6-8530B</a>	2	1,127	1,149	15	FP4	Laptop
<a href="#">AMD PRO A6-8550B</a>	1	1,882	1,631	65	FM2+	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,906	1,646	65	AM4	Desktop
<a href="#">AMD PRO A6-8570E</a>	2	1,642	1,349	35	Unknown	Desktop
<a href="#">AMD PRO A6-9500</a>	2	1,768	1,508	65	AM4	Desktop
<a href="#">AMD PRO A6-9500B</a>	2	1,357	1,215	15	FP4	Laptop
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">AMD PRO A8-8600B</a>	4	2,190	1,090	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,211	1,490	65	FM2+	Desktop
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop
<a href="#">AMD PRO A8-9600</a>	2	3,322	1,513	65	AM4	Desktop
<a href="#">AMD PRO A8-9600B</a>	4	2,292	1,194	15	FP4	Laptop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">AMD R-460L APU</a>	4	1,538	928	25	BGA827 (FP2)	Laptop
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Laptop, Mobile/Embedded
<a href="#">AMD RX-225FB</a>	2	892	794	NA	FP3	Mobile/Embedded
<a href="#">AMD RX-425BB</a>	4	2,648	1,192	35	FP3	Mobile/Embedded
<a href="#">AMD RX-427BB</a>	4	2,788	1,301	35	FP3	Laptop
<a href="#">AMD Ryzen 3 1200</a>	4	6,280	1,930	65	AM4	Desktop
<a href="#">AMD Ryzen 3 1300X</a>	4	6,977	2,127	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200G</a>	4	6,756	2,049	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,018	1,931	35	AM4	Desktop
<a href="#">AMD Ryzen 3 2200U</a>	2	3,690	1,675	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300U</a>	4	5,544	1,748	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,571	2,355	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3100</a>	4	11,599	2,419	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200G</a>	4	7,129	2,206	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,309	2,206	35	AM4	Desktop
<a href="#">AMD Ryzen 3 3200U</a>	2	3,793	1,807	15	FP5	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 3 3250U</a>	2	3,813	1,774	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300U</a>	4	5,679	1,841	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300X</a>	4	12,633	2,673	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3350U</a>	4	5,822	1,925	15	Unknown	Laptop
<a href="#">AMD Ryzen 3 4100</a>	4	11,047	2,518	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300G</a>	4	10,922	2,556	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,211	2,552	35	AM4	Desktop
<a href="#">AMD Ryzen 3 4300U</a>	4	7,441	2,308	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5300G</a>	4	12,902	3,038	65	AM4	Desktop
<a href="#">AMD Ryzen 3 5300GE</a>	4	13,074	3,098	35	AM4	Desktop
<a href="#">AMD Ryzen 3 5300U</a>	4	9,674	2,350	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5400U</a>	4	11,041	2,742	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5425U</a>	4	11,348	2,917	15	FP6	Laptop
<a href="#">AMD Ryzen 3 7320C</a>	4	8,614	2,436	15	FT6	Laptop
<a href="#">AMD Ryzen 3 7320U</a>	4	8,846	2,378	15	FP7	Laptop
<a href="#">AMD Ryzen 3 7330U</a>	4	10,978	3,024	15	FP6	Laptop
<a href="#">AMD Ryzen 3 7335U</a>	4	12,230	2,955	28	FP7	Desktop, Laptop
<a href="#">AMD Ryzen 3 7440U</a>	4	12,991	2,614	28	FP7 FP7r2	Laptop
<a href="#">AMD Ryzen 3 8300GE</a>	4	13,846	3,837	35	Unknown	Desktop
<a href="#">AMD Ryzen 3 8440U</a>	4	12,805	3,648	28	FP7, FP7r2	Desktop, Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,154	1,914	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,234	2,187	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,062	1,809	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,812	2,066	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,407	2,057	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,795	1,834	15	FP5	Laptop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,983	2,192	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	6,701	2,133	35	AM4	Laptop
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	5,950	1,931	15	FP5	Laptop
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,921	2,546	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	10,971	2,528	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4355GE</a>	4	10,559	2,572	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	9,949	2,348	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	13,851	3,101	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	12,584	3,088	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,026	2,736	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5475U</a>	4	11,381	2,905	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 7330U</a>	4	12,331	3,108	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 7335U</a>	4	12,440	3,119	30	FP7r2	Desktop, Laptop
<a href="#">AMD Ryzen 3 PRO 8300G</a>	4	14,599	3,837	65	AM5	Desktop
<a href="#">AMD Ryzen 3 PRO 8300GE</a>	4	14,753	3,894	35	AM5	Desktop
<a href="#">AMD Ryzen 5 1400</a>	4	7,755	1,896	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1500X</a>	4	9,101	2,113	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600</a>	6	12,279	2,066	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600X</a>	6	13,055	2,198	95	AM4	Desktop
<a href="#">AMD Ryzen 5 2400G</a>	4	8,729	2,148	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2400GE</a>	4	7,521	2,100	35	AM4	Desktop
<a href="#">AMD Ryzen 5 2500U</a>	4	6,544	1,818	15	FP5	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">AMD Ryzen 5 2600</a>	6	13,192	2,245	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2600H</a>	4	8,002	2,085	45	FP5	Laptop
<a href="#">AMD Ryzen 5 2600X</a>	6	13,908	2,383	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3350G</a>	4	8,989	2,263	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,343	2,322	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 3400G</a>	4	9,258	2,332	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,907	2,295	35	AM4	Desktop
<a href="#">AMD Ryzen 5 3450U</a>	4	6,730	1,906	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500</a>	6	12,789	2,501	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3500C</a>	4	5,682	1,984	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500U</a>	4	6,942	1,947	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500X</a>	6	13,160	2,503	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3550H</a>	4	7,763	2,027	35	FP5	Laptop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Laptop
<a href="#">AMD Ryzen 5 3580U</a>	4	7,271	1,981	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3600</a>	6	17,749	2,567	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3600X</a>	6	18,193	2,652	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3600XT</a>	6	18,638	2,759	95	AM4	Desktop
<a href="#">AMD Ryzen 5 4400G</a>	6	17,160	2,711	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4500</a>	6	16,125	2,595	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4500U</a>	6	10,920	2,434	15	FP6	Laptop
<a href="#">AMD Ryzen 5 4600G</a>	6	16,064	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,816	2,627	35	AM4	Desktop
<a href="#">AMD Ryzen 5 4600H</a>	6	14,427	2,433	45	FP6	Laptop
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,230	2,398	35	FP6	Laptop
<a href="#">AMD Ryzen 5 4600U</a>	6	13,470	2,438	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5500</a>	6	19,401	3,058	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5500GT</a>	6	20,217	3,210	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5500H</a>	4	11,661	3,021	45	FP6	Laptop
<a href="#">AMD Ryzen 5 5500U</a>	6	13,012	2,439	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5560U</a>	6	15,143	2,833	15	AM4	Laptop
<a href="#">AMD Ryzen 5 5600</a>	6	21,574	3,258	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600G</a>	6	19,878	3,190	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600GE</a>	6	18,667	3,216	35	AM4	Desktop
<a href="#">AMD Ryzen 5 5600GT</a>	6	20,316	3,358	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600H</a>	6	16,994	2,948	45	FP6	Laptop
<a href="#">AMD Ryzen 5 5600U</a>	6	15,440	2,917	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5600X</a>	6	21,888	3,360	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600X3D</a>	6	21,953	3,196	105	AM4	Desktop
<a href="#">AMD Ryzen 5 5625U</a>	6	14,937	2,888	15	FP6	Laptop
<a href="#">AMD Ryzen 5 6600H</a>	6	18,711	3,177	45	FP7	Laptop
<a href="#">AMD Ryzen 5 6600HS Creator Edition</a>	6	18,361	3,125	35	FP7	Laptop
<a href="#">AMD Ryzen 5 6600U</a>	6	16,793	3,190	25	FP7	Laptop
<a href="#">AMD Ryzen 5 7235HS</a>	4	11,176	2,627	45	FP7r2	Desktop, Laptop
<a href="#">AMD Ryzen 5 7430U</a>	6	15,547	3,018	15	AM4	Laptop
<a href="#">AMD Ryzen 5 7500F</a>	6	26,951	3,845	65	AM5 (LGA 1718)	Desktop
<a href="#">AMD Ryzen 5 7520U</a>	4	9,214	2,472	15	FP6	Laptop
<a href="#">AMD Ryzen 5 7530U</a>	6	16,061	3,118	15	FP6	Laptop
<a href="#">AMD Ryzen 5 7535HS</a>	6	18,391	3,162	35	FP7	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 7540U</a>	6	18,685	3,607	28	FP7 FP7r2	Laptop
<a href="#">AMD Ryzen 5 7600</a>	6	27,097	3,911	65	AM5 (LGA 1718)	Desktop
<a href="#">AMD Ryzen 5 7600X</a>	6	28,464	4,145	105	AM5	Desktop
<a href="#">AMD Ryzen 5 7600X3D</a>	6	26,217	3,622	65	AM5	Desktop
<a href="#">AMD Ryzen 5 7640HS</a>	6	22,933	3,624	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 5 7640U</a>	6	21,193	3,510	28	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 5 7645HX</a>	6	26,868	3,915	55	AM5 (LGA 1718)	Laptop
<a href="#">AMD Ryzen 5 8400F</a>	6	23,428	3,579	65	AM5	Desktop
<a href="#">AMD Ryzen 5 8500G</a>	6	21,755	3,919	65	AM5	Desktop
<a href="#">AMD Ryzen 5 8500GE</a>	6	21,042	3,926	35	AM5	Desktop
<a href="#">AMD Ryzen 5 8540U</a>	6	18,147	3,665	28	FP7 FP7r2	Desktop, Laptop
<a href="#">AMD Ryzen 5 8600G</a>	6	25,318	3,881	65	AM5	Desktop
<a href="#">AMD Ryzen 5 8640HS</a>	6	19,512	3,556	28	FP7 , FP7r2 , FP	Desktop, Laptop
<a href="#">AMD Ryzen 5 8640U</a>	6	20,772	3,483	28	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 5 8645HS</a>	6	22,663	3,686	45	FP7 , FP7r2 , FP	Desktop, Laptop
<a href="#">AMD Ryzen 5 9600X</a>	6	30,021	4,575	65	AM5	Desktop
<a href="#">AMD Ryzen 5 Microsoft Surface Edition</a>	4	7,243	1,815	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,099	2,129	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	11,240	1,884	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,512	2,152	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,660	2,122	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,645	1,798	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,509	2,275	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,272	2,285	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,090	2,301	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	8,285	2,240	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	7,011	1,955	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,606	2,528	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,365	2,652	NA	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,117	2,491	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,165	2,653	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,564	2,617	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,641	2,421	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 4655G</a>	6	16,355	2,696	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4655GE</a>	6	14,436	2,662	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5645</a>	6	21,904	3,441	NA	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,785	3,252	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,397	3,183	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	14,904	2,932	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 5655GE</a>	6	18,734	3,248	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5675U</a>	6	14,639	2,963	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 6650H</a>	6	18,928	3,214	45	FP7	Laptop
<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	16,727	3,192	28	FP7	Laptop
<a href="#">AMD Ryzen 5 PRO 7530U</a>	6	15,047	3,030	15	FP6	Laptop
<a href="#">AMD Ryzen 5 Pro 7535U</a>	6	17,720	3,283	28	FP7	Laptop
<a href="#">AMD Ryzen 5 PRO 7540U</a>	6	18,071	3,538	30	FP7 FP7r2	Laptop
<a href="#">AMD Ryzen 5 PRO 7640HS</a>	6	22,778	3,685	54	FP7 FP7r2	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">AMD Ryzen 5 PRO 7645</a>	6	27,106	3,901	65	AM5 (LGA 1718)	Unknown
<a href="#">AMD Ryzen 5 PRO 8500G</a>	6	22,362	4,001	65	AM5	Desktop
<a href="#">AMD Ryzen 5 PRO 8500GE</a>	6	22,195	3,991	35	AM5	Desktop
<a href="#">AMD Ryzen 5 PRO 8540U</a>	6	18,486	3,602	28	FP7 FP7r2	Desktop, Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 5 PRO 8600G</a>	6	25,288	3,872	65	AM5	Desktop
<a href="#">AMD Ryzen 5 PRO 8600GE</a>	6	24,262	3,876	35	AM5	Desktop
<a href="#">AMD Ryzen 5 PRO 8640HS</a>	6	22,041	3,735	28	FP7 FP7r2	Desktop, Laptop, Server
<a href="#">AMD Ryzen 7 1700</a>	8	14,814	2,000	65	AM4	Desktop
<a href="#">AMD Ryzen 7 1700X</a>	8	15,668	2,101	95	AM4	Desktop
<a href="#">AMD Ryzen 7 1800X</a>	8	16,354	2,198	95	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,699	2,178	65	AM4	Desktop
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">AMD Ryzen 7 2700U</a>	4	6,810	1,815	15	FP5	Laptop
<a href="#">AMD Ryzen 7 2700X</a>	8	17,519	2,421	105	AM4	Desktop
<a href="#">AMD Ryzen 7 2800H</a>	4	8,013	2,173	45	FP5	Laptop
<a href="#">AMD Ryzen 7 3700C</a>	4	6,346	2,267	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 7 3700U</a>	4	7,154	1,976	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3700X</a>	8	22,546	2,660	65	AM4	Desktop
<a href="#">AMD Ryzen 7 3750H</a>	4	8,105	2,080	35	FP5	Laptop
<a href="#">AMD Ryzen 7 3780U</a>	4	6,961	1,937	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3800X</a>	8	23,143	2,717	105	AM4	Desktop
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,607	2,802	105	AM4	Desktop
<a href="#">AMD Ryzen 7 4700G</a>	8	20,148	2,742	65	AM4	Desktop
<a href="#">AMD Ryzen 7 4700GE</a>	8	19,831	2,681	35	AM4	Desktop
<a href="#">AMD Ryzen 7 4700U</a>	8	13,374	2,523	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4800H</a>	8	18,513	2,614	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800HS</a>	8	18,349	2,575	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800U</a>	8	16,684	2,570	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	17,110	2,661	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4980U Microsoft Surface Edition</a>	8	17,469	2,752	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700</a>	8	24,254	3,246	NA	AM4	Desktop
<a href="#">AMD Ryzen 7 5700G</a>	8	24,553	3,284	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5700GE</a>	8	22,436	3,352	35	AM4	Desktop
<a href="#">AMD Ryzen 7 5700U</a>	8	15,844	2,588	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700X</a>	8	26,667	3,382	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5700X3D</a>	8	26,347	2,979	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5800</a>	8	25,760	3,389	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5800H</a>	8	21,025	3,045	45	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,084	3,028	35	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	21,166	3,100	NA	Unknown	Laptop
<a href="#">AMD Ryzen 7 5800U</a>	8	18,413	3,033	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5800X</a>	8	27,849	3,444	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5800X3D</a>	8	28,296	3,232	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5825U</a>	8	18,344	3,054	15	AM4	Laptop
<a href="#">AMD Ryzen 7 6800H</a>	8	23,424	3,249	45	FP7	Laptop
<a href="#">AMD Ryzen 7 6800HS</a>	8	23,018	3,222	35	FP7	Laptop
<a href="#">AMD Ryzen 7 6800HS Creator Edition</a>	8	21,755	3,224	35	FP7	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD Ryzen 7 7435HS</a>	8	24,054	3,205	45	FP7r2	Desktop, Laptop
<a href="#">AMD Ryzen 7 7700</a>	8	34,610	4,062	65	AM5	Desktop
<a href="#">AMD Ryzen 7 7700X</a>	8	36,016	4,200	105	AM5	Desktop
<a href="#">AMD Ryzen 7 7730U</a>	8	18,640	3,063	15	FP6	Laptop
<a href="#">AMD Ryzen 7 7735H</a>	8	24,025	3,310	54	FP7	Laptop
<a href="#">AMD Ryzen 7 7735HS</a>	8	23,988	3,352	54	FP7	Laptop
<a href="#">AMD Ryzen 7 7735U</a>	8	21,227	3,289	28	FP7	Laptop
<a href="#">AMD Ryzen 7 7736U</a>	8	22,195	3,338	28	FP7	Laptop
<a href="#">AMD Ryzen 7 7745HX</a>	8	32,657	3,947	55	AM5 (LGA 1718)	Laptop
<a href="#">AMD Ryzen 7 7800X3D</a>	8	34,272	3,751	120	AM5	Desktop
<a href="#">AMD Ryzen 7 7840H</a>	8	28,373	3,717	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 7 7840HS</a>	8	28,909	3,783	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 7 7840S</a>	8	24,635	3,680	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 7 7840U</a>	8	24,952	3,596	30	Unknown	Laptop
<a href="#">AMD Ryzen 7 8700F</a>	8	30,898	3,889	65	AM5	Desktop
<a href="#">AMD Ryzen 7 8700G</a>	8	31,721	3,942	65	AM5	Desktop
<a href="#">AMD Ryzen 7 8745H</a>	8	29,171	3,688	45	Unknown	Laptop
<a href="#">AMD Ryzen 7 8840HS</a>	8	24,143	3,624	28	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 7 8840U</a>	8	23,748	3,680	28	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 7 8845H</a>	8	27,731	3,696	45	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 7 8845HS</a>	8	28,858	3,771	45	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 7 9700X</a>	8	37,405	4,620	65	AM5	Desktop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	16,903	2,457	NA	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,658	2,027	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,577	2,141	95	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,300	2,186	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,175	1,942	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	16,948	2,267	105	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	22,899	2,686	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,471	2,026	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	19,786	2,668	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,459	2,714	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,444	2,684	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,185	2,504	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	24,436	3,316	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	21,882	3,303	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5845</a>	8	25,961	3,439	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	16,958	2,986	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	16,078	2,866	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 6850H</a>	8	23,169	3,254	45	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850HS</a>	8	22,264	3,291	35	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	20,794	3,235	28	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6860Z</a>	8	20,863	3,167	28	Unknown	Laptop
<a href="#">AMD Ryzen 7 PRO 7730U</a>	8	19,045	3,077	15	Unknown	Laptop
<a href="#">AMD Ryzen 7 Pro 7735U</a>	8	19,756	3,212	28	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 7745</a>	8	34,652	4,083	65	AM5 (LGA 1718)	Desktop, Server
<a href="#">AMD Ryzen 7 PRO 7840HS</a>	8	26,549	3,504	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 7 PRO 7840U</a>	8	24,738	3,689	30	Unknown	Laptop
<a href="#">AMD Ryzen 7 PRO 8700G</a>	8	31,897	3,984	65	AM5	Desktop
<a href="#">AMD Ryzen 7 PRO 8700GE</a>	8	30,199	3,974	35	AM5	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">AMD Ryzen 7 PRO 8840U</a>	8	23,796	3,640	28	FP7 FP7r2	Desktop, Laptop, Server
<a href="#">AMD Ryzen 7 PRO 8845HS</a>	8	29,037	3,822	45	FP7 FP7r2	Desktop, Laptop, Server
<a href="#">AMD Ryzen 9 3900</a>	12	30,803	2,623	65	AM4	Desktop
<a href="#">AMD Ryzen 9 3900X</a>	12	32,624	2,706	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,675	2,746	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	38,756	2,704	105	AM4	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,156	2,707	45	FP6	Laptop
<a href="#">AMD Ryzen 9 4900HS</a>	8	18,977	2,599	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900</a>	12	34,400	3,449	65	AM4	Desktop
<a href="#">AMD Ryzen 9 5900H</a>	8	20,557	2,977	NA	AM4	Laptop
<a href="#">AMD Ryzen 9 5900HS</a>	8	21,669	3,163	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900HS Creator Edition</a>	8	22,138	3,275	35	Unknown	Laptop
<a href="#">AMD Ryzen 9 5900HX</a>	8	22,532	3,194	45	FP6	Laptop
<a href="#">AMD Ryzen 9 5900X</a>	12	39,122	3,469	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5900XT</a>	16	45,445	3,438	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5950X</a>	16	45,628	3,469	105	AM4	Desktop
<a href="#">[5-Way CPU] AMD Ryzen 9 5950X</a>	16	13,220	2,972	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,318	3,192	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5980HX</a>	8	23,525	3,343	45	FP6	Laptop
<a href="#">AMD Ryzen 9 6900HS</a>	8	23,610	3,290	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HS Creator Edition</a>	8	21,874	3,327	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HX</a>	8	24,802	3,443	45	FP7	Laptop
<a href="#">AMD Ryzen 9 7845HX</a>	12	45,579	3,963	55	FL1	Laptop
<a href="#">AMD Ryzen 9 7900</a>	12	48,854	4,150	65	AM5	Desktop
<a href="#">AMD Ryzen 9 7900X</a>	12	51,740	4,257	170	AM5	Desktop
<a href="#">AMD Ryzen 9 7900X3D</a>	12	50,375	4,130	120	AM5 (LGA 1718)	Desktop
<a href="#">AMD Ryzen 9 7940H</a>	8	28,716	3,967	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 9 7940HS</a>	8	30,373	3,900	54	FP7 FP7r2 FP8	Laptop
<a href="#">AMD Ryzen 9 7940HX</a>	16	52,682	3,947	55	AM5 (LGA 1718)	Desktop, Laptop
<a href="#">AMD Ryzen 9 7945HX</a>	16	54,716	4,059	55	FL1	Laptop
<a href="#">AMD Ryzen 9 7945HX3D</a>	16	58,038	4,119	55	FL1	Laptop
<a href="#">AMD Ryzen 9 7950X</a>	16	62,734	4,277	170	AM5	Desktop
<a href="#">AMD Ryzen 9 7950X3D</a>	16	62,477	4,148	120	AM5	Desktop
<a href="#">AMD Ryzen 9 8945H</a>	8	30,800	3,955	45	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 9 8945HS</a>	8	29,349	3,861	45	FP7 FP7r2 FP8	Desktop, Laptop
<a href="#">AMD Ryzen 9 9900X</a>	12	54,679	4,682	120	AM5	Desktop
<a href="#">AMD Ryzen 9 9950X</a>	16	66,769	4,741	170	AM5	Desktop
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,614	2,686	65	AM4	Desktop
<a href="#">AMD Ryzen 9 PRO 5945</a>	12	34,573	3,497	65	AM4	Desktop
<a href="#">AMD Ryzen 9 PRO 6950H</a>	8	22,626	3,205	45	FP7	Laptop
<a href="#">AMD Ryzen 9 PRO 6950HS</a>	8	22,697	3,405	35	FP7	Laptop
<a href="#">AMD Ryzen 9 PRO 7940HS</a>	8	28,122	3,741	45	FP7 FP7r2	Laptop
<a href="#">AMD Ryzen 9 PRO 7945</a>	12	47,830	4,178	65	AM5 (LGA 1718)	Desktop, Server
<a href="#">AMD Ryzen 9 PRO 8945HS</a>	8	31,398	3,956	45	FP7 FP7r2	Desktop, Laptop, Server
<a href="#">AMD Ryzen AI 9 365</a>	10	28,858	3,850	28	FP8	Desktop, Laptop
<a href="#">AMD Ryzen AI 9 HX 370</a>	12	35,699	4,042	28	FP8	Desktop, Laptop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	2,953	1,587	8	FP5	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">R1505G</a>						
<a href="#">AMD Ryzen Embedded R1600</a>	2	3,365	1,779	25	FC-BGA1140	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,144	1,894	15	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2312</a>	2	3,865	1,943	25	FP5	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,031	1,921	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2514</a>	4	6,998	1,933	15	FP5	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2544</a>	4	8,486	2,102	45	FP5	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,512	1,624	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1404I</a>	4	6,007	1,621	15	Unknown	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1500B</a>	4	4,633	1,211	16	BGA1140	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,417	1,286	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,677	1,908	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,262	2,098	45	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,553	2,213	45	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1807F</a>	4	7,775	1,838	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2516</a>	6	13,016	2,439	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2546</a>	6	16,236	2,513	NA	FP6	Desktop
<a href="#">AMD Ryzen Embedded V2718</a>	8	16,075	2,240	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2748</a>	8	16,706	2,680	54	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V3C18I</a>	8	17,053	2,836	15	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V3C48</a>	8	20,203	2,804	45	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,802	2,325	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920X</a>	12	23,089	2,316	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	27,615	2,275	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,438	2,490	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,422	2,458	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	30,653	2,328	250	sTR4	Desktop, Server
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,109	2,281	250	sTR4	Desktop, Server
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	25,874	2,312	250	TR4	Desktop
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,887	2,682	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,104	2,665	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	80,686	2,565	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 7960X</a>	24	82,699	4,060	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper 7970X</a>	32	97,972	4,148	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper 7980X</a>	64	134,251	3,953	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,533	2,700	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,291	2,680	280	sWRX8	Desktop, Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">Threadripper PRO 3955WX</a>						
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	62,572	2,657	280	sWRX8	Desktop, Server
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3975WX</a>	32	98,811	2,676	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	83,697	2,598	280	sWRX8	Desktop, Server
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3995WX</a>	64	113,693	2,559	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	40,568	3,356	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	50,096	3,344	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	66,732	3,358	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	75,609	3,314	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	93,192	3,207	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 7945WX</a>	12	49,599	4,086	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 7955WX</a>	16	59,759	4,078	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 7965WX</a>	24	80,547	3,943	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 7975WX</a>	32	95,583	4,063	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 7985WX</a>	64	135,597	3,998	350	sTR5	Desktop
<a href="#">AMD Ryzen Threadripper PRO 7995WX</a>	96	152,709	3,952	350	sTR5	Desktop
<a href="#">AMD Ryzen Z1</a>	6	18,778	3,735	30	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Z1 Extreme</a>	8	25,097	3,603	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 130</a>	1	511	1,059	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron 140</a>	1	486	1,037	45	AM3	Desktop
<a href="#">AMD Sempron 145</a>	1	518	1,015	45	AM3	Desktop
<a href="#">AMD Sempron 150</a>	1	597	1,117	45	AM3	Desktop
<a href="#">AMD Sempron 200U</a>	1	125	311	8	Unknown	Unknown
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">AMD Sempron 2650 APU</a>	2	551	477	25	AM1,FSB1	Desktop
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
<a href="#">AMD Sempron 3000+</a>	1	286	462	62	AM2	Desktop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">AMD Sempron 3200+</a>	1	251	456	62	AM2	Desktop
<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
<a href="#">AMD Sempron LE-1250</a>	1	301	508	45	AM2	Desktop
<a href="#">AMD Sempron LE-1300</a>	1	417	614	45	AM2	Desktop
<a href="#">AMD Sempron M100</a>	1	332	546	NA	Unknown	Unknown
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1	Laptop
<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1	Laptop
<a href="#">AMD Sempron SI-42</a>	1	245	637	25	S1	Laptop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	319	526	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	274	501	25	754	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	474	541	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	534	564	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	514	597	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	483	574	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	639	703	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	649	724	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	675	702	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	696	846	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	866	882	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	756	847	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	844	923	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



Core						
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	617	635	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	853	894	25	BGA812	Laptop
<a href="#">AMD Turion II P520 Dual-Core</a>	2	812	882	25	S1	Laptop
<a href="#">AMD Turion II P540 Dual-Core</a>	2	954	937	35	S1	Laptop
<a href="#">AMD Turion II P560 Dual-Core</a>	2	878	1,001	25	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	955	987	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,034	1,067	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	432	486	18	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	612	672	31	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	653	756	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	655	738	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-76</a>	2	799	761	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	562	735	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	506	618	32	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	733	770	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	802	787	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	828	864	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	741	730	35	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">AMD V120</a>	1	352	806	25	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">AMD Z-01</a>	2	305	294	NA	Unknown	Unknown
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">Amlogic</a>	4	636	457	NA	Unknown	Unknown
<a href="#">Amlogic AMLS905D3</a>	4	815	493	NA	Unknown	Mobile/Embedded
<a href="#">Amlogic AMLS905X4</a>	4	827	555	NA	Unknown	Mobile/Embedded
<a href="#">Amlogic AMLT982</a>	4	972	531	NA	Unknown	Mobile/Embedded
<a href="#">Ampere ARM - 192 Core 3200 MHz</a>	192	57,444	1,228	NA	Unknown	Server
<a href="#">ap201</a>	4	565	385	NA	Unknown	Mobile/Embedded
<a href="#">Apple A11 Bionic</a>	6	4,418	1,322	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12 Bionic</a>	6	4,977	1,987	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12X Bionic</a>	8	11,035	2,652	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12Z Bionic</a>	8	9,365	2,202	NA	Unknown	Mobile/Embedded
<a href="#">Apple A13 Bionic</a>	6	5,701	2,327	NA	Unknown	Mobile/Embedded
<a href="#">Apple A14 Bionic</a>	6	8,546	3,393	NA	Unknown	Mobile/Embedded
<a href="#">Apple A15 Bionic</a>	6	9,903	3,602	NA	Unknown	Mobile/Embedded
<a href="#">Apple A16 Bionic</a>	6	11,068	4,073	NA	Unknown	Mobile/Embedded
<a href="#">Apple A17 Pro</a>	6	12,254	4,541	NA	Unknown	Mobile/Embedded
<a href="#">Apple A18</a>	6	13,000	4,029	NA	Unknown	Mobile/Embedded
<a href="#">Apple A18 Pro</a>	6	13,049	4,177	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8</a>	2	1,515	914	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8X</a>	3	2,376	933	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9</a>	2	2,068	1,188	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9X</a>	2	2,516	1,510	NA	Unknown	Mobile/Embedded
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,161	3,691	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,067	3,837	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	21,866	3,805	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	8	17,185	3,768	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Ultra 20 Core</a>	20	41,176	3,869	60	Unknown	Desktop
<a href="#">Apple M2 8 Core 3500 MHz</a>	8	15,528	3,902	NA	Unknown	Desktop, Laptop
<a href="#">Apple M2 Max 12 Core 3680 MHz</a>	12	26,603	4,144	NA	Unknown	Laptop
<a href="#">Apple M2 Pro 10 Core 3480 MHz</a>	10	21,729	4,101	NA	Unknown	Desktop, Laptop
<a href="#">Apple M2 Pro 12 Core 3480 MHz</a>	12	26,547	4,107	NA	Unknown	Laptop
<a href="#">Apple M2 Ultra 24 Core</a>	24	50,199	4,194	NA	Unknown	Desktop
<a href="#">Apple M3 8 Core</a>	8	19,302	4,776	20	Unknown	Desktop, Laptop, Mobile/Embedded
<a href="#">Apple M3 Max 14 Core</a>	14	36,490	4,769	78	Unknown	Laptop
<a href="#">Apple M3 Max 16 Core</a>	16	40,831	4,777	78	Unknown	Laptop
<a href="#">Apple M3 Pro 11 Core</a>	11	24,743	4,743	27	Unknown	Laptop
<a href="#">Apple M3 Pro 12 Core</a>	12	26,513	4,608	27	Unknown	Laptop
<a href="#">Apple M4 10 Core</a>	10	25,052	4,466	NA	Unknown	Mobile/Embedded
<a href="#">Apple M4 9 Core</a>	9	22,365	4,494	NA	Unknown	Mobile/Embedded
<a href="#">ARM - 32 Core 2911 MHz</a>	32	8,132	541	NA	Unknown	Mobile/Embedded
<a href="#">ARM - 32 Core 3300 MHz</a>	32	8,684	585	NA	Unknown	Mobile/Embedded
<a href="#">ARM - 8 Core 1766 MHz</a>	8	4,080	1,205	NA	Unknown	Mobile/Embedded
<a href="#">ARM - 8 Core 1800 MHz</a>	8	3,258	1,020	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">ARM - 8 Core 2424 MHz</a>	8	8,610	3,083	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 1 (v7l) 4 Core 1608 MHz</a>	4	776	445	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz</a>	4	843	487	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</a>	4	403	272	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</a>	4	399	273	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 5 (v7l) 4 Core 1200 MHz</a>	4	325	232	NA	Unknown	Unknown
<a href="#">[3-Way CPU] ARM ARMv8 rev 0 (v8l) 6 Core 1907 MHz</a>	6	3,477	697	NA	Unknown	Mobile/Embedded
<a href="#">[3-Way CPU] ARM ARMv8 rev 1 (v8l) 12 Core 2201 MHz</a>	12	7,371	1,183	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz</a>	4	1,312	632	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz</a>	6	2,550	807	NA	Unknown	Mobile/Embedded
<a href="#">ARM Avalanche-M2 4 Core 2424 MHz</a>	4	8,233	3,290	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A15 4 Core 1400 MHz</a>	4	1,141	543	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A15 4 Core 1500 MHz</a>	4	1,304	594	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A15 4 Core 2000 MHz</a>	4	923	524	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A15 8 Core 1400 MHz</a>	8	1,160	563	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	781	490	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A35 4 Core 1200 MHz</a>	4	329	157	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	334	166	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1000 MHz</a>	4	215	169	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1008 MHz</a>	4	310	132	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	342	151	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1199 MHz</a>	4	407	178	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	288	204	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	416	183	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1300 MHz</a>	4	438	262	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1333 MHz</a>	4	207	196	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1368 MHz</a>	4	385	166	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	417	193	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	295	226	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">MHz</a>						
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	471	213	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	213	198	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	453	210	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1608 MHz</a>	4	462	218	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1704 MHz</a>	4	556	244	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	513	237	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1908 MHz</a>	4	638	274	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 2016 MHz</a>	4	500	220	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 600 MHz</a>	4	220	137	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 8 Core 1512 MHz</a>	8	681	165	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 1416 MHz</a>	4	460	230	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 1800 MHz</a>	4	625	288	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 1908 MHz</a>	4	707	311	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	685	313	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 2016 MHz</a>	4	755	327	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	663	306	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 8 Core 1800 MHz</a>	8	3,013	959	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 2 Core 1479 MHz</a>	2	318	207	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	951	356	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,170	387	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 4 Core 1912 MHz</a>	4	1,007	388	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,229	431	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 4 Core 2091 MHz</a>	4	1,170	413	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A57 8 Core 1766 MHz</a>	8	3,766	1,153	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	111	160	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">MHz</a>						
<a href="#">ARM Cortex-A7 4 Core 1000 MHz</a>	4	278	194	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1008 MHz</a>	4	269	198	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	262	198	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1296 MHz</a>	4	225	162	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	343	247	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	354	266	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	229	164	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 16 Core 2200 MHz</a>	16	5,470	601	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1000 MHz</a>	4	608	354	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1200 MHz</a>	4	174	178	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1416 MHz</a>	4	927	491	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	627	449	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1600 MHz</a>	4	667	429	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1700 MHz</a>	4	577	455	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	693	512	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 1900 MHz</a>	4	755	562	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	772	575	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2016 MHz</a>	4	2,192	607	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	674	545	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	815	603	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2208 MHz</a>	4	2,290	623	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	915	669	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2394 MHz</a>	4	1,254	800	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2400 MHz</a>	4	1,295	830	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 2800 MHz</a>	4	314	243	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 4 Core 800 MHz</a>	4	279	214	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A72 6 Core 1008 MHz</a>	6	734	394	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">MHz</a>						
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,183	533	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 4 Core 1844 MHz</a>	4	1,368	656	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 4 Core 1900 MHz</a>	4	1,547	610	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 4 Core 1989 MHz</a>	4	1,820	556	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 4 Core 2100 MHz</a>	4	1,185	570	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 6 Core 1896 MHz</a>	6	1,242	483	NA	Unknown	Unknown
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	479	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 6 Core 2016 MHz</a>	6	1,445	605	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 1500 MHz</a>	4	1,488	649	NA	Unknown	Unknown
<a href="#">ARM Cortex-A76 4 Core 1800 MHz</a>	4	3,135	996	NA	Unknown	Mobile/Embedded
<a href="#">[Dual CPU] ARM Cortex-A76 4 Core 1800 MHz</a>	4	3,108	980	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 2400 MHz</a>	4	2,148	1,051	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 2600 MHz</a>	4	2,320	1,129	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 2700 MHz</a>	4	2,375	1,168	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 2800 MHz</a>	4	2,460	1,207	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 2900 MHz</a>	4	2,465	1,342	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 3000 MHz</a>	4	2,550	1,298	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 3100 MHz</a>	4	2,610	1,328	NA	Unknown	Unknown
<a href="#">ARM Cortex-A76 4 Core 3200 MHz</a>	4	2,579	1,291	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 3300 MHz</a>	4	2,493	1,288	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 4 Core 3400 MHz</a>	4	2,580	1,282	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A76 8 Core 1800 MHz</a>	8	2,792	994	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A78 4 Core 2000 MHz</a>	4	3,016	1,121	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">ARM Cortex-A78AE 6 Core 1510 MHz</a>	6	2,631	826	NA	Unknown	Unknown
<a href="#">ARM Cortex-A78AE 8 Core 1984 MHz</a>	8	3,954	952	NA	Unknown	Unknown
<a href="#">ARM Cortex-X1C 4 Core 2438 MHz</a>	4	6,007	1,244	NA	Unknown	Unknown
<a href="#">ARM D2000/8 8 Core 2300 MHz</a>	8	2,674	589	NA	Unknown	Mobile/Embedded
<a href="#">ARM Falkor V1/Kryo 8 Core 1900 MHz</a>	8	1,652	542	NA	Unknown	Mobile/Embedded
<a href="#">ARM Firestorm 4 Core 2064 MHz</a>	4	7,804	2,941	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
--	----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



MHz						
<a href="#">ARM Firestorm-M1 4 Core 2064 MHz</a>	4	7,803	2,964	NA	Unknown	Mobile/Embedded
<a href="#">ARM Firestorm-M1-Pro 8 Core 2064 MHz</a>	8	9,872	2,999	NA	Unknown	Unknown
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Mobile/Embedded
<a href="#">ARM HUAWEI,Kunpeng 920 24 Core 2600 MHz</a>	24	9,496	733	NA	Unknown	Mobile/Embedded
<a href="#">ARM Kryo-3XX-Gold 4 Core 1766 MHz</a>	4	2,222	877	NA	Unknown	Unknown
<a href="#">ARM Kryo-4XX-Gold 8 Core 1804 MHz</a>	8	2,531	1,128	NA	Unknown	Mobile/Embedded
<a href="#">ARM Kunpeng-920 8 Core 2600 MHz</a>	8	3,910	735	NA	Unknown	Mobile/Embedded
<a href="#">ARM Neoverse-N1 128 Core 2800 MHz</a>	128	43,111	1,239	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 128 Core 3000 MHz</a>	128	43,229	1,323	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 32 Core 1700 MHz</a>	32	11,841	755	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,064	1,089	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 64 Core 2200 MHz</a>	64	20,250	917	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 2600 MHz</a>	80	18,823	1,127	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 80 Core 2800 MHz</a>	80	11,755	434	NA	Unknown	Server
<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	34,639	1,326	NA	Unknown	Server
<a href="#">ARM Neoverse-N2 8 Core 2500 MHz</a>	8	5,544	1,361	NA	Unknown	Unknown
<a href="#">ARM Neoverse-V2 72 Core 3465 MHz</a>	72	57,369	2,328	NA	Unknown	Unknown
<a href="#">ARM Neoverse-V2 72 Core 3519 MHz</a>	72	57,240	2,340	NA	Unknown	Server
<a href="#">ARM Phytium D3000 8 Core 2500 MHz</a>	8	5,528	1,247	NA	Unknown	Unknown
<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Mobile/Embedded
<a href="#">ARM Phytium,D2000/8 8 Core 2000 MHz</a>	8	2,409	513	NA	Unknown	Mobile/Embedded
<a href="#">ARM Phytium,D2000/8 8 Core 2300 MHz</a>	8	2,690	591	NA	Unknown	Mobile/Embedded
<a href="#">ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</a>	8	2,500	587	NA	Unknown	Mobile/Embedded
<a href="#">ARM Phytium,FT-2000/4 8 Core 2300 MHz</a>	8	2,720	603	NA	Unknown	Mobile/Embedded
<a href="#">ARM X-Gene 32 Core 3000 MHz</a>	32	8,202	608	NA	Unknown	Mobile/Embedded
<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Mobile/Embedded
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,771	910	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">BCM2711</a>	4	852	607	NA	Unknown	Mobile/Embedded
<a href="#">BCM2712</a>	4	3,236	1,400	NA	Unknown	Mobile/Embedded
<a href="#">BCM2835</a>	4	1,239	700	NA	Unknown	Mobile/Embedded
<a href="#">Broadcom STB (Flattened Device Tree)</a>	4	659	412	NA	Unknown	Mobile/Embedded
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	687	748	35	PGA478	Laptop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	599	637	35	BGA479	Laptop
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	633	711	35	î¼FCPGA-478	Laptop
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	756	862	35	PGA478	Laptop
<a href="#">CentaurHauls @2000MHz</a>	8	6,549	1,118	NA	Unknown	Desktop
<a href="#">CentaurHauls @2500MHz</a>	8	8,055	1,384	NA	Unknown	Desktop
<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
<a href="#">DO-Regular</a>	1	1,070	1,277	NA	Unknown	Unknown
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">Generic DT based system</a>	4	632	459	NA	Unknown	Mobile/Embedded
<a href="#">Giada JHS558 (Android)</a>	6	2,022	835	NA	Unknown	Mobile/Embedded
<a href="#">Google GS201</a>	8	7,316	2,266	NA	Unknown	Mobile/Embedded
<a href="#">Google R11 BtWifi Evt1.1</a>	2	187	240	NA	Unknown	Mobile/Embedded
<a href="#">Google Tensor</a>	8	6,718	2,284	NA	Unknown	Mobile/Embedded
<a href="#">Google Tensor G3</a>	9	8,145	2,421	NA	Unknown	Mobile/Embedded
<a href="#">Google Tensor G4</a>	8	9,051	2,855	NA	Unknown	Mobile/Embedded
<a href="#">Grandstream GXV3480 Video Phone</a>	4	1,078	503	NA	Unknown	Mobile/Embedded
<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown	Mobile/Embedded
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,359	1,892	NA	Unknown	Mobile/Embedded
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
<a href="#">High Performance Datacenter v</a>	1	1,610	1,595	NA	Unknown	Unknown
<a href="#">HiSilicon Kirin</a>	8	6,669	2,246	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 659</a>	8	1,893	670	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 925</a>	8	1,053	398	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 930</a>	8	1,415	430	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 935</a>	8	1,599	352	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 950</a>	8	2,457	857	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 955</a>	8	2,936	756	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 960</a>	8	2,813	1,097	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 990</a>	8	3,965	1,658	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin710</a>	8	2,438	942	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin810</a>	8	2,945	1,515	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin820</a>	8	3,893	1,402	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin970</a>	8	2,681	919	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin980</a>	8	4,376	1,741	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">Hygon C86 3185 8-core</a>	8	9,243	1,881	95	Unknown	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Hygon C86 3350 8-core</a>	8	12,292	1,741	NA	Unknown	Unknown
<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Server
<a href="#">[Dual CPU] Hygon C86 S316 16-core</a>	16	27,680	1,677	NA	Unknown	Desktop
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">Intel 300</a>	2	7,160	3,235	46	FCLGA1700	Desktop
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	169	185	4	BGA437	Desktop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	363	255	8	BGA437	Desktop
<a href="#">Intel Atom C1110</a>	4	3,170	1,233	13	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	520	493	6	FCBGA1283	Server
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	578	391	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283	Laptop
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,424	512	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,789	694	20	FCBGA1283	Server
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,397	576	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	1,028	806	8.5	FCBGA1310	Server, Mobile/Embedded
<a href="#">Intel Atom C3508 @ 1.60GHz</a>	4	1,796	636	11.5	FCBGA1310	Server
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,889	744	15	FCBGA1310	Server
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,426	855	16	FCBGA1310	Server
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,614	867	25	FCBGA1310	Server
<a href="#">Intel Atom C3758R @ 2.40GHz</a>	8	5,116	956	26	FCBGA1310	Server
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	4,707	652	25	FCBGA1310	Server
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	3,929	737	31	FCBGA1310	Server
<a href="#">Intel Atom C5125</a>	8	8,631	1,486	50	FCBGA2106	Server
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	241	323	10	BGA559	Desktop
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	409	322	10	BGA559	Desktop
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	467	378	10	BGA559	Desktop
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	511	384	10	BGA559	Laptop
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	180	241	10	BGA559	Desktop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	204	271	10	BGA559	Desktop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	406	293	13	BGA559	Desktop
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	405	306	13	BGA559	Desktop
<a href="#">Intel Atom E3805 @ 1.33GHz</a>	2	406	376	3	FCBGA1170	Mobile/Embedded
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	184	266	5	FCBGA1170	Desktop
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	378	309	6	FCBGA1170	Desktop
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	304	395	7	FCBGA1170	Laptop
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	463	468	8	FCBGA1170	Laptop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,052	536	10	FCBGA1170	Desktop
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	360	289	3.5	BGA559	Laptop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	136	174	2.5	BGA437	Laptop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	157	234	2.5	BGA437	Laptop
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	444	319	6.5	BGA559	Laptop
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	196	268	6.5	BGA559	Laptop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	283	239	8.5	BGA559	Laptop
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	341	273	8.5	BGA559	Laptop
<a href="#">Intel Atom P5322</a>	8	7,378	1,198	55	FCBGA2106	Server
<a href="#">Intel Atom P5342</a>	16	12,291	1,187	71	FCBGA2106	Server
<a href="#">Intel Atom P5362</a>	24	17,276	1,193	83	FCBGA2106	Server
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	526	313	8.5	FCBGA1283	Server
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,363	906	NA	Unknown	Laptop
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	928	642	6.5	BGA1296	Laptop
<a href="#">Intel Atom x5-E3940 @ 1.60GHz</a>	4	1,941	672	9.5	BGA1296	Laptop
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	962	509	5	FCBGA1170	Laptop
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	814	455	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	809	458	4	Unknown	Laptop
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	891	471	4	UTFCBGA592	Laptop
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,236	631	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,156	667	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.30GHz</a>	2	1,833	1,208	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6214RE @ 1.40GHz</a>	2	1,109	754	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	3,903	1,509	9	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6414RE @ 1.50GHz</a>	4	1,544	608	9	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	3,905	1,516	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,990	1,020	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6427FE @ 1.90GHz</a>	4	3,196	1,016	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x7-E3950 @ 1.60GHz</a>	4	2,096	742	12	BGA1296	Laptop
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,328	650	4	BGA1380	Laptop
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,289	679	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom x7425E</a>	4	5,570	2,040	12	FCBGA1264	Mobile/Embedded
<a href="#">Intel Atom x7433RE</a>	4	4,194	1,339	9	FCBGA1264	Mobile/Embedded
<a href="#">Intel Atom x7835RE</a>	8	8,400	1,974	12	FCBGA1264	Mobile/Embedded
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760	Laptop
<a href="#">Intel Atom Z3530 @ 1.33GHz</a>	4	565	368	NA	FC-MB5T1064	Mobile/Embedded
<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	749	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	802	587	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	704	544	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	541	387	4.4	UTFCBGA592	Laptop
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	772	476	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	496	423	4.4	UTFCBGA592	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	599	415	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	736	539	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	704	505	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,188	640	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441	Laptop
<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441	Laptop
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
<a href="#">Intel CC150 @ 3.50GHz</a>	8	14,488	2,154	NA	FCLGA1151	Unknown
<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown	Unknown
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478	Desktop
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,070	974	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,106	1,015	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	839	772	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	893	810	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	998	936	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop
<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown	Unknown
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.53GHz</a>	1	222	396	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.66GHz</a>	1	131	359	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
<a href="#">Intel Celeron 2.93GHz</a>	1	230	396	NA	Unknown	Unknown
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364	Laptop
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364	Laptop
<a href="#">Intel Celeron 215 @ 1.33GHz</a>	1	174	440	27	BGA479	Laptop
<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,234	1,143	37	FCPGA946	Laptop
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	877	781	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	854	780	15	FCBGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	1,027	892	15	BGA1168	Laptop
<a href="#">Intel Celeron 3.06GHz</a>	1	307	544	NA	Unknown	Unknown
<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	947	907	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,083	1,015	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,219	900	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,321	1,034	15	BGA1356	Laptop
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,467	1,092	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,485	1,180	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,732	1,339	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,194	901	6	FCBGA1515	Laptop
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	235	471	35	LGA775	Desktop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,367	1,039	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	280	615	35	LGA775	Desktop
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,807	1,365	15	FCBGA1528	Mobile/Embedded
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,699	1,163	15	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	415	713	35	LGA775	Desktop
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,427	1,102	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	305	550	30	PGA478	Laptop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	334	662	31	BGA479	Laptop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	339	632	31	PGA478	Laptop
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,075	1,194	NA	FCBGA1449	Laptop
<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	2,008	1,176	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Celeron 6600HE @ 2.60GHz</a>	2	3,286	1,764	35	FCBGA1787	Mobile/Embedded
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">Intel Celeron 7305</a>	5	2,470	814	15	FCBGA1744	Laptop
<a href="#">Intel Celeron 7305E</a>	5	2,404	805	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	275	496	10	BGA956	Laptop
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	482	473	17	BGA1023	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	692	645	17	BGA1023	Laptop
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	754	703	17	BGA1023	Laptop
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	406	827	34.8	PGA478	Laptop
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	477	910	35	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	657	642	35	PGA988B	Laptop
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	775	754	35	PGA988B	Laptop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	731	705	35	PGA988B	Laptop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	811	757	35	PGA988B	Laptop
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	863	828	35	rPGA988B	Laptop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	967	882	35	PGA988B	Laptop
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	274	576	86	PLGA775	Desktop
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	516	580	65	LGA775	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	735	758	65	LGA775	Desktop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	626	764	65	LGA775	Desktop
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	840	916	65	LGA775	Desktop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	839	970	65	LGA775	Desktop
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	795	967	65	LGA775	Desktop
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	869	1,001	65	LGA775	Desktop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,519	1,377	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,327	1,207	35	LGA1155	Desktop
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,560	1,451	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,541	1,332	35	LGA1155	Desktop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,715	1,539	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,631	1,394	35	LGA1150	Desktop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,020	978	35	LGA1150	Desktop
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,778	1,582	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,900	1,567	54	FCLGA1150	Desktop
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,165	1,706	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,020	1,560	35	Unknown	Desktop
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,358	1,781	51	FCLGA1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">2.90GHz</a>						
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,040	1,657	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,322	1,851	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	425	743	35	LGA1155	Desktop
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	469	699	35	LGA1155	Desktop
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	547	819	35	LGA1155	Desktop
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	570	837	35	LGA1155	Desktop
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,394	1,836	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,239	1,737	35	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,500	1,960	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,591	1,987	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,297	1,769	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,123	1,099	65	LGA1155	Desktop
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,056	962	35	LGA1155	Desktop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,181	1,146	65	LGA1155	Desktop
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,137	995	35	LGA1155	Desktop
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,259	1,210	65	LGA1155	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,074	1,018	35	LGA1155	Desktop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,388	1,289	65	LGA1155	Desktop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,643	2,107	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,155	1,640	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,785	2,164	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,206	1,809	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,577	2,123	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,787	2,227	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G6900</a>	2	4,551	2,729	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Celeron G6900T</a>	2	4,003	2,343	35	FCLGA1700	Desktop
<a href="#">Intel Celeron G6900TE</a>	2	2,373	1,393	35	FCLGA1700	Mobile/Embedded
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	570	657	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,152	652	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	679	636	6	BGA1170	Desktop
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,266	603	6	BGA1170	Desktop
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,197	826	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,254	812	10	FCBGA1296	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.50GHz</a>						
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,550	1,082	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,467	1,141	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,908	1,093	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,687	1,068	NA	Unknown	Desktop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	2,957	1,161	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,870	1,382	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,349	1,515	10	FCBGA1296	Mobile/Embedded
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.50GHz</a>	1	192	374	21	PPGA478, H-PBGA4	Laptop
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	169	485	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478	Laptop
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	239	505	30	PPGA478	Laptop
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	302	578	30	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	489	537	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	486	565	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	510	586	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	377	487	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	495	560	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	502	602	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	546	625	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	587	671	7	FCBGA1170	Laptop
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	773	447	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	950	552	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,018	584	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,043	607	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	621	568	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	605	588	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	586	552	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	664	630	6	Unknown	Laptop
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,192	568	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,182	560	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,106	800	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,981	768	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,425	1,037	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,406	1,004	6	FCBGA1090	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">Intel Celeron N4020C @ 1.10GHz</a>	2	1,534	1,117	6	FCBGA1090	Laptop, Mobile/Embedded
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,455	1,008	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,482	1,086	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,967	1,375	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,266	1,509	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,085	1,504	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,117	1,514	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,314	1,391	6	FCBGA1338	Laptop
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,053	1,510	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N6210 @ 1.20GHz</a>	2	1,995	1,360	6.5	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,245	1,586	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	848	747	35	PGA988A	Laptop
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	846	784	35	PGA988A	Laptop
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	482	507	10	BGA956	Laptop
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	551	629	35	Unknown	Laptop
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	516	456	18	BGA1288	Laptop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	579	523	18	BGA1288	Laptop
<a href="#">Intel Core 3 100U</a>	6	15,072	3,847	15	FCBGA1744	Laptop
<a href="#">Intel Core 5 120U</a>	10	16,911	3,787	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core 7 150U</a>	10	15,983	3,657	15	FCBGA1744	Laptop
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479	Laptop
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	333	498	31	PGA478	Desktop
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	350	530	31	PGA478	Laptop
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	325	509	31	BGA479	Laptop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	385	576	31	PGA478	Laptop
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	362	527	31	BGA479	Laptop
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	411	608	31	PGA478	Laptop
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	460	667	31	BGA479	Laptop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	223	361	9	BGA479	Laptop
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,564	1,762	9	BGA1526	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.20GHz</a>						
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,652	2,615	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	8,365	2,333	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,761	2,593	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,273	2,259	35	FCLGA1200	Laptop
<a href="#">Intel Core i3-10100TE @ 2.30GHz</a>	4	6,237	1,715	35	LGA 1200	Mobile/Embedded
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	2,896	1,635	5	BGA 1528	Mobile/Embedded
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,567	2,679	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	8,995	2,656	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,994	2,357	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	3,901	2,197	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,297	2,020	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i3-1025G1 @ 1.20GHz</a>	4	6,180	2,368	NA	BGA 1526	Laptop
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,308	2,697	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	7,975	2,337	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,291	2,815	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,457	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,011	2,839	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,268	2,863	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
<a href="#">Intel Core i3-11100HE @ 2.40GHz</a>	4	11,289	3,070	45	FCBGA1787	Mobile/Embedded
<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	4,236	2,206	NA	FCBGA1598	Mobile/Embedded
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,055	2,628	15	FCBGA1449	Laptop
<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,483	2,516	15	BGA 1449	Mobile/Embedded
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	4,524	2,125	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,620	2,482	28	FCBGA1449	Laptop
<a href="#">Intel Core i3-12100</a>	4	13,599	3,437	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100E</a>	4	14,250	3,481	60	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i3-12100F</a>	4	14,114	3,462	58	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100T</a>	4	12,613	3,269	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100TE</a>	4	11,859	3,139	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i3-1210U</a>	6	10,513	3,367	9	BGA1781	Laptop
<a href="#">Intel Core i3-1215U</a>	6	10,883	3,313	15	FCBGA1744	Laptop
<a href="#">Intel Core i3-1215UE</a>	6	9,886	3,356	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i3-1215UL</a>	6	6,161	2,046	15	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i3-1220P</a>	10	14,490	3,406	28	FCBGA1744	Laptop
<a href="#">Intel Core i3-1220PE</a>	8	16,146	3,474	35	FCBGA1744	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i3-12300T</a>	4	13,077	3,293	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-1305U</a>	5	8,789	3,255	15	FCBGA1744	Laptop
<a href="#">Intel Core i3-13100</a>	4	13,420	3,382	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-13100E</a>	4	11,650	2,750	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i3-13100F</a>	4	14,614	3,605	58	FCLGA1700	Desktop
<a href="#">Intel Core i3-13100T</a>	4	13,054	3,408	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-1315U</a>	6	12,278	3,535	15	FCBGA1744	Laptop
<a href="#">Intel Core i3-1315UE</a>	6	8,906	3,170	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i3-14100</a>	4	15,047	3,740	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-14100F</a>	4	15,306	3,774	110	FCLGA1700	Desktop
<a href="#">Intel Core i3-14100T</a>	4	13,727	3,506	69	FCLGA1700	Desktop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,857	1,421	65	LGA1155	Desktop
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,501	1,100	35	LGA1155	Desktop
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,837	1,415	65	LGA1155	Desktop
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,957	1,511	65	LGA1155	Desktop
<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	2	1,528	1,165	35	LGA1155	Desktop
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	2,083	1,570	65	LGA1155	Desktop
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	2,042	1,562	65	LGA1155	Desktop
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,222	945	35	BGA1023	Laptop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,128	893	35	PGA988B	Laptop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,237	980	35	PGA988	Laptop
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,230	965	35	BGA1023	Laptop
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,274	1,005	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,253	968	35	PGA988B	Laptop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	788	601	17	Unknown	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	816	607	17	BGA1023	Laptop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	847	621	17	BGA1023	Laptop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,370	1,055	35	PGA988B	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	903	693	17	BGA1023	Laptop
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	833	613	17	BGA1023	Laptop
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,635	1,239	35	BGA1023	Laptop
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,700	1,283	35	PGA988	Laptop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,900	1,285	35	BGA1023	Laptop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,227	1,705	55	LGA1155	Desktop
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,226	913	17	BGA1023	Laptop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,264	1,727	55	LGA1155	Desktop
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,940	1,489	35	LGA1155	Desktop
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,239	1,700	55	LGA1155	Desktop
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,294	953	17	BGA1023	Laptop
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,008	692	13	BGA1023	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,043	1,548	35	LGA1155	Desktop
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,379	1,791	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,442	1,837	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,023	815	35	BGA1288	Laptop
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	555	392	18	BGA1288	Laptop
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,086	878	35	BGA1288	Laptop
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,154	974	35	PGA988A	Laptop
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,202	1,022	35	PGA988A	Laptop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	745	581	18	BGA1288	Laptop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,259	1,068	35	BGA1288	Laptop
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,781	1,267	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,663	913	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,654	901	15	BGA1168	Laptop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,358	748	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,278	726	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,463	791	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,959	1,091	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,873	1,023	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,654	901	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,519	1,397	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,860	1,055	NA	Unknown	Laptop
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,314	1,883	54	LGA1150	Desktop
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,885	1,623	35	LGA1150	Desktop
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,394	1,940	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,864	1,591	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,921	1,075	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,523	1,998	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,112	1,748	35	LGA1150	Desktop
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,581	2,052	54	LGA1150	Desktop
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,218	1,824	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,544	1,973	54	LGA1150	Desktop
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,115	1,726	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,022	1,327	35	LGA1150	Desktop
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,460	1,979	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,548	1,973	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	3,142	1,762	35	LGA1150	Laptop
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,647	2,091	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,286	1,873	35	LGA1150	Desktop
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,857	2,156	54	LGA1150	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,361	1,911	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,023	1,146	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,195	1,236	15	FCBGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,208	1,250	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,593	1,392	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,499	1,166	73	LGA1156	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,535	1,271	73	LGA1156	Desktop
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,609	1,339	73	LGA1156	Desktop
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,662	1,359	73	LGA1156	Desktop
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,279	1,159	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,017	2,113	54	LGA 1151	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,142	2,187	51	LGA 1151	Desktop
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,653	1,867	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,152	1,636	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,632	1,332	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,767	1,435	28	BGA1356	Laptop
<a href="#">Intel Core i3-6167U @ 2.70GHz</a>	2	3,255	1,636	28	FCBGA1356	Laptop
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,343	2,280	51	LGA 1151	Desktop
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,002	2,018	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,473	2,308	51	LGA 1151	Desktop
<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2	2,581	1,322	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,326	2,303	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440	Laptop
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,760	1,940	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,722	1,385	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7101E @ 3.90GHz</a>	2	4,430	2,407	54	FCLGA1151	Desktop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,957	2,020	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	3,021	1,564	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,368	1,705	28	Unknown	Laptop
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,523	2,411	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,211	2,136	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,844	2,504	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,967	2,576	60	FCLGA1151	Desktop
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,104	2,216	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,014	2,329	65	FCBGA1440	Laptop
<a href="#">Intel Core i3-8100H @ 3.00GHz</a>	4	4,310	1,823	45	FCBGA1440	Mobile/Embedded
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,271	1,881	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,263	2,122	28	FCBGA1528	Laptop
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,391	1,944	15	Unknown	Laptop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,549	1,884	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,227	2,135	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,790	2,096	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,099	2,335	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,305	2,260	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,749	1,987	25	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,871	2,476	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,625	2,483	65	FCLGA1151-2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,735	2,498	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100HL @ 1.60GHz</a>	4	3,065	1,008	25	FCBGA1440	Mobile/Embedded
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,467	2,071	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,791	1,676	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,137	2,561	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,108	2,288	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,700	2,783	91	FCLGA1151	Desktop
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,549	2,668	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-N300</a>	8	8,693	2,068	7	FCBGA1264	Laptop
<a href="#">Intel Core i3-N305</a>	8	9,975	2,213	15	FCBGA1264	Laptop, Mobile/Embedded
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,139	2,435	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,196	2,163	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,475	1,858	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,369	2,557	45	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	5,740	1,763	10	BGA1526	Laptop
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,432	2,197	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,372	2,233	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	7,868	2,190	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,108	2,205	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	8,905	2,168	28	FCBGA1344	Laptop
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,129	2,570	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,197	2,546	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,503	2,632	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	9,771	2,154	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	13,453	2,827	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500E @ 3.10GHz</a>	6	10,827	2,436	65	FCLGA1200	Mobile/Embedded
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	11,232	2,584	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,089	2,292	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	8,449	1,688	35	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,156	2,804	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,687	2,933	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,305	2,922	125	FCLGA1200	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">4.10GHz</a>						
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,419	2,443	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,737	2,930	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	10,915	2,805	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	8,545	2,378	15	BGA 1449	Laptop
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,988	2,955	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	9,755	2,681	15	BGA1526	Laptop
<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	17,023	3,027	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,034	2,998	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	15,636	3,000	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,660	2,563	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	9,056	2,569	15	FCBGA1598	Server
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	9,797	2,748	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	9,279	2,468	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-1145GRE @ 2.60GHz</a>	4	8,536	2,072	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,335	3,136	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,437	3,184	65	Unknown	Desktop
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,064	3,059	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,002	2,562	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,106	2,912	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,038	3,292	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,598	3,349	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,614	3,340	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	14,679	2,870	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1230U</a>	10	10,977	2,748	9	FCBGA1781	Laptop
<a href="#">Intel Core i5-1235U</a>	10	13,392	3,217	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-12400</a>	6	19,371	3,521	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12400F</a>	6	19,529	3,502	65	FCLGA1700	Desktop
<a href="#">[Dual CPU] Intel Core i5-12400F</a>	6	19,680	3,630	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-12400T</a>	6	16,193	3,355	74	FCLGA1700	Desktop
<a href="#">Intel Core i5-1240P</a>	12	17,153	3,272	28	FCBGA1744	Laptop
<a href="#">Intel Core i5-1240U</a>	10	12,652	3,092	29	FCBGA1744	Laptop
<a href="#">Intel Core i5-12450H</a>	8	17,014	3,378	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12450HX</a>	8	18,995	3,443	148	FCBGA1964	Laptop
<a href="#">Intel Core i5-1245U</a>	10	13,394	3,121	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1245UE</a>	10	9,283	2,476	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-12490F</a>	6	20,335	3,702	65	LGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Core i5-12500E</a>	6	20,699	3,735	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i5-12500H</a>	12	21,104	3,465	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12500T</a>	6	16,563	3,500	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-12500TE</a>	6	14,536	2,960	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1250P</a>	12	20,144	3,534	28	BGA1700	Laptop
<a href="#">Intel Core i5-1250PE</a>	12	17,738	2,823	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-12600</a>	6	21,265	3,815	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12600H</a>	12	22,578	3,559	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12600HE</a>	12	24,599	3,772	65	BGA 1744	Mobile/Embedded
<a href="#">Intel Core i5-12600HL</a>	12	20,739	2,503	45	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i5-12600HX</a>	12	23,949	3,630	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-12600K</a>	10	27,706	3,946	150	FCLGA1700	Desktop
<a href="#">Intel Core i5-12600KF</a>	10	27,884	3,933	150	FCLGA1700	Desktop
<a href="#">Intel Core i5-12600T</a>	6	17,576	3,480	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-1334U</a>	10	13,490	3,278	15	FCBGA1744	Laptop
<a href="#">Intel Core i5-1335U</a>	10	14,745	3,418	15	FCBGA1744	Laptop
<a href="#">Intel Core i5-1335UE</a>	10	11,921	3,373	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-13400</a>	10	23,143	3,452	154	FCLGA1700	Desktop
<a href="#">Intel Core i5-13400F</a>	10	25,175	3,644	148	FCLGA1700	Desktop
<a href="#">Intel Core i5-13400T</a>	10	21,078	3,490	82	FCLGA1700	Desktop
<a href="#">Intel Core i5-1340P</a>	12	18,846	3,526	28	FCBGA1744	Laptop
<a href="#">Intel Core i5-1340PE</a>	12	20,041	3,690	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-13420H</a>	8	18,461	3,460	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-13450HX</a>	10	25,526	3,579	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-1345U</a>	10	15,096	3,512	15	FCBGA1744	Laptop
<a href="#">Intel Core i5-13490F</a>	10	27,559	3,897	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13500</a>	14	31,883	3,884	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13500E</a>	14	28,036	3,858	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i5-13500H</a>	12	22,719	3,540	45	Unknown	Laptop
<a href="#">Intel Core i5-13500HX</a>	14	30,550	3,662	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-13500T</a>	14	23,187	3,641	92	FCLGA1700	Desktop
<a href="#">Intel Core i5-13500TE</a>	14	21,478	3,711	35	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i5-1350P</a>	12	18,946	3,625	28	FCBGA1744	Laptop
<a href="#">Intel Core i5-13600</a>	14	32,148	4,044	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600H</a>	12	24,255	3,696	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-13600HE</a>	12	26,540	3,721	45	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-13600HX</a>	14	27,606	3,673	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-13600K</a>	14	37,952	4,138	125	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600KF</a>	14	37,810	4,132	125	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600T</a>	14	27,351	3,710	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-14400</a>	10	25,745	3,788	148	FCLGA1700	Desktop
<a href="#">Intel Core i5-14400F</a>	10	25,719	3,708	148	FCLGA1700	Desktop
<a href="#">Intel Core i5-14400T</a>	10	24,598	3,351	82	FCLGA1700	Desktop
<a href="#">Intel Core i5-14450HX</a>	10	27,773	3,803	55	FCBGA1964	Mobile/Embedded
<a href="#">Intel Core i5-14490F</a>	10	28,662	3,873	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-14500</a>	14	32,386	4,005	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-14500HX</a>	14	26,715	3,355	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-14500T</a>	14	23,754	3,745	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-14600</a>	14	35,017	4,105	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-14600K</a>	14	39,113	4,282	125	FCLGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Core i5-14600T</a>	14	25,110	3,391	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,434	1,429	95	LGA1155	Desktop
<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,657	1,491	95	LGA1155	Desktop
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,669	1,520	95	LGA1155	Desktop
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,493	1,516	35	LGA1155	Desktop
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,867	1,580	95	LGA1155	Desktop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,153	1,469	65	LGA1155	Desktop
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	3,224	1,478	65	LGA1155	Desktop
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,940	1,201	35	FCBGA1023, PPG	Laptop
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	1,948	1,207	35	BGA1023	Desktop
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,004	1,240	35	PGA988B	Laptop
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,067	1,299	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,073	1,282	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	4,203	1,679	95	LGA1155	Desktop
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,448	848	17	BGA1023	Laptop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,115	1,703	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,118	1,698	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,391	1,646	65	LGA1155	Desktop
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,929	1,485	45	LGA1155	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,240	1,357	35	PGA988B	Laptop
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,223	954	17	BGA1023	Laptop
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,365	1,409	35	BGA1023	Laptop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,134	1,755	95	LGA1155	Desktop
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,713	1,081	17	BGA1023	Laptop
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,397	1,437	NA	Unknown	Laptop
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,466	1,526	35	PGA988B	Laptop
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,563	1,580	35	PGA988	Laptop
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	2,016	1,255	17	BGA1023	Laptop
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,660	1,616	35	BGA1023	Laptop
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,098	1,721	77	LGA1155	Desktop
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,889	1,708	65	LGA1155	Desktop
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,770	1,707	65	LGA1155	Desktop
<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2	2,090	1,283	17	BGA1023	Laptop
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,589	905	13	BGA1023	Desktop
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,227	1,769	77	LGA1155	Desktop
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,698	1,649	35	BGA1023	Laptop
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	3,942	1,756	65	LGA1155	Desktop
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,289	1,794	69	LGA1155	Desktop
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,873	1,755	35	BGA1023	Laptop
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	2,916	1,775	35	FCPGA988, FCBGA1	Laptop
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,254	1,360	17	BGA1023	Laptop
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,301	1,424	17	BGA1023	Laptop
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,907	1,197	13	BGA1023	Desktop
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,502	1,871	77	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,676	1,940	77	LGA1155	Desktop
<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,389	1,890	65	LGA1155	Desktop
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	3,001	1,840	35	LGA1155	Desktop
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,277	1,836	65	LGA1155	Desktop
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,811	1,996	77	LGA1155	Desktop
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,422	1,961	65	LGA1155	Desktop
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,930	2,046	77	LGA1155	Desktop
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,953	2,047	77	LGA1155	Desktop
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,630	1,989	65	LGA1155	Desktop
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	3,962	1,695	45	LGA1155	Desktop
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,666	1,579	35	BGA1023	Laptop
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,089	1,792	47	BGA1364	Desktop
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,806	1,621	37	PGA946	Laptop
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,181	1,288	15	BGA1168	Laptop
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,511	966	11.5	FCBGA1168	Desktop
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	3,072	1,783	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,891	1,693	37	FCPGA946	Laptop
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,309	1,378	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,577	980	11	BGA1168	Desktop
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364	Laptop
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,149	1,340	15	BGA1168	Laptop
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,640	1,586	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,304	1,454	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,829	1,711	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2	2,637	1,634	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	2,971	1,731	37	PGA946	Laptop
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,497	1,484	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,505	1,008	11.5	BGA1168	Desktop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,516	920	11.5	FCBGA1168	Desktop
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	2,941	1,829	28	FCBGA1364	Laptop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,202	980	35	BGA1288	Laptop
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	627	481	18	BGA1288	Laptop
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,097	1,799	37	Unknown	Laptop
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,529	1,510	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,232	1,885	37	Unknown	Laptop
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,376	2,036	37	Unknown	Laptop
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,425	1,585	15	BGA1168	Laptop
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,664	1,800	84	LGA1150	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,335	1,767	65	LGA1150	Desktop
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,788	1,859	84	FCLGA1150	Desktop
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,393	1,796	65	LGA1150	Desktop
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,888	1,904	84	LGA1150	Desktop
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,583	1,847	65	LGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-4470 @ 3.30GHz</a>	4	3,971	1,475	84	LGA1150	Desktop
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,238	1,044	35	PGA988A	Laptop
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,226	2,034	84	LGA1150	Desktop
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,546	1,799	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	5,021	2,005	65	LGA1150	Desktop
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,223	1,913	35	LGA1150	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,074	1,622	35	LGA1150	Desktop
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,368	2,085	84	LGA1150	Desktop
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,134	2,046	65	LGA1150	Desktop
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	4,071	1,653	35	LGA1150	Desktop
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,299	1,127	35	BGA1288	Laptop
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,493	2,136	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,566	2,145	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	5,160	2,089	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,441	1,771	45	FCLGA1150	Desktop
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,571	2,192	84	LGA1150	Desktop
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,688	2,193	88	LGA1150	Desktop
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,518	2,200	65	LGA1150	Desktop
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,608	1,902	45	LGA1150	Desktop
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	782	737	18	BGA1288	Laptop
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,324	1,157	35	BGA1288	Laptop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,497	1,496	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,720	1,093	35	BGA1288	Laptop
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	908	699	18	BGA1288	Laptop
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,436	1,512	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	2,811	1,725	23	FCBGA1168	Laptop
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,109	1,945	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,735	1,635	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,572	1,645	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,805	1,157	35	BGA1288	Laptop
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,078	2,094	65	LGA1150	Desktop
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,904	1,240	35	BGA1288	Laptop
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,606	2,234	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,563	2,257	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,951	1,284	35	BGA1288	Laptop
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,115	1,645	15	BGA1356	Laptop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	2,996	1,553	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,210	1,653	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,349	1,823	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,799	1,973	28	FCBGA1356	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">2.30GHz</a>						
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,231	1,658	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,106	1,738	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,163	1,955	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,280	1,636	35	LGA 1151	Desktop
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,370	2,005	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	4	5,445	2,045	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,099	1,963	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,487	1,649	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,247	1,369	73	LGA1156	Desktop
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,623	2,107	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,791	1,791	35	LGA 1151	Desktop
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,772	1,837	35	LGA 1151	Desktop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,394	1,424	73	LGA1156	Desktop
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,056	2,259	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,325	2,327	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,604	2,060	35	LGA 1151	Desktop
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,469	1,446	87	LGA1156	Desktop
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,533	1,530	73	LGA1156	Desktop
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,647	1,614	73	LGA1156	Desktop
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,385	1,749	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,987	1,987	15	BGA1356	Laptop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,632	1,969	28	BGA1356	Laptop
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	3,743	2,157	28	Unknown	Laptop
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,088	1,954	45	Unknown	Laptop
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,653	1,903	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	3,849	2,100	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,473	2,083	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,707	1,757	35	LGA1151	Desktop
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,496	2,077	45	BGA1440	Laptop
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,539	1,234	95	LGA1156	Desktop
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,036	2,264	65	LGA1151	Desktop
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,213	1,916	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,630	1,292	95	LGA1156	Desktop
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,537	2,461	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,803	2,548	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	5,927	2,168	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	7,001	2,527	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,645	1,514	4.5	FCBGA1515	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,174	1,385	5	FCBGA1515	Laptop
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,763	1,672	7	FCBGA1515	Laptop
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,869	1,906	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,475	2,266	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	7,874	2,200	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,485	2,245	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	5,951	2,064	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,169	2,072	NA	FCBGA1528	Laptop
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	7,111	2,377	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	7,471	2,296	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,462	2,277	45	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	6,951	2,048	65	BGA2270	Laptop
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,222	2,024	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,114	2,125	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,711	2,188	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,232	2,381	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	7,636	2,348	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,443	1,919	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,545	2,453	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	8,945	2,540	65	FCBGA1440	Laptop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,724	2,013	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,970	2,581	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,202	2,591	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	9,331	2,279	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,578	2,290	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,324	2,282	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,378	2,436	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,466	2,436	65	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	7,902	2,402	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	8,353	2,115	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,806	2,574	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,031	2,601	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,215	2,164	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,861	2,370	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,440	2,741	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,670	2,739	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,682	2,738	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	9,621	2,425	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,386	1,612	7	FC-CSP1016	Laptop
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,585	2,289	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	4,905	1,895	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,466	1,855	10	FCBGA1526	Laptop
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	6,699	2,258	15	FCBGA1528	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.30GHz</a>						
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	9,278	2,335	28	FCBGA1344	Laptop
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,405	2,905	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	16,599	2,882	65	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,414	2,877	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	18,791	3,052	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	18,582	3,042	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	12,816	2,583	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	12,969	2,511	35	FCLGA1200	Laptop
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	9,581	2,344	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	11,854	2,655	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	8,160	2,276	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	11,809	2,687	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	14,424	2,669	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	14,876	2,730	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	11,685	2,934	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	11,819	2,961	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11390H @ 3.40GHz</a>	4	9,935	2,870	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11600H @ 2.90GHz</a>	6	16,685	3,106	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	4	9,181	2,675	NA	FCBGA1598	Laptop
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,189	2,803	15	BGA1526	Laptop
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	19,709	3,119	95	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,616	3,319	65	Unknown	Desktop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,001	3,283	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,591	3,403	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	23,951	3,382	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,560	2,918	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	20,441	3,074	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	8,293	2,490	15	FCBGA1598	Laptop
<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	20,500	3,112	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-11850HE @ 2.60GHz</a>	8	18,899	3,001	35	FCBGA1787	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.00GHz</a>						
<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	10,256	2,621	15	FCBGA1449	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	8,046	2,189	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	10,748	3,012	28	FCBGA1449	Laptop
<a href="#">Intel Core i7-1250U</a>	10	11,694	2,755	9	FCBGA1781	Laptop
<a href="#">Intel Core i7-1255U</a>	10	13,616	3,269	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-1260P</a>	12	17,035	3,293	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-1260U</a>	10	14,127	3,181	9	FCBGA1781	Laptop
<a href="#">Intel Core i7-12650H</a>	10	22,585	3,587	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12650HX</a>	14	20,612	2,457	55	FCBGA1964	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1265U</a>	10	13,790	3,191	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1265UE</a>	10	9,471	2,582	28	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-12700</a>	12	30,800	3,911	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700E</a>	12	29,384	3,777	65	FCLGA1700	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-12700F</a>	12	30,678	3,872	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700H</a>	14	26,149	3,583	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12700K</a>	12	34,603	4,030	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700KF</a>	12	34,344	4,010	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700T</a>	12	21,335	3,611	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700TE</a>	12	17,189	2,875	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1270P</a>	12	17,452	3,405	28	BGA1700	Laptop
<a href="#">Intel Core i7-1270PE</a>	12	17,960	3,715	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i7-12800H</a>	14	24,818	3,482	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12800HE</a>	14	29,805	3,313	45	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i7-12800HX</a>	16	32,137	3,734	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1280P</a>	14	20,383	3,319	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-12850HX</a>	16	30,681	3,708	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1355U</a>	10	14,801	3,495	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-1360P</a>	12	19,169	3,536	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-13620H</a>	10	24,933	3,679	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-13650HX</a>	14	31,423	3,823	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1365U</a>	10	14,836	3,540	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-1365URE</a>	10	10,278	3,078	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i7-13700</a>	16	37,041	4,130	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700E</a>	16	34,728	3,272	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i7-13700F</a>	16	38,871	4,128	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700H</a>	14	27,223	3,646	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-13700HX</a>	16	33,628	3,873	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-13700K</a>	16	46,455	4,361	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700KF</a>	16	46,521	4,362	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700T</a>	16	27,142	3,880	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700TE</a>	16	23,074	3,228	35	FCLGA1700	Laptop
<a href="#">Intel Core i7-13705H</a>	14	23,662	3,477	45	FCBGA1792	Laptop
<a href="#">Intel Core i7-1370P</a>	14	20,150	3,538	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-1370PRE</a>	14	14,103	1,583	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i7-13790F</a>	16	46,309	4,159	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-13800H</a>	14	27,089	3,575	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-13800HRE</a>	14	9,781	1,437	45	FCBGA1744	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">Intel Core i7-14650HX</a>	16	36,668	3,977	157	FCBGA1964	Laptop
<a href="#">Intel Core i7-14700</a>	20	43,414	4,227	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-14700F</a>	20	43,845	4,314	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-14700HX</a>	20	37,310	3,968	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-14700K</a>	20	53,260	4,474	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-14700KF</a>	20	53,215	4,477	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-14700T</a>	20	32,050	3,912	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,346	1,740	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,491	1,746	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,628	1,733	65	LGA1155	Desktop
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023	Laptop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,423	1,459	35	BGA1023	Laptop
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,554	1,227	45	PGA988B	Laptop
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,406	1,206	45	BGA1224	Laptop
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,854	1,144	17	BGA1023	Laptop
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,465	1,496	35	BGA1023	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,738	1,311	45	PGA988B	Laptop
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,828	1,288	45	BGA1224	Laptop
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,912	1,260	17	BGA1023	Laptop
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,750	1,824	95	LGA1155	Desktop
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	4,044	1,393	45	PGA988B	Laptop
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,000	1,369	45	BGA1224	Laptop
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,374	1,535	45	BGA1224	Laptop
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,366	1,483	45	BGA1224	Laptop
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,517	1,553	45	BGA1224	Laptop
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,240	1,426	55	FCPGA988	Laptop
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,754	1,598	55	PGA988B	Laptop
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,077	1,325	17	BGA1023	Laptop
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,384	1,433	17	BGA1023	Laptop
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,868	1,741	35	BGA1023	Laptop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,342	1,444	17	BGA1023	Laptop
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,977	1,791	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	2,238	1,336	25	BGA1023	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">2.30GHz</a>						
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,121	1,666	45	PGA988B	Laptop
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,929	1,678	35	BGA1224	Laptop
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,658	1,540	35	PGA988B, FCBGA12	Laptop
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,601	1,802	45	BGA1224	Laptop
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,196	1,707	45	BGA1224	Laptop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,118	1,685	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,707	1,587	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,816	1,702	45	Unknown	Laptop
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,402	1,494	17	BGA1023	Laptop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,645	1,598	17	BGA1023	Laptop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023	Laptop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,671	1,866	45	BGA1224	Laptop
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,694	1,876	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,413	2,074	77	LGA1155	Desktop
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,465	2,072	77	LGA1155	Desktop
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,181	2,040	65	LGA1155	Desktop
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,444	1,830	45	LGA1155	Desktop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,765	1,745	130	LGA2011	Desktop
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,630	1,865	45	BGA1224	Laptop
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,909	1,931	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,710	1,916	55	FCPGA988	Laptop
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,205	1,747	130	LGA2011	Desktop
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	5,831	1,904	55	rPGA988B	Laptop
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,446	1,800	130	LGA2011	Desktop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,541	1,850	150	LGA2011	Desktop
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,485	1,491	15	BGA1168	Laptop
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,590	1,538	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,272	1,290	15	BGA1168	Laptop
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	2,981	1,817	28	BGA1168	Laptop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,101	1,933	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,186	1,857	37	PGA946	Laptop
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,714	1,653	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,217	1,875	37	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,461	1,572	15	BGA1168	Laptop
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	5,417	1,765	47	FCBGA1364	Desktop
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,623	1,790	47	FCBGA1364	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.40GHz</a>						
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,339	1,633	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,189	1,706	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,537	1,781	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,835	1,890	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,352	1,727	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,313	1,808	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,760	1,867	47	BGA1364	Laptop
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,687	1,748	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,127	1,629	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,060	2,169	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,061	1,913	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,132	2,162	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,620	2,179	65	FCBGA1364	Desktop
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,748	2,123	65	LGA1150	Desktop
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,973	1,931	45	LGA1150	Desktop
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,877	1,653	45	LGA1150	Desktop
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,140	2,194	84	LGA1150	Desktop
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,508	1,759	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,268	2,232	84	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,064	2,466	88	LGA1150	Desktop
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	7,015	2,206	65	LGA1150	Desktop
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,346	2,094	45	LGA1150	Desktop
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,715	1,910	47	rPGA946B	Laptop
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,067	2,028	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,495	1,959	130	FCLGA2011	Desktop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,143	1,942	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,500	1,754	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,242	1,893	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,310	2,051	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,109	1,990	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,235	2,026	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,399	1,960	130	LGA2011	Desktop
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,348	2,060	57	FCPGA946	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.10GHz</a>						
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,344	2,083	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	10,062	2,077	130	LGA2011	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,523	2,172	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,783	1,652	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,864	1,703	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,090	1,914	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	3,037	1,776	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,010	1,898	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,803	2,092	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,047	2,015	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,697	2,277	65	FCLGA1150	Desktop
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,609	2,252	65	LGA1150	Desktop
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,841	1,995	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,323	2,053	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,807	2,310	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,743	1,987	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	2,071	1,420	35	BGA1288	Laptop
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,406	1,010	25	rPGA988A	Laptop
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	1,979	1,288	35	BGA1288	Laptop
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	1,010	820	18	BGA1288	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,525	1,053	25	BGA1288	Laptop
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,069	1,374	35	BGA1288	Laptop
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,183	879	18	BGA1288	Laptop
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,454	1,808	15	BGA1356	Laptop
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,275	1,694	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,326	1,677	15	Unknown	Laptop
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,673	2,085	28	FCBGA1356	Laptop
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,431	1,796	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,284	925	18	BGA1288	Laptop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,605	1,807	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,606	1,943	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,080	2,291	65	LGA 1151	Desktop
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,524	1,912	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,928	2,504	95	LGA1151	Desktop
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,210	2,070	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,135	2,042	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,087	1,944	45	FCBGA1440	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,196	911	18	BGA1288	Laptop
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	7,001	1,997	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	7,055	1,991	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,819	1,953	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,466	2,404	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,474	2,330	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,358	2,102	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,388	2,337	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-6970HQ @ 2.80GHz</a>	4	4,632	1,532	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,653	923	45	PGA988A	Laptop
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,829	1,017	45	PGA988A	Laptop
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,646	1,921	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,792	1,975	15	BGA1356	Laptop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,074	2,194	28	BGA1356	Laptop
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,709	2,022	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,075	2,152	15	BGA1356	Laptop
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,647	2,454	65	LGA1151	Desktop
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,908	2,057	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,647	2,719	95	LGA 1151	Desktop
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,580	2,143	35	FCLGA1151	Desktop
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,607	2,689	112	FCLGA2066	Desktop
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,853	2,390	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,542	2,173	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,385	2,116	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,167	2,121	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,166	2,523	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	21,008	2,455	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,365	2,225	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,644	1,588	4.5	FCBGA1515	Desktop, Laptop
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,274	2,849	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,775	1,014	45	PGA988A	Laptop
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,945	1,132	45	PGA988A	Laptop
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,474	1,448	5	FCBGA1515	Laptop
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,904	2,049	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	7,342	2,326	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,374	2,521	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,066	2,147	15	FCBGA1356	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.80GHz</a>						
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,235	2,601	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,995	1,329	95	LGA1156	Desktop
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,280	1,093	82	LGA1156	Desktop
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,267	2,128	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,248	2,187	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	5,170	1,621	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,131	1,383	95	LGA1156	Desktop
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	12,839	2,642	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	11,900	2,732	65	FCBGA1440	Laptop
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,627	2,727	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,180	2,302	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,687	2,209	65	BGA2270	Laptop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	7,287	2,322	65	BGA2270	Laptop
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,947	2,313	100	BGA2270	Laptop
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,765	1,493	82	LGA1156	Desktop
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	9,886	2,305	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,100	1,351	95	LGA1156	Desktop
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	3,319	1,442	95	LGA1156	Desktop
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,546	2,386	100	BGA2270	Laptop
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,214	2,385	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,839	1,217	130	LGA1366	Desktop
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	1,950	1,022	55	PGA988B	Laptop
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,962	1,270	130	LGA1366	Desktop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	2,947	1,310	130	LGA1366	Desktop
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,209	1,139	55	PGA988	Laptop
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,214	1,379	130	LGA1366	Desktop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,347	1,458	130	LGA1366	Desktop
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,424	1,475	130	LGA1366	Desktop
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,546	1,467	130	LGA1366	Desktop
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,195	2,751	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	12,595	2,568	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,249	2,752	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,459	2,875	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,259	2,876	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,776	2,435	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,203	2,214	35	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,493	1,499	130	LGA1366	Desktop
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	10,818	2,425	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	10,608	2,428	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	6,936	1,539	130	LGA1366	Desktop
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,091	2,571	165	FCLGA2066	Desktop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,811	1,528	130	LGA1366	Desktop
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,050	2,485	45	Unknown	Laptop
<a href="#">Intel Core i7-9850HE @ 2.70GHz</a>	6	10,868	2,363	45	FCBGA1440	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">1.90GHz</a>						
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,154	1,585	130	LGA1366	Desktop
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,862	1,718	NA	Unknown	Desktop
<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	22,387	3,077	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	14,642	2,765	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	14,836	2,718	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	19,841	3,030	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	19,456	2,891	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	19,945	3,029	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	22,784	3,128	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	22,522	3,117	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	14,822	2,469	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	16,251	2,633	35	FCLGA1200	Mobile/Embedded
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,483	2,680	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,456	3,162	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,167	2,715	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	27,907	2,664	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	15,433	2,775	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	32,776	2,651	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	22,811	3,403	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	22,279	3,407	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	20,565	3,130	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	25,237	3,517	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900KB @ 3.30GHz</a>	8	22,929	3,307	65	FCBGA1787	Desktop
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,014	3,538	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	18,948	3,316	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	21,173	3,173	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11980HK @ 2.60GHz</a>	8	22,804	3,282	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-12900</a>	16	34,288	4,048	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900E</a>	16	26,666	3,515	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i9-12900F</a>	16	36,408	4,033	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900H</a>	14	27,978	3,778	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HK</a>	14	27,360	3,644	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HX</a>	16	34,066	3,836	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-12900K</a>	16	41,479	4,163	241	FCLGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">Intel Core i9-12900KS</a>	16	44,008	4,345	150	LGA 1700	Desktop
<a href="#">Intel Core i9-12900T</a>	16	30,056	3,819	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900TE</a>	16	35,057	3,926	35	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i9-12950HX</a>	16	32,329	3,825	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-13900</a>	24	47,149	4,343	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900E</a>	24	34,049	3,592	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i9-13900F</a>	24	51,080	4,423	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900H</a>	14	28,773	3,845	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-13900HK</a>	14	31,590	3,983	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-13900HX</a>	24	44,204	4,128	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-13900K</a>	24	59,084	4,622	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900KF</a>	24	58,428	4,614	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900KS</a>	24	61,634	4,749	150	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900T</a>	24	44,089	4,200	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900TE</a>	24	15,819	2,209	35	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i9-13905H</a>	14	30,240	3,702	45	FCBGA1792	Laptop
<a href="#">Intel Core i9-13950HX</a>	24	43,546	4,015	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-13980HX</a>	24	47,328	4,302	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-14900</a>	24	47,899	4,518	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-14900F</a>	24	47,752	4,503	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-14900HX</a>	24	45,673	4,295	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-14900K</a>	24	60,300	4,743	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-14900KF</a>	24	59,514	4,706	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-14900KS</a>	24	62,470	4,867	150	FCLGA1700	Desktop
<a href="#">Intel Core i9-14900T</a>	24	40,277	3,783	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,077	2,555	140	FCLGA2066	Desktop
<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	12	23,680	2,508	140	FCLGA2066	Desktop
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,036	2,487	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	28,836	2,498	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	30,048	2,471	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,472	2,432	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	20,188	2,458	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,700	2,493	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,492	2,833	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900B @ 3.10GHz</a>	8	9,060	2,018	65	FCLGA1151	Desktop
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,266	2,929	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,269	2,924	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,473	3,036	127	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,020	2,463	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,835	2,560	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,163	2,639	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	27,975	2,628	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,254	2,595	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,117	2,529	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	31,979	2,560	165	FCLGA2066	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">4.00GHz</a>						
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,628	955	4.5	Unknown	Laptop
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,892	1,115	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	1,899	1,241	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	2,010	1,305	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,823	1,081	4.5	BGA1234	Laptop
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,032	1,281	4.5	FCBGA1234	Laptop
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	2,165	1,170	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,585	1,404	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,733	1,628	4.5	FCBGA1515	Laptop, Mobile/Embedded
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,871	1,711	5	FCBGA1515	Laptop, Mobile/Embedded
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,269	1,296	7	FCBGA1515	Laptop, Mobile/Embedded
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,345	1,332	7	FCBGA1515	Laptop, Mobile/Embedded
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,338	1,360	7	FCBGA1515	Laptop, Mobile/Embedded
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel Core Ultra 5 125H</a>	14	22,372	3,515	28	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 5 125U</a>	12	17,603	3,357	15	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 5 134U</a>	12	12,058	3,011	30	FCBGA2551	Laptop
<a href="#">Intel Core Ultra 5 135H</a>	14	22,962	3,564	28	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 5 135U</a>	12	17,699	3,362	28	Unknown	Laptop
<a href="#">Intel Core Ultra 7 155H</a>	16	25,016	3,530	28	Unknown	Laptop
<a href="#">Intel Core Ultra 7 155U</a>	12	16,884	3,462	15	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 7 164U</a>	12	15,106	3,151	9	FCBGA2551	Laptop
<a href="#">Intel Core Ultra 7 165H</a>	16	26,319	3,521	28	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 7 165U</a>	12	17,549	3,412	15	Unknown	Laptop
<a href="#">Intel Core Ultra 7 256V</a>	8	22,035	4,224	17	FCBGA2833	Laptop
<a href="#">Intel Core Ultra 7 258V</a>	8	18,987	3,726	17	FCBGA2833	Laptop
<a href="#">Intel Core Ultra 9 185H</a>	16	29,403	3,703	45	FCBGA2049	Laptop
<a href="#">Intel Core Ultra 9 285K</a>	24	46,872	5,268	125	Unknown	Desktop
<a href="#">Intel Core Ultra 9 288V</a>	8	19,288	4,611	30	FCBGA2833	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	593	662	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	701	779	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	739	813	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	870	927	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	908	990	65	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.86GHz</a>						
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	717	712	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	780	825	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	760	785	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	893	907	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	942	946	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	990	1,023	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,013	1,028	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,130	1,183	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	996	1,059	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	942	1,065	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	1,027	1,108	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,136	1,206	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,151	1,256	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,112	1,127	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,119	1,143	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	1,020	1,112	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	997	1,075	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,057	1,157	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,002	1,132	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,204	1,237	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,104	1,223	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,271	1,323	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,377	1,401	65	LGA775	Desktop
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	467	484	NA	BGA956	Laptop
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	536	551	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.60GHz</a>						
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	690	703	17	BGA956	Laptop
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	788	849	17	BGA956	Laptop
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	748	796	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	783	837	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	856	969	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	845	930	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	850	921	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	845	943	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	959	1,021	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	2	937	1,075	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	952	950	NA	Unknown	Laptop
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	993	1,057	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,040	1,082	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,088	1,120	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,149	1,157	28	PGA478	Laptop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	759	786	17	BGA956	Laptop
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	863	929	25	BGA956	Laptop
<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	2	503	583	10	BGA956	Laptop
<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	2	470	592	34	Socket M	Laptop
<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	2	549	567	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	427	535	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	530	533	34	PGA478	Laptop
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	583	592	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	590	636	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	548	608	34	PGA478	Laptop
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	637	680	35	PGA478	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.83GHz</a>						
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	587	664	35	Socket P	Laptop
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	693	741	35	Socket P	Laptop
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	628	725	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	687	787	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	2	698	740	35	PPGA478, Socket	Laptop
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	652	768	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	729	797	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	742	835	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	758	843	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	793	860	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	818	881	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	604	688	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	738	743	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	708	771	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	678	762	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	761	757	34	BGA479	Laptop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	828	863	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	824	874	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	949	969	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	921	918	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	768	832	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	896	970	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	979	1,025	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	1,009	1,046	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,046	1,074	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	972	1,068	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,074	1,120	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,216	1,236	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,187	1,183	35	BGA479,PGA478	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.30GHz</a>						
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	392	393	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	347	429	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	429	442	10	Unknown	Laptop
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	440	502	10	BGA956	Laptop
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	577	659	10	BGA956	Laptop
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,145	1,124	75	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,304	1,231	130	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop
<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	4	1,966	1,081	45	PGA478	Desktop
<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	2	1,095	1,107	75	PLGA775	Desktop
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,104	1,085	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,099	1,098	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,171	1,178	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,404	1,258	130	LGA775	Desktop
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown	Desktop
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,689	1,395	136	LGA775	Desktop
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,818	951	105	LGA775	Desktop
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,093	1,077	105	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,779	998	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,892	1,060	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,066	1,142	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	4	1,575	881	45	PGA478	Laptop
<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,915	986	45	PGA478	Laptop
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,984	1,081	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,131	1,137	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,186	1,128	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,224	1,215	95	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.83GHz</a>						
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,347	1,221	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,471	1,283	95	LGA775	Desktop
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop
<a href="#">Intel CoreT i5-1350P</a>	12	19,976	3,636	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel N100</a>	4	5,509	1,946	6	FCBGA1264	Mobile/Embedded
<a href="#">Intel N200</a>	4	5,145	1,917	6	FCBGA1264	Mobile/Embedded
<a href="#">Intel N50</a>	2	2,907	1,790	6	FCBGA1264	Mobile/Embedded
<a href="#">Intel N95</a>	4	5,375	1,932	15	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel N97</a>	4	5,773	2,022	12	FCBGA1264	Mobile/Embedded
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,379	1,268	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,413	1,222	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	1,021	930	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,064	969	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	587	564	10	FCBGA1023	Laptop
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,330	1,184	37	FCPGA946	Laptop
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,058	951	15	BGA1168	Laptop
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	1,036	946	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,345	1,221	37	FCPGA946	Laptop
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,180	1,099	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,399	1,103	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86	254	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478	Desktop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.80GHz</a>	1	237	509	69.7	PGA478	Desktop
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 3.00GHz</a>	1	317	537	81.9	PGA478	Desktop
<a href="#">Intel Pentium 4 3.06GHz</a>	1	249	551	81.8	PGA478	Desktop
<a href="#">Intel Pentium 4 3.20GHz</a>	1	330	547	82	PGA478	Desktop
<a href="#">Intel Pentium 4 3.40GHz</a>	1	298	649	89	PGA478	Desktop
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.80GHz</a>	1	358	671	65	Unknown	Desktop
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,117	1,203	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,526	886	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,384	755	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,232	1,280	15	BGA1356	Laptop
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,582	867	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,245	1,295	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,704	958	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,257	1,310	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,356	1,378	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6805 @ 1.10GHz</a>	2	4,424	1,834	15	FCBGA1526	Laptop
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	643	616	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	657	625	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	809	746	17	BGA-1023	Desktop
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,210	1,085	35	FCPGA988	Laptop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,249	726	10	FCBGA1170	Laptop
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	849	849	35	PGA988	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	995	937	35	PGA988	Laptop
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	981	969	35	PGA988	Laptop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,088	1,031	35	PGA988	Laptop
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,085	1,046	35	FCPGA988	Laptop
<a href="#">Intel Pentium D 3.40GHz</a>	2	736	723	NA	Unknown	Desktop
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	564	574	95	PLGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	552	609	130	PLGA775	Desktop
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	681	695	130	PLGA775	Desktop
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	807	782	130	PLGA775	Desktop
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Pentium Dual T2390 @ 1.86GHz</a>	2	745	712	35	PPGA478	Laptop
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	539	599	65	LGA775, PLGA775	Desktop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	642	678	65	LGA775	Desktop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	683	736	65	LGA775	Desktop
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	730	819	65	LGA775	Desktop
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	842	915	65	LGA775	Desktop
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	931	1,002	65	LGA775	Desktop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	901	1,013	65	LGA775	Desktop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	975	1,081	65	LGA775	Desktop
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,037	1,133	65	LGA775	Desktop
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,084	1,197	65	LGA775	Desktop
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,168	1,271	65	LGA775	Desktop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	1,032	1,143	65	LGA775	Desktop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,172	1,244	65	LGA775	Desktop
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,121	1,192	65	LGA775	Desktop
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,182	1,311	65	LGA775	Desktop
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,177	1,306	65	LGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,599	1,500	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,687	1,553	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,430	1,298	35	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,748	1,606	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,581	1,442	35	LGA1155	Desktop
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,892	1,715	55	FCLGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.70GHz</a>						
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,926	1,748	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,092	1,842	55	LGA1155	Desktop
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,894	1,702	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,609	1,466	35	LGA1150	Desktop
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,933	1,742	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,657	1,484	35	LGA1150	Desktop
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,988	1,803	53	LGA1150	Desktop
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,809	1,594	35	LGA1150	Desktop
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,076	1,857	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,092	1,868	53	LGA1150	Desktop
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,837	1,609	35	LGA1150	Desktop
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,570	1,312	35	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,933	1,753	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,127	1,912	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,202	1,917	53	LGA1150	Desktop
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,178	1,897	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,231	1,986	53	LGA1150	Desktop
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,582	2,006	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,344	1,757	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,776	2,152	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,399	1,865	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,707	2,008	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,537	2,096	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,974	1,708	35	FCLGA1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">3.60GHz</a>						
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,062	1,775	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,754	2,249	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,212	1,181	65	LGA1155	Desktop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,336	1,246	65	LGA1155	Desktop
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,090	1,058	35	LGA1155	Desktop
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,362	1,306	65	LGA1155	Desktop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,422	1,338	65	LGA1155	Desktop
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,228	1,131	35	LGA1155	Desktop
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,238	1,109	73	LGA1156	Desktop
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,383	1,173	73	LGA1156	Desktop
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,433	1,279	73	LGA1156	Desktop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,253	1,271	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,435	1,349	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,459	1,393	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,537	1,465	65	FCLGA1155	Desktop
<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	3,016	1,758	5	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,190	2,259	15	FCBGA1449	Laptop
<a href="#">Intel Pentium Gold 8505</a>	5	9,305	3,236	15	BGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,735	2,198	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,173	1,814	35	FCLGA1151-2	Server
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,738	2,250	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,408	1,944	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,823	2,247	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,311	1,951	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,825	2,276	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,124	2,255	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,272	2,461	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,122	2,467	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6400E @ 3.80GHz</a>	2	3,908	2,384	58	FCLGA1200	Mobile/Embedded
<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,545	2,092	35	FCLGA1200	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">4.10GHz</a>						
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,341	1,936	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,140	2,488	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	3,874	2,238	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,371	2,649	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6505T @ 3.60GHz</a>	2	3,698	2,271	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,273	2,507	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,509	2,619	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G7400</a>	2	6,735	3,000	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Pentium Gold G7400T</a>	2	5,737	2,549	35	Unknown	Desktop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,249	733	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,455	709	6.5	Unknown	Desktop
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,404	915	10	FCBGA1296	Desktop
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,108	1,555	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.50GHz</a>	1	240	323	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.60GHz</a>	1	194	427	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	222	499	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.13GHz</a>	1	234	472	27	H-PBGA479, PPGA4	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,146	663	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,189	699	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,200	707	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,253	632	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,391	687	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,170	858	6	FCBGA1296	Laptop
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,532	1,539	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	810	735	35	PGA988	Laptop
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	880	831	35	PGA988	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	908	857	35	PGA988	Laptop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988	Laptop
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,101	1,206	10	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,254	1,348	10	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,615	1,136	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,586	1,241	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	3,059	1,411	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	5,367	1,769	10	FCBGA1338	Laptop, Mobile/Embedded
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	228	480	10	Unknown	Laptop
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	492	524	10	BGA956	Laptop
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	490	31	PGA478	Laptop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	341	528	31	PGA478	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	531	559	35	PPGA478	Laptop
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	538	572	35	PPGA478	Laptop
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	558	594	35	PPGA478	Laptop
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	568	651	35	PPGA478	Laptop
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	566	712	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.00GHz</a>						
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	653	732	35	PPGA478	Laptop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	714	779	35	PGA478	Laptop
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	757	811	35	PGA478	Laptop
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	769	842	35	PGA478	Laptop
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	824	904	35	PGA478	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	552	501	18	BGA1288	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	548	648	NA	Unknown	Unknown
<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">Intel U300</a>	5	8,299	3,037	15	FCBGA1744	Laptop
<a href="#">Intel U300E</a>	5	9,478	3,546	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel U4100 @ 1.30GHz</a>	2	610	554	NA	Unknown	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.06GHz</a>	1	533	600	NA	Unknown	Server
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.20GHz</a>	1	786	673	103	PPGA604	Server
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.40GHz</a>	1	843	723	103	PPGA604	Server
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">Intel Xeon 3.73GHz</a>	2	901	734	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon 3.73GHz</a>	2	1,511	776	NA	Unknown	Server
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	790	621	65	LGA775	Server
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	818	711	65	LGA775	Server
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	983	957	65	LGA775	Server
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	867	836	65	LGA775	Server
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown	Server
<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	405	423	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5110 @ 1.60GHz</a>	2	1,373	652	65	LGA771	Server
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5120 @ 1.86GHz</a>	2	1,486	770	65	LGA771	Server
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	795	796	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5130 @ 2.00GHz</a>	2	1,660	818	65	LGA771	Server
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.33GHz</a>						
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771	Server
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	924	1,023	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5150 @ 2.66GHz</a>	2	2,043	1,065	65	LGA771	Server
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5160 @ 3.00GHz</a>	2	2,361	1,198	80	LGA771	Server
<a href="#">Intel Xeon 6740E</a>	96	76,167	1,997	250	FCLGA4710	Server
<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown
<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,324	1,383	61	PPGA603	Server
<a href="#">[Quad CPU] Intel Xeon @ 2.20GHz</a>	1	2,167	1,177	61	PPGA603	Server
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,437	1,013	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	8,079	1,054	85	FCLGA3647	Server
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,753	1,002	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	9,706	1,006	85	FCLGA3647	Server
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	4,832	1,101	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	9,019	1,116	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz</a>	8	10,797	1,154	85	FCLGA3647	Server
<a href="#">Intel Xeon Bronze 3408U</a>	8	9,557	1,430	125	FCLGA4677	Server
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,532	1,364	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	4,917	1,270	45	BGA 1667	Server
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,696	1,685	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1527 @ 2.20GHz</a>	4	5,213	1,552	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	6,823	1,487	35	FCBGA1667	Laptop, Server
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,592	1,482	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,444	1,225	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,025	1,617	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,056	1,700	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	9,285	1,090	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	8,015	1,033	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	10,447	1,156	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	13,282	1,482	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	13,566	1,327	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227	Server
<a href="#">Intel Xeon D-1718T @ 2.60GHz</a>	4	9,713	2,297	46	FCBGA2227	Server
<a href="#">Intel Xeon D-1726 @ 2.90GHz</a>	6	15,511	2,477	70	FCBGA2227	Server
<a href="#">Intel Xeon D-1732TE @ 1.90GHz</a>	8	14,254	2,015	52	FCBGA2227	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.00GHz</a>						
<a href="#">Intel Xeon D-1736NT @ 2.70GHz</a>	8	17,826	2,392	67	FCBGA2227	Server
<a href="#">Intel Xeon D-1747NTE @ 2.50GHz</a>	10	20,279	2,208	80	FCBGA2227	Server
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	6,676	1,725	60	FCBGA2518	Server
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,117	1,713	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	12,207	1,558	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	19,377	1,719	100	FCBGA2518	Server
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">Intel Xeon D-2712T @ 1.90GHz</a>	4	7,990	1,956	65	FCBGA2579	Server
<a href="#">Intel Xeon D-2733NT @ 2.10GHz</a>	8	16,206	2,257	80	FCBGA2579	Server
<a href="#">Intel Xeon D-2752TER @ 1.80GHz</a>	12	19,102	1,990	77	FCBGA2579	Server
<a href="#">Intel Xeon D-2753NT @ 2.00GHz</a>	12	20,626	2,082	87	FCBGA2579	Server
<a href="#">Intel Xeon D-2775TE @ 2.00GHz</a>	16	27,299	2,203	100	FCBGA2579	Unknown
<a href="#">Intel Xeon D-2795NT @ 2.00GHz</a>	20	28,463	2,192	110	FCBGA2579	Server
<a href="#">Intel Xeon D-2796TE @ 2.00GHz</a>	20	26,342	2,172	118	FCBGA2579	Server
<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,792	2,404	129	FCBGA2579	Server
<a href="#">Intel Xeon E E-2414</a>	4	11,923	3,732	55	FCLGA1700	Server
<a href="#">Intel Xeon E E-2434</a>	4	16,552	3,845	55	FCLGA1700	Server
<a href="#">Intel Xeon E E-2486</a>	6	24,713	4,062	95	FCLGA1700	Server
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	5,913	1,956	65	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,915	2,495	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,365	2,686	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,392	2,599	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	9,239	2,638	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,460	2,671	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,314	2,639	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,259	2,674	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,689	2,678	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,598	2,708	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,890	2,465	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,817	2,757	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	11,455	2,550	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,317	2,554	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,641	2,731	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,110	2,816	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,114	2,770	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,012	2,802	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,624	2,691	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	13,721	2,788	80	FCLGA1151-2	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">1.70GHz</a>						
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,892	2,838	83	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,946	2,872	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,846	2,626	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
<a href="#">Intel Xeon E-2276ML @ 2.00GHz</a>	6	6,353	1,222	25	FCBGA1440	Server
<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	17,082	2,950	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	16,379	2,712	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	14,020	2,856	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,092	2,728	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,444	2,905	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	8,146	2,732	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2324G @ 3.10GHz</a>	4	9,771	2,953	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	13,011	3,356	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	16,731	3,221	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	18,521	3,276	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	13,607	3,416	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	17,472	3,263	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2378G @ 2.80GHz</a>	8	21,153	3,352	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2386G @ 3.50GHz</a>	6	19,613	3,393	95	FCLGA1200	Server
<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,616	3,444	95	FCLGA1200	Server
<a href="#">Intel Xeon E-2436</a>	6	22,487	3,627	65	FCLGA1700	Server
<a href="#">Intel Xeon E-2456</a>	6	23,743	4,141	80	FCLGA1700	Server
<a href="#">Intel Xeon E-2468</a>	8	25,579	3,948	65	FCLGA1700	Server
<a href="#">Intel Xeon E-2478</a>	8	29,827	4,000	80	FCLGA1700	Server
<a href="#">Intel Xeon E-2488</a>	8	29,487	4,140	95	FCLGA1700	Server
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,847	1,525	80	LGA1155	Server
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,676	1,875	69	LGA1155	Server
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,182	1,953	80	LGA1150	Server
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,805	2,064	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,783	1,884	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,295	1,604	20	LGA1155	Server
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,248	1,505	17	LGA1155	Server
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,912	1,582	95	LGA1155	Server
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,752	1,934	77	LGA1155	Server
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,297	2,009	84	LGA1150	Server
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,984	2,109	80	FCLGA1151	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.30GHz</a>						
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,540	2,105	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,136	1,665	80	LGA1155	Server
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,196	1,989	69	LGA1155	Server
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,816	2,079	80	LGA1150	Server
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	7,921	2,193	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,212	2,203	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	5,251	1,619	25	LGA1150	Server
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	7,047	2,149	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	5,053	1,607	95	LGA1155	Server
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,403	1,723	80	LGA1155	Server
<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,359	2,035	69	LGA1155	Server
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,042	2,146	80	LGA1150	Server
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,247	2,295	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,648	2,370	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,655	1,739	25	FCLGA1150	Server
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,511	1,909	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,139	2,173	80	LGA1150	Server
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,334	1,717	95	LGA1155	Server
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,308	2,026	77	LGA1155	Server
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,022	2,147	84	LGA1150	Server
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,028	2,241	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,759	2,413	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,296	2,218	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,063	1,455	45	LGA1155	Server
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	8,226	2,307	45	FCLGA1151	Server
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,726	1,395	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	5,148	1,653	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,204	2,062	45	FCLGA1150	Server
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,770	1,879	45	LGA1150	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.40GHz</a>						
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,376	1,750	80	LGA1155	Server
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,488	2,078	69	LGA1155	Server
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,269	2,192	80	LGA1150	Server
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,356	2,313	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,931	2,458	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,534	2,279	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,516	1,773	95	LGA1155	Server
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,635	2,121	77	LGA1155	Server
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,213	2,201	95	LGA1150	Server
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,499	2,353	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,303	2,554	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,290	2,149	45	LGA1150	Server
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,508	2,283	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,623	1,806	95	LGA1155	Server
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,563	2,164	69	LGA1155	Server
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,393	2,275	82	LGA1150	Server
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,407	2,322	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,032	2,505	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,452	2,329	82	LGA1150	Server
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,974	2,213	84	LGA1150	Server
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,808	2,313	95	FCLGA1150	Server
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	8,536	2,579	79	FCLGA1151	Server
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,803	2,149	65	LGA1150	Server
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,074	2,350	65	LGA1150	Server
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150	Server
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,929	2,329	65	LGA1150	Server
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	5,429	1,834	95	LGA1155	Server
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,526	2,127	87	LGA1155	Server
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	5,083	1,548	25	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440	Laptop, Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">2.80GHz</a>						
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,471	2,231	45	Unknown	Server
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	7,938	2,148	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,511	2,117	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	7,953	2,292	35	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,813	2,117	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,857	2,152	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,083	2,188	45	FCBGA1440	Server
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775	Server
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,408	1,370	65	LGA775	Server
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,915	1,487	80	LGA1356	Server
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,715	1,656	80	LGA 1356	Server
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,255	1,096	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,463	1,338	130	LGA2011	Server
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,427	1,616	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,683	1,753	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,731	1,438	130	LGA2011	Server
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,173	1,636	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,950	1,815	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,200	1,922	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,861	1,769	130	LGA2011	Server
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,546	2,021	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,992	2,011	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,389	2,228	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,396	2,107	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,585	2,320	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,114	1,736	130	LGA2011	Server
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,330	2,051	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,423	2,124	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,455	2,382	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,413	1,806	130	LGA2011	Server
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,268	2,101	130	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.00GHz</a>						
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,610	2,206	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,618	2,103	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,090	2,097	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,211	2,320	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,367	802	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,658	940	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz</a>	4	5,362	1,042	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,504	1,068	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	6,395	1,282	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">Intel Xeon E5-2418L v2 @ 2.00GHz</a>	6	5,380	1,078	50	FCLGA1356	Server
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,033	1,089	95	LGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	9,252	995	95	LGA1356	Server
<a href="#">[Quad CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	3,065	1,108	95	LGA1356	Server
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,356	1,386	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	11,796	1,381	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz</a>	6	8,500	899	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,492	1,175	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz</a>	6	9,513	1,224	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	7,039	1,425	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	12,267	1,530	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,539	1,096	60	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz</a>	6	9,635	1,192	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	6,190	1,318	60	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	12,183	1,374	60	LGA 1356	Server
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	6,091	1,304	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz</a>	6	10,776	1,151	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	7,655	1,139	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	13,818	1,313	95	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.80GHz</a>						
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,534	1,180	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz</a>	8	10,978	1,260	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	9,041	1,609	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	16,995	1,644	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,880	1,002	70	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz</a>	8	11,711	1,040	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,295	1,426	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz</a>	8	14,464	1,410	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,675	1,596	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	19,022	1,555	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,319	871	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz</a>	4	4,433	873	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,735	993	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	5,017	991	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,817	930	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	6,900	925	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	7,992	1,081	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2608L v4 @ 1.60GHz</a>	8	7,447	1,092	50	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,858	1,118	80	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz</a>	4	5,891	1,151	80	LGA2011	Server
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,369	1,356	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	6,844	1,383	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,430	1,097	80	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	8,595	1,110	80	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,443	1,020	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	10,057	1,069	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	11,181	1,917	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,429	1,975	75	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	22,319	1,947	75	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz</a>	6	9,767	1,130	95	LGA2011	Server
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,246	1,290	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	10,843	1,282	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,804	1,690	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	13,308	1,700	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,198	1,634	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	15,912	1,701	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	6,790	1,866	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	11,701	1,948	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,940	1,761	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	8,506	1,409	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	18,895	1,462	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,139	1,426	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,183	1,286	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz</a>	6	10,779	1,275	95	LGA2011	Server
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,473	1,569	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	13,629	1,572	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,382	1,763	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	17,081	1,716	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,615	1,749	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	19,216	1,725	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz</a>	6	8,760	1,152	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,703	1,396	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	12,414	1,381	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,701	1,543	55	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">v3 @ 1.80GHz</a>						
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	9,943	1,556	55	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	19,755	1,800	55	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz</a>	2	5,775	1,654	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,457	1,902	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	12,040	1,917	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,246	2,025	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	13,176	2,047	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	7,472	2,222	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	14,043	2,207	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,292	1,349	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz</a>	6	11,609	1,345	95	LGA2011	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,590	1,270	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	13,421	1,184	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,121	1,875	90	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	17,438	1,741	90	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	12,472	1,946	90	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	21,121	1,871	90	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,433	1,615	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz</a>	4	9,774	1,600	130	LGA2011	Server
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,184	1,894	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	17,175	1,978	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,465	2,085	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	17,922	2,061	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,134	2,207	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	19,933	2,279	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	5,262	981	70	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz</a>	8	9,940	899	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,828	1,194	70	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	16,028	1,286	70	FCLGA2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">1.80GHz</a>						
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,375	1,223	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz</a>	8	12,870	1,246	95	LGA2011	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,866	1,688	95	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	17,389	1,668	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,799	1,647	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	19,743	1,618	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	13,587	1,703	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	23,061	1,727	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	6,192	1,083	70	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz</a>	8	11,364	1,050	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,586	979	70	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	14,039	1,029	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,880	1,399	65	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	19,882	1,352	65	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	12,719	1,443	65	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	25,440	1,643	65	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,544	1,136	NA	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	15,980	1,047	NA	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz</a>	8	10,053	1,096	95	LGA2011	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,528	1,476	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	18,250	1,529	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	21,856	1,576	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	27,797	1,748	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,149	1,397	95	LGA2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">@ 2.20GHz</a>						
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,485	1,503	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	18,491	1,423	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,135	1,805	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	22,108	1,804	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	15,934	1,751	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	26,403	1,906	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	21,671	1,958	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,307	1,401	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz</a>	8	14,117	1,355	115	LGA2011	Server
<a href="#">Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	14,284	1,968	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	23,649	1,949	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2666 v4 @ 2.80GHz</a>	12	17,958	2,052	145	FCLGA2011-v3	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,524	1,586	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz</a>	6	12,728	1,560	130	LGA2011	Server
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,269	2,017	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	21,177	2,021	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,663	2,010	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	21,088	1,971	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	13,829	2,189	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	24,086	2,191	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,959	1,469	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz</a>	8	15,701	1,497	115	LGA2011	Server
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,343	1,626	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	19,200	1,575	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,575	1,691	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	22,415	1,706	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	12,128	1,947	110	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	21,271	1,981	110	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">2.40GHz</a>						
<a href="#">[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	22,572	1,640	110	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	20,631	2,107	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	37,891	2,055	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	13,180	1,186	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	13,524	1,636	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	21,875	1,718	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,712	1,761	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	24,371	1,783	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	24,131	1,992	200	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,396	1,555	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz</a>	8	15,690	1,552	130	LGA2011	Server
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,635	1,786	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	21,263	1,786	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,152	1,806	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	24,297	1,775	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	17,752	1,955	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	28,338	1,960	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,487	1,904	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,051	1,856	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	29,874	1,830	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,749	1,673	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	23,992	1,635	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,679	1,711	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	28,166	1,758	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	20,233	1,522	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	20,434	1,811	145	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">v4 @ 2.30GHz</a>						
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,996	1,667	150	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz</a>	8	17,754	1,739	150	LGA2011	Server
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,254	2,041	150	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	20,635	1,989	150	FCLGA2011	Server
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,615	1,904	160	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	24,160	1,943	160	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,755	2,037	160	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	28,428	2,090	160	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,685	1,577	115	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz</a>	8	15,780	1,599	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	17,049	2,309	165	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	29,534	2,332	165	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,740	1,660	135	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz</a>	8	16,751	1,676	135	LGA2011	Server
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,483	1,881	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	21,997	1,851	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,366	1,927	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	26,346	1,925	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	19,515	2,076	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	31,900	2,098	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,306	1,633	115	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	21,741	1,602	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	16,509	1,804	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	29,172	1,866	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	19,109	1,822	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	34,908	1,884	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	14,096	1,705	120	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	23,331	1,677	120	LGA2011	Server
<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	22,140	2,097	145	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">v3 @ 2.30GHz</a>						
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	24,858	2,141	150	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	41,264	2,118	150	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,266	1,794	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	22,810	1,714	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	18,600	1,977	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	26,783	1,940	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	20,902	1,995	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	38,241	2,089	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	21,563	2,096	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	33,911	2,152	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	18,872	1,920	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	31,258	2,006	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	23,493	2,133	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	39,543	2,114	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2698B v3 @ 2.00GHz</a>	16	16,287	1,666	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	25,605	2,243	NA	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,357	1,900	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	33,950	1,961	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	25,353	1,971	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	43,612	2,107	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	25,654	1,973	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	44,999	2,113	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	22,283	1,527	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	33,981	1,497	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz</a>	4	6,690	995	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	7,557	1,378	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">@ 2.40GHz</a>						
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	15,084	1,144	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	16,902	NA	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	11,387	1,640	130	LGA 2011	Server
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	7,037	1,207	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz</a>	8	11,474	974	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	9,590	1,569	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	17,849	1,512	95	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	16,970	1,574	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	32,453	2,016	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	15,898	1,972	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	20,294	1,722	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	22,336	1,951	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4628L v4 @ 1.80GHz</a>	14	12,461	1,327	75	FCLGA2011	Mobile/Embedded
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,012	1,233	95	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz</a>	8	21,374	1,392	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz</a>	10	19,028	1,373	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz</a>	12	22,559	1,573	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,630	1,476	130	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	27,008	1,549	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	13,713	1,430	130	LGA2011	Server
<a href="#">Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	11,064	1,501	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	32,150	1,563	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.20GHz</a>						
<a href="#">[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	41,126	1,628	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	25,851	1,630	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,533	1,409	115	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650L @ 2.60GHz</a>	8	28,193	1,439	115	LGA 2011	Server
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4655 v4 @ 2.50GHz</a>	8	10,912	1,952	135	FCLGA2011	Server
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	11,613	1,483	115	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	36,266	1,554	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	21,548	1,291	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	15,375	1,805	120	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	54,621	1,786	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	24,421	1,575	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	20,319	1,757	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	53,402	1,584	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	41,232	1,446	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	31,494	1,549	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5310 @ 1.60GHz</a>	4	2,629	641	80	LGA771	Server
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,469	770	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5320 @ 1.86GHz</a>	4	2,911	762	80	LGA771	Server
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5335 @ 2.00GHz</a>	4	3,069	815	80	LGA771	Server
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,868	954	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5345 @ 2.33GHz</a>	4	3,458	946	80	LGA771	Server
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,718	877	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5405 @ 2.00GHz</a>	4	3,402	875	80	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">[Dual CPU] Intel Xeon E5410 @ 2.33GHz</a>	4	3,829	1,013	80	LGA771	Server
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	2,022	1,060	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5420 @ 2.50GHz</a>	4	4,099	1,087	80	LGA771	Server
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,238	1,158	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5430 @ 2.66GHz</a>	4	4,287	1,161	80	LGA771	Server
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,374	1,228	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5440 @ 2.83GHz</a>	4	4,440	1,241	80	LGA771	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,580	1,287	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5450 @ 3.00GHz</a>	4	4,710	1,289	80	LGA771	Server
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,178	1,153	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5462 @ 2.80GHz</a>	4	4,527	1,241	80	LGA771	Server
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,286	1,211	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5472 @ 3.00GHz</a>	4	4,765	1,326	80	LGA771	Server
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5502 @ 1.87GHz</a>	2	1,853	825	80	LGA1366	Server
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5503 @ 2.00GHz</a>	2	1,787	783	80	LGA1366	Server
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,519	825	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5504 @ 2.00GHz</a>	4	3,305	870	80	LGA1366	Server
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,944	928	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5506 @ 2.13GHz</a>	4	3,710	911	80	LGA1366	Server
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5507 @ 2.27GHz</a>	4	4,256	1,026	80	LGA1366	Server
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,524	1,053	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5520 @ 2.27GHz</a>	4	4,617	1,108	80	LGA1366	Server
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,690	1,144	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5530 @ 2.40GHz</a>	4	5,214	1,155	80	LGA1366	Server
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,783	1,203	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5540 @ 2.53GHz</a>	4	4,841	1,113	80	LGA1366	Server
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5603 @ 1.60GHz</a>	4	3,548	710	80	LGA1366	Server
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,365	942	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5606 @ 2.13GHz</a>	4	4,258	882	80	LGA1366	Server
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5607 @ 2.27GHz</a>	4	4,969	1,009	80	LGA1366	Server
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,590	1,103	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5620 @ 2.40GHz</a>	4	6,522	1,091	80	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">[Dual CPU] Intel Xeon E5630 @ 2.53GHz</a>	4	6,847	1,171	80	LGA1366	Server
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	3,782	1,175	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5640 @ 2.67GHz</a>	4	7,455	1,252	80	LGA1366	Server
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	5,046	1,156	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5645 @ 2.40GHz</a>	6	9,143	1,175	80	LGA1366	Server
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,686	1,327	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5649 @ 2.53GHz</a>	6	9,558	1,214	80	LGA1366	Server
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	6,223	721	95	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4850 @ 2.00GHz</a>	10	21,385	931	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon E7- 4850 @ 2.00GHz</a>	10	9,571	703	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz</a>	10	20,367	1,092	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	24,580	1,109	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	11,939	1,054	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 8837 @ 2.67GHz</a>	8	17,333	1,011	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz</a>	10	24,434	1,124	130	LGA1567	Server
<a href="#">Intel Xeon E7-4809 v2 @ 1.90GHz</a>	6	16,471	1,006	105	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz</a>	8	19,981	1,012	105	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7-4870 v2 @ 2.30GHz</a>	15	45,230	1,612	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz</a>	15	39,311	1,610	130	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	45,066	1,798	155	LGA 2011-1	Server
<a href="#">[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	25,055	1,790	155	LGA 2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz</a>	12	36,304	1,935	130	FCLGA2011	Server
<a href="#">[3-Way CPU] Intel Xeon E7- 8860 v4 @ 2.20GHz</a>	18	22,737	757	140	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz</a>	16	46,001	1,730	165	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz</a>	15	25,966	1,316	130	LGA 2011-1	Server
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	50,157	1,574	150	LGA2011-1	Server
<a href="#">[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	34,583	1,787	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	54,647	1,657	150	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	37,875	1,647	150	FCLGA2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">v3 @ 2.50GHz</a>						
<a href="#">[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	67,895	2,099	165	LGA2011-v3	Server
<a href="#">Intel Xeon E7-8891 v3 @ 2.80GHz</a>	10	21,615	1,715	165	LGA2011-v3	Server
<a href="#">[Quad CPU] Intel Xeon E7-8891 v4 @ 2.80GHz</a>	10	48,879	2,104	165	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz</a>	4	28,424	2,270	140	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8894 v4 @ 2.40GHz</a>	24	60,496	1,858	165	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz</a>	15	57,307	2,010	155	FCLGA2011	Server
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
<a href="#">[Quad CPU] Intel Xeon E7320 @ 2.13GHz</a>	4	5,286	811	80	604	Server
<a href="#">[Quad CPU] Intel Xeon E7330 @ 2.40GHz</a>	4	6,792	933	80	PGA604, PPGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7340 @ 2.40GHz</a>	4	6,544	960	80	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7450 @ 2.40GHz</a>	6	9,849	1,016	90	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7530 @ 1.87GHz</a>	6	7,231	887	105	FCLGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7540 @ 2.00GHz</a>	6	9,409	911	105	FCLGA1567	Server
<a href="#">Intel Xeon Gold 5115 @ 2.40GHz</a>	10	14,677	1,857	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz</a>	10	24,760	1,853	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz</a>	14	26,794	1,499	105	Unknown	Server
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,627	1,785	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz</a>	12	25,395	1,725	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	18,111	1,741	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz</a>	14	29,566	1,730	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	18,127	1,849	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,868	2,155	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz</a>	4	16,453	2,208	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,624	1,835	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz</a>	10	22,066	1,953	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz</a>	8	25,455	2,089	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	21,986	2,237	125	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">5218 @ 2.30GHz</a>						
<a href="#">[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	34,156	2,113	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz</a>	16	41,082	1,785	110	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	24,742	2,234	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz</a>	20	40,534	2,193	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218T @ 2.10GHz</a>	16	21,433	2,282	105	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz</a>	16	35,036	2,014	105	Unknown	Server
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	24,154	2,266	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz</a>	18	41,925	2,211	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	32,765	2,333	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz</a>	24	54,515	2,287	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,489	2,347	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz</a>	4	17,523	2,297	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	20,820	2,480	140	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	36,428	2,471	140	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	27,387	2,361	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz</a>	12	41,181	2,357	150	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5318H @ 2.50GHz</a>	18	29,301	2,225	150	FCLGA4189	Server
<a href="#">[Quad CPU] Intel Xeon Gold 5318H @ 2.50GHz</a>	18	70,723	1,975	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5318H @ 2.50GHz</a>	18	50,218	2,301	150	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	33,283	2,083	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	56,985	2,063	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5320 @ 2.20GHz</a>	26	37,558	1,826	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz</a>	26	64,917	2,064	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5320H @ 2.40GHz</a>	20	31,718	2,428	150	FCLGA4189	Server
<a href="#">[Quad CPU] Intel Xeon Gold 5320H @ 2.40GHz</a>	20	83,263	2,571	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5320H @ 2.40GHz</a>	20	53,931	2,485	150	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5412U</a>	24	52,557	3,119	185	FCLGA4677	Server
<a href="#">Intel Xeon Gold 5415+</a>	8	24,951	3,247	150	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5415+</a>	8	44,674	3,248	150	FCLGA4677	Server
<a href="#">Intel Xeon Gold 5416S</a>	16	35,976	2,888	150	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">5416S</a>						
<a href="#">Intel Xeon Gold 5418Y</a>	24	44,487	1,961	185	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5418Y</a>	24	81,141	3,000	185	FCLGA4677	Server
<a href="#">Intel Xeon Gold 5420+</a>	28	58,209	3,408	205	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5420+</a>	28	88,738	3,012	205	FCLGA4677	Server
<a href="#">Intel Xeon Gold 5512U</a>	28	60,365	3,072	185	FCLGA4677	Server
<a href="#">Intel Xeon Gold 5515+</a>	8	25,587	3,406	165	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6122 @ 1.80GHz</a>	20	23,781	2,157	120	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz</a>	20	40,707	2,202	120	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	19,189	2,117	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz</a>	12	30,442	2,114	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	12,881	2,104	115	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz</a>	6	22,415	2,132	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,647	2,065	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz</a>	16	33,586	1,939	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz</a>	16	35,440	2,229	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,804	1,698	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	22,180	2,118	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz</a>	14	34,195	2,173	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,650	2,225	130	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	40,698	2,221	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	28,314	2,201	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	20,796	2,207	150	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	61,131	1,940	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	35,966	2,170	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	24,121	2,058	125	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	67,444	2,190	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	42,667	2,099	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	20,649	2,087	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz</a>	20	36,497	1,915	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz</a>	18	40,210	1,954	NA	LGA 3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.30GHz</a>						
<a href="#">[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz</a>	18	39,883	2,103	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6142 @ 2.60GHz</a>	16	25,215	2,143	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz</a>	16	35,888	2,101	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz</a>	16	46,473	2,392	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	19,993	2,509	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz</a>	8	29,954	2,466	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	23,296	2,309	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz</a>	12	38,392	2,346	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	29,009	2,152	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz</a>	20	46,524	2,104	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz</a>	16	37,551	2,057	NA	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	27,446	2,114	165	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	64,115	1,921	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	46,837	2,107	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	25,441	2,006	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	45,967	2,050	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	28,632	2,239	200	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz</a>	18	49,294	2,186	200	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	27,085	2,265	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,915	2,203	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6222V @ 1.80GHz</a>	20	24,764	2,054	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	20,429	2,064	125	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	64,957	2,260	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	32,062	2,203	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	26,297	2,271	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz</a>	16	39,978	2,107	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	27,069	2,269	125	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">6230 @ 2.10GHz</a>						
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	33,724	2,236	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz</a>	26	53,762	2,245	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6234 @ 3.30GHz</a>	8	17,752	2,393	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz</a>	8	30,808	2,390	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	28,668	1,878	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz</a>	28	57,049	2,152	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6240 @ 2.60GHz</a>	18	28,369	1,990	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz</a>	18	48,736	2,308	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6240R @ 2.40GHz</a>	24	33,353	2,312	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz</a>	24	55,765	2,307	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz</a>	16	37,742	2,197	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	34,282	2,401	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz</a>	20	54,398	2,362	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	18,980	2,546	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz</a>	8	33,625	2,559	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,829	2,468	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz</a>	12	42,206	2,490	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,468	2,341	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz</a>	16	48,396	2,402	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	29,831	2,284	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz</a>	20	37,412	1,998	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	36,186	2,301	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz</a>	24	61,068	2,335	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6250 @ 3.90GHz</a>	8	20,915	2,703	185	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz</a>	8	35,164	2,705	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	27,148	1,883	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz</a>	24	49,891	2,255	150	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">6252N @ 2.30GHz</a>						
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	28,549	2,311	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	49,872	2,401	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	31,513	2,363	200	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	54,255	2,345	200	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	76,542	2,681	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	46,766	2,634	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6258R @ 2.70GHz</a>	28	40,252	2,080	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz</a>	28	63,984	2,346	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6262 @ 1.90GHz</a>	24	21,823	1,701	135	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz</a>	24	47,488	1,886	135	Unknown	Server
<a href="#">Intel Xeon Gold 6262V @ 1.90GHz</a>	3	3,155	1,486	135	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz</a>	22	51,998	1,970	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6268CL @ 2.80GHz</a>	24	34,558	2,278	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6268CL @ 2.80GHz</a>	24	61,095	2,364	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6278C @ 2.60GHz</a>	26	32,835	2,019	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	42,124	2,344	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6314U @ 2.30GHz</a>	32	48,013	2,217	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,270	2,365	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz</a>	16	54,086	2,354	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz</a>	28	64,015	1,958	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6330N @ 2.20GHz</a>	28	36,360	2,322	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>	8	21,521	2,545	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz</a>	8	35,117	2,518	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	71,408	2,542	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6338 @ 2.00GHz</a>	32	33,814	2,206	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz</a>	32	68,563	2,185	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6338N @ 2.20GHz</a>	32	42,086	2,066	185	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">6338N @ 2.20GHz</a>						
<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	47,320	2,431	230	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz</a>	24	72,919	2,344	230	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,665	2,483	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz</a>	16	55,568	2,461	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	52,276	2,459	235	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz</a>	28	75,906	2,354	235	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,445	2,450	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz</a>	18	64,422	2,484	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6414U</a>	32	57,200	2,610	250	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6416H</a>	18	40,606	2,860	165	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6418H</a>	24	84,526	2,901	185	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6421N</a>	32	58,797	2,978	185	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6423N</a>	28	57,434	2,998	195	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6426Y</a>	16	38,159	2,714	185	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6426Y</a>	16	68,988	3,082	185	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6428N</a>	32	86,030	2,672	185	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6430</a>	32	82,407	2,497	NA	Unknown	Server
<a href="#">Intel Xeon Gold 6434</a>	8	24,836	2,759	195	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6434</a>	8	48,025	3,423	195	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6438N</a>	32	52,789	2,315	205	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6438Y+</a>	32	93,306	3,273	205	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6442Y</a>	24	56,263	2,992	225	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6442Y</a>	24	92,983	3,190	225	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6444Y</a>	16	71,870	3,267	270	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6448Y</a>	32	60,449	2,686	225	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6448Y</a>	32	104,805	3,277	225	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6454S</a>	32	85,725	2,355	270	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6526Y</a>	16	46,025	3,242	195	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6526Y</a>	16	71,416	3,128	195	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6530</a>	32	65,533	3,330	270	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6530</a>	32	97,607	3,280	270	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6534</a>	8	51,562	3,450	195	FCLGA4677	Server
<a href="#">Intel Xeon Gold 6538N</a>	32	44,895	1,725	205	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6544Y</a>	16	79,819	3,227	270	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">6548Y+</a>						
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,412	1,224	65	LGA775	Server
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,470	1,231	45	LGA1156	Server
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,737	822	50	LGA771	Server
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,769	936	40	LGA771	Server
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,940	1,029	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5410 @ 2.33GHz</a>	4	3,974	1,009	50	LGA771	Server
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,143	1,100	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5420 @ 2.50GHz</a>	4	4,221	1,100	50	LGA771	Server
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5430 @ 2.66GHz</a>	4	4,269	1,131	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5506 @ 2.13GHz</a>	4	4,019	967	60	LGA1366	Server
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,274	1,001	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5520 @ 2.27GHz</a>	4	4,561	969	60	LGA1366	Server
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	3,018	1,033	40	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5630 @ 2.13GHz</a>	4	5,267	964	40	LGA1366	Server
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,707	862	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5638 @ 2.00GHz</a>	6	7,217	944	60	LGA1366	Server
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5639 @ 2.13GHz</a>	6	5,768	1,010	60	LGA1366	Server
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,645	1,117	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5640 @ 2.27GHz</a>	6	8,474	1,155	60	LGA1366	Server
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
<a href="#">Intel Xeon Max 9480</a>	56	87,420	2,926	350	FCLGA4677	Server
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Intel Xeon Phi 7210 @ 1.30GHz</a>	64	7,306	460	215	SVLCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 6162 @ 1.90GHz</a>	24	43,470	1,678	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	27,336	2,091	NA	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	48,775	2,019	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	5,669	2,364	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz</a>	16	30,722	1,643	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8156 @ 3.60GHz</a>	4	16,852	2,245	105	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">2.10GHz</a>						
<a href="#">[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	72,905	2,379	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	49,282	2,037	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz</a>	24	53,398	2,217	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	33,099	2,092	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	54,588	2,147	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	30,632	2,222	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	57,780	2,109	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	28,025	2,058	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	53,264	1,993	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	23,179	2,048	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	53,835	2,040	165	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz</a>	28	88,102	2,379	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	38,259	2,142	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	59,385	2,133	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz</a>	28	52,715	2,142	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	28,147	2,700	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	48,676	2,683	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz</a>	16	30,507	1,754	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz</a>	4	16,787	2,336	105	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,142	1,955	210	LGA 3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	54,849	2,042	210	LGA 3647	Server
<a href="#">Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	30,347	2,239	165	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	83,793	2,297	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	52,066	2,065	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	55,297	2,472	165	LGA3647	Server
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	34,483	2,255	205	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">8268 @ 2.90GHz</a>						
<a href="#">[Dual CPU] Intel Xeon Platinum 8269CY @ 2.50GHz</a>	26	61,811	2,053	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8270 @ 2.70GHz</a>	26	29,986	2,325	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz</a>	26	52,386	2,382	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8273CL @ 2.20GHz</a>	28	35,769	2,167	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz</a>	28	50,348	2,144	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	66,812	2,375	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz</a>	28	60,188	2,427	NA	Unknown	Server
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	32,781	2,029	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	64,291	2,356	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8336C</a>	32	74,875	2,054	230	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8338C @ 2.60GHz</a>	32	81,817	2,439	250	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz</a>	32	68,643	1,913	205	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	54,416	2,382	250	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	83,116	2,355	250	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz</a>	32	82,052	2,378	240	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8360Y @ 2.40GHz</a>	36	54,078	2,489	250	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz</a>	38	88,038	2,345	270	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8368Q @ 2.60GHz</a>	38	46,681	2,568	270	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8369B @ 2.90GHz</a>	32	87,459	2,499	270	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	56,202	2,474	300	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	86,451	2,468	300	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,318	2,385	270	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	91,257	2,400	270	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8450H</a>	28	87,103	2,902	250	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8454H</a>	32	62,347	2,831	270	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8458P</a>	44	117,136	2,841	350	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8461V</a>	48	74,982	2,855	300	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8462Y+</a>	32	111,282	3,065	300	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">8468</a>						
<a href="#">Intel Xeon Platinum 8470 @2.00GHz</a>	52	89,850	3,153	350	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8475B</a>	1	3,280	2,581	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8479 @2.00GHz</a>	28	24,087	2,453	350	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8480+</a>	56	125,165	2,942	350	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8481C @ 2.70GHz</a>	4	11,681	2,479	350	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8488C</a>	48	127,207	3,096	385	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8562Y+</a>	32	114,143	3,121	300	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8568Y+</a>	48	125,432	2,978	350	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8570</a>	56	137,588	3,224	350	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8571N</a>	52	68,385	1,969	300	FCLGA4677	Server
<a href="#">Intel Xeon Platinum 8575C</a>	1	3,342	2,593	NA	Unknown	Server
<a href="#">Intel Xeon Platinum 8592+</a>	64	84,013	2,411	350	FCLGA4677	Server
<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	22,674	2,059	240	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	43,913	2,096	240	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	8,909	1,483	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz</a>	8	16,080	1,676	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,215	1,595	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz</a>	8	17,397	1,621	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,446	1,707	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz</a>	4	12,283	1,758	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	13,161	1,720	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz</a>	10	20,918	1,665	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,660	1,657	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz</a>	12	25,536	1,680	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,259	1,774	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz</a>	8	18,948	1,761	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4209T @ 2.20GHz</a>	8	11,080	1,693	70	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	13,457	1,725	85	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">4210 @ 2.20GHz</a>						
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,118	1,794	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz</a>	10	22,754	1,810	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	16,190	1,769	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz</a>	12	25,829	1,787	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,275	1,975	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz</a>	12	29,295	1,989	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	16,442	1,822	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz</a>	8	22,379	1,810	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,004	2,262	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz</a>	8	24,102	1,945	130	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	20,613	1,807	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz</a>	16	30,184	1,780	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4216R @ 2.20GHz</a>	16	24,027	1,866	NA	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,100	2,420	105	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	31,783	2,456	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	22,642	2,187	120	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz</a>	12	34,047	1,971	120	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	28,954	2,215	135	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz</a>	16	46,348	2,192	135	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	31,341	1,928	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz</a>	20	53,687	2,150	150	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4410T</a>	10	28,859	3,094	150	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4410T</a>	10	48,208	3,084	150	FCLGA4677	Server
<a href="#">Intel Xeon Silver 4410Y</a>	12	24,399	2,385	150	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4410Y</a>	12	49,077	3,147	150	FCLGA4677	Server
<a href="#">Intel Xeon Silver 4416+</a>	20	46,208	3,233	165	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4416+</a>	20	64,909	2,676	165	FCLGA4677	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4509Y</a>	8	41,561	2,774	125	FCLGA4677	Server
<a href="#">Intel Xeon Silver 4510</a>	12	34,170	3,396	150	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">4510</a>						
<a href="#">[Dual CPU] Intel Xeon Silver 4514Y</a>	16	47,978	2,077	150	FCLGA4677	Server
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,624	2,758	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	15,737	2,768	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-11155MLE @ 1.80GHz</a>	4	8,502	1,862	25	FCBGA1787	Mobile/Embedded
<a href="#">Intel Xeon W-11555MLE @ 1.90GHz</a>	6	12,591	2,542	25	FCBGA1787	Server
<a href="#">Intel Xeon W-11555MRE @ 2.60GHz</a>	6	17,484	3,201	45	FCBGA1787	Server, Mobile/Embedded
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	18,160	3,256	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon W-11865MLE @ 1.50GHz</a>	8	15,958	2,808	25	FCBGA1787	Server, Mobile/Embedded
<a href="#">Intel Xeon W-11865MRE @ 2.60GHz</a>	8	19,589	3,135	45	FCBGA1787	Server, Mobile/Embedded
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	22,596	3,294	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,610	2,831	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250E @ 3.50GHz</a>	6	12,212	2,588	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,353	2,980	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,641	3,026	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	17,113	2,916	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,071	3,086	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	18,786	2,806	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,435	3,169	125	FCLGA1200	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	19,007	3,482	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,710	3,535	65	FCLGA1200	Server
<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	22,926	3,478	80	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	23,306	3,479	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,902	3,414	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	25,240	3,544	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,079	1,691	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	5,497	1,793	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,467	2,191	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	10,029	2,563	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,658	2,261	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,440	2,608	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,330	2,552	NA	FCLGA2066	Server
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,177	2,604	140	FCLGA2066	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.00GHz</a>						
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,071	2,605	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	23,902	2,345	NA	FCLGA-2066	Server
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,345	2,471	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	28,076	2,500	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,978	2,443	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,584	2,182	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,533	2,650	105	FCLGA2066	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,367	2,646	130	FCLGA2066	Server
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,475	2,738	155	FCLGA2066	Server
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,369	2,712	165	FCLGA2066	Desktop, Server
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	25,973	2,797	165	FCLGA2066	Server
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,866	2,752	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	30,687	2,634	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647	Desktop
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,026	2,440	160	FCLGA3647	Server
<a href="#">Intel Xeon W-3225 @ 3.70GHz</a>	8	17,874	2,231	160	FCLGA3647	Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,558	2,637	180	FCLGA3647	Server
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	30,871	2,601	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3245M @ 3.20GHz</a>	16	26,814	2,571	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	33,800	2,662	205	FCLGA3647	Desktop, Server
<a href="#">Intel Xeon W-3275 @ 2.50GHz</a>	28	40,931	2,584	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	39,834	2,723	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	25,875	2,617	220	FCLGA4189	Desktop, Server
<a href="#">Intel Xeon W-3335 @ 3.40GHz</a>	16	39,293	2,673	250	FCLGA4189	Server
<a href="#">Intel Xeon W-3345 @ 3.00GHz</a>	24	45,694	2,426	250	FCLGA4189	Server
<a href="#">Intel Xeon W-3365 @ 2.70GHz</a>	32	59,038	2,625	270	FCLGA4189	Server
<a href="#">Intel Xeon W-3375 @ 2.50GHz</a>	38	59,069	2,643	270	FCLGA4189	Server
<a href="#">Intel Xeon w3-2423</a>	6	15,275	2,625	120	FCLGA4677	Server
<a href="#">Intel Xeon w3-2425</a>	6	18,655	3,115	130	FCLGA4677	Server
<a href="#">Intel Xeon w3-2435</a>	8	26,428	3,403	165	FCLGA4677	Server
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,118	1,025	130	LGA1366	Server
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,161	1,106	130	LGA1366	Server
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,935	1,276	130	LGA1366	Server
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,068	1,338	130	LGA1366	Server
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	3,109	1,297	130	LGA1366	Server
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,227	1,409	130	LGA1366	Server
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,366	1,504	130	LGA1366	Server
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,267	1,466	130	LGA1366	Server
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,609	1,557	130	LGA1366	Server
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,449	1,497	130	LGA1366	Server
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,995	1,570	130	LGA1366	Server
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,226	1,613	130	LGA1366	Server
<a href="#">Intel Xeon w5-2445</a>	10	32,143	3,347	175	FCLGA4677	Server
<a href="#">Intel Xeon w5-2455X</a>	12	37,857	3,549	200	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

▼

<a href="#">Intel Xeon w5-2545</a>	12	41,688	3,853	210	FCLGA4677	Server
<a href="#">Intel Xeon w5-2555X</a>	14	51,912	3,967	210	FCLGA4677	Server
<a href="#">Intel Xeon w5-2565X</a>	18	56,653	3,915	240	FCLGA4677	Server
<a href="#">Intel Xeon w5-3423</a>	12	28,117	2,865	270	FCLGA4677	Server
<a href="#">Intel Xeon w5-3425</a>	12	36,801	3,356	270	FCLGA4677	Server
<a href="#">Intel Xeon w5-3433</a>	16	34,849	2,657	220	FCLGA4677	Server
<a href="#">Intel Xeon w5-3435X</a>	16	46,265	3,445	324	FCLGA4677	Server
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,368	1,499	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5580 @ 3.20GHz</a>	4	6,384	1,485	130	LGA1366	Server
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,342	1,564	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5590 @ 3.33GHz</a>	4	6,640	1,612	130	LGA1366	Server
<a href="#">Intel Xeon w7-2475X</a>	20	55,249	3,714	225	FCLGA4677	Server
<a href="#">Intel Xeon w7-2495X</a>	24	58,228	3,555	225	FCLGA4677	Server
<a href="#">Intel Xeon w7-2575X</a>	22	61,402	3,958	250	FCLGA4677	Server
<a href="#">Intel Xeon w7-3445</a>	20	47,108	3,251	270	FCLGA4677	Server
<a href="#">Intel Xeon w7-3455</a>	24	57,164	3,350	270	FCLGA4677	Server
<a href="#">Intel Xeon w7-3465X</a>	28	65,618	3,420	300	FCLGA4677	Server
<a href="#">Intel Xeon w7-3565X</a>	32	76,649	3,972	335	FCLGA4677	Server
<a href="#">Intel Xeon w9-3475X</a>	36	65,034	3,419	300	FCLGA4677	Server
<a href="#">Intel Xeon w9-3495X</a>	56	92,481	3,586	350	FCLGA4677	Server
<a href="#">Intel Xeon w9-3575X</a>	44	81,519	3,995	340	FCLGA4677	Server
<a href="#">Intel Xeon w9-3595X</a>	60	100,127	3,990	385	FCLGA4677	Server
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,293	816	105	LGA775	Server
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,973	926	105	LGA775	Server
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775	Server
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	1,986	1,097	95	LGA775	Server
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775	Server
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	2,111	1,152	95	LGA775	Server
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,263	1,158	95	LGA775	Server
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775	Server
<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,398	1,237	95	LGA775	Server
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,358	1,240	80	LGA771	Server
<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,465	1,253	95	LGA775	Server
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,568	1,357	95	LGA775	Server
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,299	1,032	95	LGA1156	Server
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,773	1,147	95	LGA1156	Server
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,853	1,221	95	LGA1156	Server
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,957	1,250	95	LGA1156	Server
<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,269	1,400	95	LGA1156	Server
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,273	1,409	95	LGA1156	Server
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5260 @ 3.33GHz</a>	2	2,389	NA	80	LGA771	Server
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	4	1,979	1,060	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5355 @ 2.66GHz</a>	4	3,819	1,055	120	LGA771	Server
<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,331	1,223	150	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">3.00GHz</a>						
<a href="#">Intel Xeon X5450 @ 3.00GHz</a>	4	2,394	1,257	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5450 @ 3.00GHz</a>	4	4,814	1,292	120	LGA771	Server
<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	4	2,572	1,349	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5460 @ 3.16GHz</a>	4	5,066	1,357	120	LGA771	Server
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,901	1,400	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5470 @ 3.33GHz</a>	4	5,125	1,421	120	LGA771	Server
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,197	1,220	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5472 @ 3.00GHz</a>	4	4,979	1,326	120	LGA771	Server
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,755	1,400	150	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5482 @ 3.20GHz</a>	4	5,100	1,406	150	LGA771	Server
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,912	1,464	150	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5492 @ 3.40GHz</a>	4	5,469	1,467	150	LGA771	Server
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	3,027	1,270	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5550 @ 2.67GHz</a>	4	5,603	1,312	95	LGA1366	Server
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,124	1,384	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5560 @ 2.80GHz</a>	4	5,864	1,390	95	LGA1366	Server
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,310	1,397	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5570 @ 2.93GHz</a>	4	6,244	1,447	95	LGA1366	Server
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,441	1,363	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5647 @ 2.93GHz</a>	4	8,369	1,418	130	LGA1366	Server
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,715	1,294	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5650 @ 2.67GHz</a>	6	10,128	1,323	95	LGA1366	Server
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,015	1,372	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5660 @ 2.80GHz</a>	6	10,471	1,354	95	LGA1366	Server
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,659	1,460	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5667 @ 3.07GHz</a>	4	8,511	1,443	95	LGA1366	Server
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,104	1,400	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5670 @ 2.93GHz</a>	6	10,922	1,417	95	LGA1366	Server
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	4,996	1,546	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5672 @ 3.20GHz</a>	4	8,825	1,503	95	LGA1366	Server
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,396	1,485	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5675 @ 3.07GHz</a>	6	11,738	1,514	95	LGA1366	Server
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,043	1,618	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5677 @ 3.47GHz</a>	4	8,971	1,623	130	LGA1366	Server
<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5679 @ 3.20GHz</a>	6	9,634	1,526	115	LGA1366	Server
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,833	1,533	130	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">3.33GHz</a>						
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,309	1,636	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5687 @ 3.60GHz</a>	4	9,406	1,658	130	LGA1366	Server
<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	7,037	1,637	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5690 @ 3.47GHz</a>	6	12,924	1,715	130	LGA1366	Server
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon X7350 @ 2.93GHz</a>	4	7,836	1,186	130	604	Server
<a href="#">[Dual CPU] Intel Xeon X7460 @ 2.66GHz</a>	6	4,803	922	130	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	14,723	920	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	7,873	1,067	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	16,464	1,148	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	8,028	892	130	LGA1567	Server
<a href="#">JLQ JR510</a>	8	1,039	582	NA	Unknown	Mobile/Embedded
<a href="#">Iisa based Qualcomm Technologies, Inc. SM7325</a>	8	5,456	1,882	NA	Unknown	Mobile/Embedded
<a href="#">M7221</a>	4	760	646	NA	Unknown	Mobile/Embedded
<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	5,230	1,984	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek Dimensity 7025 (MT6855)</a>	8	4,545	1,865	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek Dimensity 7200-Pro (MT6886)</a>	8	4,732	1,979	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek Dimensity 7300-Ultra (MT6878)</a>	8	6,350	2,269	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek Dimensity 8200-Ultimate (MT6896)</a>	8	7,435	2,296	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek Dimensity 9200 (MT6985)</a>	8	7,878	2,343	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek DM700</a>	8	4,471	1,566	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek G85 (MT6769Z)</a>	8	2,746	1,098	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek G88 (MT6769H)</a>	8	2,771	1,030	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek G99 Ultimate (MT6789)</a>	8	4,237	1,522	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek Kompanio 520/528 (MT8186/MT8186T)</a>	8	3,650	1,351	4	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6735</a>	4	577	321	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737</a>	4	465	270	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737M</a>	4	427	222	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737T</a>	4	689	397	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6739</a>	4	695	370	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WA</a>	4	395	263	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WW</a>	4	438	293	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750</a>	8	1,047	372	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750T</a>	8	1,187	468	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750V/WT</a>	8	1,153	403	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753</a>	8	1,015	337	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">MediaTek MT6757CD</a>	8	1,786	644	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757V</a>	8	1,846	596	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6761</a>	4	1,166	531	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6761V/CAB</a>	4	1,069	558	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WBB</a>	4	786	482	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6761V/WD</a>	4	744	482	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WE</a>	4	757	446	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6762</a>	8	1,810	539	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762G</a>	8	1,231	492	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CA</a>	8	1,272	450	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CB</a>	8	1,620	526	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CN</a>	4	611	421	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WA</a>	8	1,466	485	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WB</a>	8	1,449	495	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WD</a>	8	1,573	484	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WR</a>	8	1,545	523	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/CE</a>	8	2,130	1,104	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/V</a>	8	1,578	546	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6765</a>	8	1,710	585	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765G</a>	8	1,648	563	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6765H</a>	8	2,098	632	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CA</a>	8	1,842	615	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CB</a>	8	1,887	601	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6765V/WA</a>	8	2,186	675	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6765V/WB</a>	8	1,771	607	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6765V/XBA</a>	8	1,610	592	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6768</a>	8	2,758	953	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6768G</a>	8	3,232	1,212	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6768V/CA</a>	8	2,328	1,052	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6769</a>	8	3,058	1,155	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769T</a>	8	2,560	1,100	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/CB</a>	8	2,419	1,122	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6769V/CT</a>	8	2,547	1,020	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/CU</a>	8	2,715	1,066	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/C</a>	8	2,681	893	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/CT</a>	8	2,659	910	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/W</a>	8	2,451	879	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WM</a>	8	2,225	805	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WT</a>	8	2,387	897	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6779</a>	8	3,443	1,112	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CE</a>	8	3,087	1,244	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CU</a>	8	2,622	1,173	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CV</a>	8	2,712	1,098	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6781</a>	8	3,807	1,287	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6781V/CD</a>	8	3,746	1,456	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6781V/CDZAMB-H</a>	8	4,182	1,468	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6785</a>	8	3,618	1,304	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CC</a>	8	3,412	1,245	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CD</a>	8	3,651	1,309	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">MediaTek MT6797</a>	10	1,903	799	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797T</a>	10	1,605	523	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797X</a>	10	2,212	581	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833</a>	8	4,055	1,392	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833G</a>	8	4,532	1,284	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833GP</a>	8	4,471	1,656	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833P</a>	8	3,622	1,223	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833V/NZA</a>	8	3,591	1,327	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833V/PNZA</a>	8	4,037	1,455	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6833V/ZA</a>	8	4,259	1,441	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6853T</a>	8	3,425	1,473	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6853V/NZA</a>	8	4,049	1,219	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6853V/TNZA</a>	8	4,128	1,477	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6873</a>	8	4,087	1,322	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6875</a>	8	5,249	1,254	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6877</a>	8	5,009	2,022	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6877V/TTZA</a>	8	4,987	2,006	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6877V/TZA</a>	8	4,841	1,790	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6877V/ZA</a>	8	4,800	1,864	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6879V/ZA</a>	8	4,367	1,869	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6879V_T/ZA</a>	8	5,236	2,185	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6883Z/CZA</a>	8	6,413	1,761	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6889</a>	8	6,415	1,898	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6891</a>	8	5,412	1,369	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6891Z/CZA</a>	8	6,644	2,219	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6891Z_T/CZA</a>	8	7,294	2,268	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6891Z_Z/CZA</a>	8	6,509	1,668	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6893</a>	8	6,313	2,090	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6893Z_T/CZA</a>	8	6,430	2,480	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6895</a>	8	7,615	2,281	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6895Z/TCZA</a>	8	6,652	2,208	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6895Z_A/TCZA</a>	8	7,686	2,308	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6895Z_B/TCZA</a>	8	7,044	2,204	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6897</a>	8	7,444	2,056	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6983</a>	8	6,615	2,229	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6983W/CZA</a>	8	9,136	3,238	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6983Z/CZA</a>	8	7,726	2,255	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT6989</a>	8	10,899	2,483	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8163</a>	4	606	345	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8166B</a>	4	957	528	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8167B</a>	4	403	271	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8168</a>	4	1,029	492	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8168A</a>	4	712	448	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8168B</a>	4	784	501	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8175B</a>	4	592	446	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8183</a>	8	2,547	900	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8188</a>	8	3,144	1,883	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8195</a>	8	8,419	2,647	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8365</a>	4	1,214	565	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8370AV/A</a>	6	4,107	1,798	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Mediatek MT8696</a>	4	740	542	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8735B</a>	4	418	225	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8765WA</a>	4	564	371	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8766A</a>	4	979	551	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8766B</a>	4	1,171	568	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8768A</a>	8	1,524	454	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768CT</a>	8	2,031	620	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8768CX</a>	8	2,274	643	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8768N</a>	8	2,382	669	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WA</a>	8	1,696	534	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8768WE</a>	8	1,785	552	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WT</a>	8	1,995	622	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8771V/PZA</a>	8	4,414	1,425	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8781V/CA</a>	8	4,085	1,506	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8781V/NA</a>	8	4,377	1,551	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8786</a>	8	2,167	894	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8786V/CT</a>	8	3,300	1,178	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8786V/N</a>	8	3,168	1,152	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8788</a>	8	3,367	941	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8789</a>	8	6,640	2,296	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8789V/CT</a>	8	3,946	1,477	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8789V/T</a>	8	4,293	1,475	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8791V/TN</a>	8	4,902	2,167	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8792</a>	8	8,526	2,664	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8797Z/CNZA</a>	8	7,260	2,284	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek MT8798Z/CNZA</a>	8	9,110	3,111	NA	Unknown	Mobile/Embedded
<a href="#">Mediatek t50</a>	4	1,001	695	NA	Unknown	Mobile/Embedded
<a href="#">Microsoft SQ1 @ 3.0 GHz</a>	8	5,750	1,829	15	Unknown	Laptop
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	6,477	1,912	NA	Unknown	Laptop
<a href="#">Microsoft SQ3 @ 3.0 GHz</a>	8	11,727	2,367	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 3000+</a>	1	238	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Socket 754	Laptop
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Socket 754	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Socket 754	Laptop
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	S1	Laptop
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Socket 754	Laptop
<a href="#">Mobile AMD Sempron 3400+</a>	1	269	489	25	Socket S1 (S1g1)	Laptop
<a href="#">Mobile AMD Sempron 3500+</a>	1	259	535	NA	S1	Laptop
<a href="#">Mobile AMD Sempron 3600+</a>	1	284	618	25	S1	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	S1	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">mocha</a>	4	1,125	722	NA	Unknown	Mobile/Embedded
<a href="#">Montage Jintide C4215R</a>	8	14,672	2,134	130	LGA3647	Server
<a href="#">Montage Jintide C5418Y</a>	24	49,045	2,341	185	LGA4677	Server
<a href="#">[Dual CPU] Montage Jintide C6348</a>	28	66,555	2,206	NA	LGA4189	Server
<a href="#">msm8960dt</a>	2	306	324	NA	Unknown	Mobile/Embedded
<a href="#">MT3561S</a>	4	723	335	NA	Unknown	Mobile/Embedded
<a href="#">MT5893</a>	4	702	641	NA	Unknown	Mobile/Embedded
<a href="#">MT6580</a>	4	394	273	NA	Unknown	Mobile/Embedded
<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
<a href="#">MT6735P</a>	4	374	224	NA	Unknown	Mobile/Embedded
<a href="#">MT6737H</a>	8	528	319	NA	Unknown	Mobile/Embedded
<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
<a href="#">MT6739CH</a>	4	533	305	NA	Unknown	Mobile/Embedded
<a href="#">MT6739WM</a>	4	338	236	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/C</a>	8	1,396	403	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



## CPU Benchmarks



<a href="#">MT6750V/DN</a>	8	1,271	437	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/W</a>	8	845	342	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/WS</a>	8	934	383	NA	Unknown	Mobile/Embedded
<a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
<a href="#">MT6752M</a>	8	1,735	398	NA	Unknown	Mobile/Embedded
<a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
<a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/BM</a>	8	1,219	520	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/C</a>	8	1,554	409	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/W</a>	8	1,608	555	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/WM</a>	8	1,090	361	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/WS</a>	8	1,389	538	NA	Unknown	Mobile/Embedded
<a href="#">MT6757W</a>	8	1,941	606	NA	Unknown	Mobile/Embedded
<a href="#">MT6757WD</a>	8	1,771	632	NA	Unknown	Mobile/Embedded
<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CAB</a>	4	816	515	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CBB</a>	4	910	522	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/WAB</a>	4	816	487	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/WD</a>	4	580	430	NA	Unknown	Mobile/Embedded
<a href="#">MT6762</a>	8	1,735	579	NA	Unknown	Mobile/Embedded
<a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
<a href="#">MT6762V/CR</a>	8	1,022	406	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/B</a>	8	1,544	552	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/CT</a>	8	1,794	443	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/WT</a>	8	1,375	624	NA	Unknown	Mobile/Embedded
<a href="#">MT6765</a>	8	1,825	615	NA	Unknown	Mobile/Embedded
<a href="#">MT6765H</a>	8	2,132	639	NA	Unknown	Mobile/Embedded
<a href="#">MT6765V/WA</a>	8	1,820	617	NA	Unknown	Mobile/Embedded
<a href="#">MT6765V/WB</a>	8	1,891	613	NA	Unknown	Mobile/Embedded
<a href="#">MT6768G</a>	8	2,838	1,172	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V</a>	8	2,229	1,060	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CT</a>	8	2,477	1,061	NA	Unknown	Mobile/Embedded
<a href="#">MT6771V/CL</a>	8	3,079	924	NA	Unknown	Mobile/Embedded
<a href="#">MT6771V/WL</a>	8	2,299	886	NA	Unknown	Mobile/Embedded
<a href="#">mt6779</a>	8	2,251	674	NA	Unknown	Mobile/Embedded
<a href="#">MT6781</a>	8	3,875	1,356	NA	Unknown	Mobile/Embedded
<a href="#">MT6781V/CD</a>	8	3,969	1,477	NA	Unknown	Mobile/Embedded
<a href="#">MT6785</a>	8	3,555	1,321	NA	Unknown	Mobile/Embedded
<a href="#">MT6795</a>	8	1,290	461	NA	Unknown	Mobile/Embedded
<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
<a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
<a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
<a href="#">MT6797M</a>	10	2,099	887	NA	Unknown	Mobile/Embedded
<a href="#">MT6833</a>	8	3,784	1,390	NA	Unknown	Mobile/Embedded
<a href="#">MT6833GP</a>	8	3,238	1,425	NA	Unknown	Mobile/Embedded
<a href="#">MT6833P</a>	8	4,158	1,377	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/NZA</a>	8	3,641	1,419	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/PNZA</a>	8	4,164	1,522	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">MT6853V/NZA</a>	8	3,330	1,258	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/TNZA</a>	8	3,616	1,532	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/ZA</a>	8	3,505	1,247	NA	Unknown	Mobile/Embedded
<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown	Mobile/Embedded
<a href="#">MT6877T</a>	8	4,548	1,641	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/TTZA</a>	8	5,253	2,152	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/TZA</a>	8	4,824	1,883	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/ZA</a>	8	4,787	1,954	NA	Unknown	Mobile/Embedded
<a href="#">MT6883Z/CZA</a>	8	5,665	1,694	NA	Unknown	Mobile/Embedded
<a href="#">MT6889Z/CZA</a>	8	4,504	1,798	NA	Unknown	Mobile/Embedded
<a href="#">MT6891</a>	8	5,817	1,764	NA	Unknown	Mobile/Embedded
<a href="#">MT6891Z/CZA</a>	8	6,025	1,668	NA	Unknown	Mobile/Embedded
<a href="#">MT6893</a>	8	5,102	1,902	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z/CZA</a>	8	6,467	2,158	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_A/CZA</a>	8	6,050	2,341	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_B/CZA</a>	8	6,371	1,901	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_C/CZA</a>	8	6,139	1,767	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_D/CZA</a>	8	5,701	2,262	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_Z/CZA</a>	8	6,485	2,046	NA	Unknown	Mobile/Embedded
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
<a href="#">MT8127</a>	4	429	253	NA	Unknown	Mobile/Embedded
<a href="#">MT8161A</a>	4	818	344	NA	Unknown	Mobile/Embedded
<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
<a href="#">MT8161P</a>	4	508	261	NA	Unknown	Mobile/Embedded
<a href="#">MT8165</a>	4	950	498	NA	Unknown	Mobile/Embedded
<a href="#">MT8167A</a>	4	478	285	NA	Unknown	Mobile/Embedded
<a href="#">MT8167D</a>	4	532	316	NA	Unknown	Mobile/Embedded
<a href="#">MT8168B</a>	4	1,050	538	NA	Unknown	Mobile/Embedded
<a href="#">MT8168M</a>	4	887	482	NA	Unknown	Mobile/Embedded
<a href="#">MT8169A</a>	6	1,962	661	NA	Unknown	Mobile/Embedded
<a href="#">MT8173</a>	4	804	597	NA	Unknown	Mobile/Embedded
<a href="#">MT8175B</a>	4	1,199	554	NA	Unknown	Mobile/Embedded
<a href="#">MT8176</a>	6	1,406	1,033	NA	Unknown	Mobile/Embedded
<a href="#">MT8186</a>	8	3,862	1,479	NA	Unknown	Mobile/Embedded
<a href="#">MT8188JV/A</a>	8	5,120	1,881	NA	Unknown	Mobile/Embedded
<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown	Mobile/Embedded
<a href="#">MT8365</a>	4	889	489	NA	Unknown	Mobile/Embedded
<a href="#">MT8395AV/ZA</a>	8	2,410	1,200	NA	Unknown	Mobile/Embedded
<a href="#">MT8667</a>	8	3,230	1,160	NA	Unknown	Mobile/Embedded
<a href="#">MT8696</a>	4	738	535	NA	Unknown	Mobile/Embedded
<a href="#">MT8732T</a>	4	1,081	399	NA	Unknown	Mobile/Embedded
<a href="#">MT8735</a>	4	495	299	NA	Unknown	Mobile/Embedded
<a href="#">MT8735A</a>	4	655	334	NA	Unknown	Mobile/Embedded
<a href="#">MT8735M</a>	4	388	244	NA	Unknown	Mobile/Embedded
<a href="#">MT8735P</a>	4	572	242	NA	Unknown	Mobile/Embedded
<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WA</a>	4	567	334	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WB</a>	4	419	249	NA	Unknown	Mobile/Embedded
<a href="#">MT8766A</a>	4	956	467	NA	Unknown	Mobile/Embedded
<a href="#">MT8766B</a>	4	822	509	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">MT8768WB</a>	4	1,074	480	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WD</a>	8	1,122	448	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WE</a>	8	1,323	518	NA	Unknown	Mobile/Embedded
<a href="#">MT8771V/PZA</a>	8	4,723	1,700	NA	Unknown	Mobile/Embedded
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/CA</a>	8	3,137	1,160	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/N</a>	8	2,992	1,165	NA	Unknown	Mobile/Embedded
<a href="#">MT8788</a>	8	2,756	859	NA	Unknown	Mobile/Embedded
<a href="#">MT8789V/CT</a>	8	4,119	1,441	NA	Unknown	Mobile/Embedded
<a href="#">MT8789V/T</a>	8	4,104	1,466	NA	Unknown	Mobile/Embedded
<a href="#">MT8797Z/CNZA</a>	8	6,550	1,799	NA	Unknown	Mobile/Embedded
<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
<a href="#">MTK8257</a>	8	842	404	NA	Unknown	Mobile/Embedded
<a href="#">Nakamichi</a>	4	353	238	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T132</a>	2	1,224	1,051	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T210</a>	4	1,635	722	NA	Unknown	Mobile/Embedded
<a href="#">nxp IMX8MP</a>	4	1,020	477	NA	Unknown	Mobile/Embedded
<a href="#">nxp IMX8MQ</a>	4	803	389	NA	Unknown	Mobile/Embedded
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,456	1,751	NA	Unknown	Mobile/Embedded
<a href="#">OMAP4 Espresso board</a>	2	98	222	NA	Unknown	Mobile/Embedded
<a href="#">P22</a>	8	1,908	537	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">Pentium Dual-Core T4200 @ 2.00GHz</a>	2	775	824	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4300 @ 2.10GHz</a>	2	901	883	NA	Unknown	Unknown
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	932	915	NA	Unknown	Unknown
<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 FLO</a>	4	553	311	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">QCT APQ8064 MTP</a>	4	389	330	NA	Unknown	Mobile/Embedded
<a href="#">QTI MSM8937</a>	8	2,142	606	NA	Unknown	Mobile/Embedded
<a href="#">QTI MSM8953</a>	8	2,065	613	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCM2290</a>	4	875	532	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCM4290</a>	8	2,512	798	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCM4490</a>	8	5,308	2,171	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCM5430</a>	6	4,006	1,910	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCS5430</a>	6	3,760	1,892	NA	Unknown	Mobile/Embedded
<a href="#">QTI QCS8550</a>	8	10,369	3,332	NA	Unknown	Mobile/Embedded
<a href="#">QTI SDM439</a>	8	1,556	554	NA	Unknown	Mobile/Embedded
<a href="#">QTI SDM450</a>	8	1,708	549	NA	Unknown	Mobile/Embedded
<a href="#">QTI SDM660</a>	8	2,850	968	NA	Unknown	Mobile/Embedded
<a href="#">QTI SDM845</a>	8	2,666	986	NA	Unknown	Mobile/Embedded
<a href="#">QTI SG8175P</a>	8	6,713	2,140	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM4350</a>	8	3,705	1,473	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM4375</a>	8	3,950	1,777	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">QTI SM611</a>	8	3,180	999	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6115</a>	8	2,885	936	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6125</a>	8	2,908	970	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6150</a>	8	3,327	1,320	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6225</a>	8	3,526	1,163	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6350</a>	8	4,152	1,694	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6375</a>	8	4,182	1,867	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM6450</a>	8	5,685	1,912	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7125</a>	8	3,904	1,574	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7150</a>	8	3,761	1,434	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7225</a>	8	4,306	1,821	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7250</a>	8	4,304	1,892	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7325</a>	8	5,912	1,966	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7350</a>	8	5,617	1,924	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7435</a>	8	5,683	1,612	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7450</a>	8	5,479	1,849	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7475</a>	8	7,310	1,994	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7550</a>	8	6,639	2,251	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7675</a>	8	8,597	2,141	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8150</a>	8	5,331	1,807	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8250</a>	8	6,586	2,258	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8350</a>	8	6,541	2,298	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8450</a>	8	6,388	2,431	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8475</a>	8	7,290	2,423	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8550</a>	8	9,122	2,900	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8635</a>	8	8,530	2,352	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM8650</a>	8	11,524	2,955	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm</a>	8	1,354	358	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	720	443	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ8026</a>	4	332	224	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ8084</a>	4	603	357	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,088	351	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8212</a>	4	378	247	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8226</a>	4	344	234	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8917</a>	4	656	369	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8926</a>	4	286	182	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8928</a>	4	367	226	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8937</a>	8	1,043	350	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8939</a>	8	1,180	415	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">Qualcomm MSM8974</a>	4	719	431	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AA</a>	4	672	390	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	686	371	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	644	379	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8992</a>	6	1,255	431	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8994</a>	8	785	412	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996</a>	4	1,424	734	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,658	944	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8998</a>	8	3,520	1,072	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm QCM6490</a>	8	6,068	1,921	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SC7180</a>	8	3,978	1,583	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SC7180P</a>	8	4,558	1,852	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM439</a>	8	2,195	613	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM450</a>	8	2,836	846	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM630</a>	8	2,388	636	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM660</a>	8	2,444	795	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM670</a>	8	3,235	1,146	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SDM845</a>	8	4,409	1,465	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM4250</a>	8	2,587	799	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM4350</a>	8	3,575	1,453	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM6115</a>	8	3,107	973	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM6125</a>	8	2,916	992	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM6150</a>	8	2,989	1,111	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM6225</a>	8	3,801	1,202	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM7125</a>	8	3,742	1,542	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM7150</a>	8	4,138	1,521	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM7250</a>	8	3,914	1,580	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM7325</a>	8	6,064	2,030	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM8150</a>	8	5,688	1,820	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM8250</a>	8	6,734	2,449	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm SM8350</a>	8	6,549	2,172	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Snapdragon 810</a>	8	1,316	667	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Snapdragon X Elite - X1E-78-100</a>	12	22,718	3,182	23	Unknown	Laptop
<a href="#">Qualcomm Snapdragon X Elite - X1E-80-100</a>	12	23,429	3,324	NA	Unknown	Laptop
<a href="#">Qualcomm Snapdragon X Elite - X1E-84-100</a>	12	24,528	3,979	NA	Unknown	Laptop
<a href="#">Qualcomm Snapdragon X Plus X1P-64-100</a>	10	22,134	3,151	NA	Unknown	Laptop

[Qualcomm Technologies, Inc](#)

Software

[Qualcomm Technologies, Inc 450](#)

BurnIn Test

[Qualcomm Technologies, Inc APQ8099](#)

Performance Test

OS Forensics

[Qualcomm Technologies, Inc APQ8016](#)

MemTest86

[Qualcomm Technologies, Inc APQ8017](#)

WirelessMon

Management Console

[Qualcomm Technologies, Inc APQ8053](#)

Zoom Search Engine

[Qualcomm Technologies, Inc APQ8076](#)

Free Software

Benchmarks

Hardware

[USB3.0 Loopback Plugs](#)

[USB2.0 Loopback Plugs](#)

[PCIe Test Cards](#)

[USB Power Delivery Tester](#)

[Serial and Parallel Loopback Plugs](#)


[USB Short Circuit Testers](#)

About Us

CPU Name	GPU Benchmarks	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	----------------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

- [APQ8094](#)  
RAM Benchmarks
- [Qualcomm Technologies, Inc](#)  
PC Systems Benchmarks
- [APQ8096](#)  
Software Marketshare
- [Qualcomm Technologies, Inc](#)  
Database Benchmarks
- [ATOLL-AD](#)  
Android Benchmarks
- [Qualcomm Technologies, Inc](#)  
iOS Benchmarks
- [BENGAL](#)  
Internet Bandwidth
- [Qualcomm Technologies, Inc](#)  
Services
- [BENGALP](#)  
Store
- [Qualcomm Technologies, Inc](#)  
Support
- [KHAJE](#)  
Forums
- [Qualcomm Technologies, Inc](#)  
Compliance
- [KONA-IOT](#)
- [Qualcomm Technologies, Inc](#)  
LAGOON

- International
- Disclaimer
- Refunds
- Privacy
- Social
- 

<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,341	1,568	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	100	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	291	191	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	404	252	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	528	312	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	487	298	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,099	377	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	959	352	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	907	362	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,820	530	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,515	744	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,788	719	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	2,139	763	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	878	552	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	1,076	521	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,420	856	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,573	811	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">MSM8998</a>						
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	409	295	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCM6125</a>	8	2,775	979	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCS610</a>	8	1,949	1,407	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	458	309	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SA8195P</a>	8	6,554	1,741	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SCUBAIOT</a>	4	926	462	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SCUBAPIOT</a>	4	1,123	522	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA429W</a>	4	715	516	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,518	469	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,853	984	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	1,014	547	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,479	517	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,348	430	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	2,041	743	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM630</a>	8	1,921	607	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM632</a>	8	2,096	772	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM636</a>	8	2,192	817	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,432	965	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM662</a>	8	2,237	938	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,382	898	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM670</a>	8	2,551	1,098	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,701	1,179	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM712</a>	8	2,581	1,218	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM720G</a>	8	3,285	1,620	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	3,384	1,463	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM750G</a>	8	4,350	1,869	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	3,425	1,638	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM778G</a>	8	5,553	2,070	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM845</a>	8	3,369	1,345	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
--	----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">SDMMAGPIE</a>						
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	3,523	1,523	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	2,120	733	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM4350</a>	8	3,087	1,348	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM6125</a>	8	2,266	881	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,931	1,283	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM6225</a>	8	2,692	1,067	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM6375</a>	8	4,266	1,889	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	3,366	1,581	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7150</a>	8	3,266	1,415	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7225</a>	8	3,390	1,768	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7250</a>	8	3,459	1,557	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7325</a>	8	6,431	2,170	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150</a>	8	4,593	1,773	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150_Plus</a>	8	4,212	1,523	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,495	1,914	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,857	2,243	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8250_AC</a>	8	6,416	2,621	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	6,117	2,163	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,588	2,758	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,452	901	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc TRINKET-IOT</a>	8	3,230	966	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded
<a href="#">redwood based Qualcomm Technologies, Inc. SM7325</a>	8	6,448	2,150	NA	Unknown	Mobile/Embedded
<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,869	1,815	NA	Unknown	Mobile/Embedded
<a href="#">RK30board</a>	4	198	226	NA	Unknown	Mobile/Embedded
<a href="#">rk3399</a>	6	2,046	841	NA	Unknown	Mobile/Embedded
<a href="#">rk3566</a>	4	595	460	NA	Unknown	Mobile/Embedded
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip (Device Tree)</a>	4	666	487	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK</a>	8	1,246	654	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3229</a>	4	253	170	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">Device Tree)</a>						
<a href="#">Rockchip RK3326</a>	4	422	272	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip rk3326 863 rkisp1 board</a>	4	365	300	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip rk3326 evb board</a>	4	463	335	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328 box liantong avb</a>	4	491	239	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3368</a>	8	827	329	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399</a>	8	2,925	979	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399 Board (Android)</a>	6	1,456	810	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399 EVB IND LPDDR4 Board lvds (Android</a>	6	1,862	832	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399 Excavator Board edp avb (Android)</a>	6	1,533	839	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399 Generic Board edp (Android)</a>	6	391	642	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3528 DEMO4 DDR4 V10 Board</a>	4	888	435	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3562</a>	4	1,057	522	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566</a>	4	980	522	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,079	518	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	951	480	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB3 DDR3 V10 Board</a>	4	994	498	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 HD15 Board</a>	4	1,160	546	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	1,010	492	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 TABLET RKG11 LP4 Board</a>	8	686	314	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,084	498	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3568 EVB2 LP4X V10 Board</a>	4	895	518	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3568 EVB7 DDR4 V10 Board</a>	4	1,106	508	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3576</a>	8	3,885	1,050	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3588</a>	8	4,411	1,457	NA	Unknown	Mobile/Embedded
<a href="#">rockchip,rk3328</a>	4	761	356	NA	Unknown	Mobile/Embedded
<a href="#">rockchip,rk3368</a>	8	870	347	NA	Unknown	Mobile/Embedded
<a href="#">Samsung "Exynos 9610"</a>	8	3,168	1,012	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A04S EUR OPEN REV03C board based on EXYNOS</a>	8	2,452	688	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 EUR OPEN REV02B board based on EXYNOS8</a>	8	1,230	470	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 USA SINGLE REV02B board based on EXYNO</a>	8	1,528	459	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG EXPRESS2</a>	2	233	239	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks



<a href="#">Samsung Exynos 2100</a>	8	5,480	2,006	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7420</a>	8	2,164	833	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7570</a>	4	470	307	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7580</a>	8	878	308	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7870</a>	8	1,030	339	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7880</a>	8	1,805	467	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7884</a>	8	1,587	651	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7885</a>	8	1,835	864	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7904</a>	8	1,836	754	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 850</a>	8	2,090	592	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8890</a>	8	2,598	931	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8895</a>	8	3,142	990	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9610</a>	8	2,263	955	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9611</a>	8	2,578	991	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 980</a>	8	4,584	1,871	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9810</a>	8	3,762	1,303	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9820</a>	8	3,933	1,659	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9825</a>	8	3,815	1,600	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 990</a>	8	6,130	1,799	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5420</a>	4	693	464	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5430</a>	8	1,380	595	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5433</a>	8	1,178	514	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7420</a>	8	2,047	717	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7580</a>	8	910	271	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos7870</a>	8	2,093	507	NA	Unknown	Mobile/Embedded
<a href="#">samsung exynos7885</a>	8	2,498	1,019	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE LTN DTV rev04 board bas</a>	4	599	336	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	8	928	282	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG JF</a>	4	537	328	NA	Unknown	Mobile/Embedded
<a href="#">Samsung M13 EUR OPEN REV02 board based on EXYNOS85</a>	8	1,425	516	NA	Unknown	Mobile/Embedded
<a href="#">Samsung M13 SWA INS 00 board based on EXYNOS850</a>	8	1,269	492	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e8535</a>	8	4,506	1,955	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e8825</a>	8	4,471	1,910	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e8835</a>	8	6,011	2,022	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e8845</a>	8	7,238	2,371	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e9925</a>	8	6,488	2,126	NA	Unknown	Mobile/Embedded
<a href="#">Samsung s5e9945</a>	10	10,954	2,872	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG SERRANO</a>	2	266	330	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
<a href="#">SM6375</a>	8	4,441	1,956	NA	Unknown	Mobile/Embedded
<a href="#">SM7325</a>	8	6,074	2,127	NA	Unknown	Mobile/Embedded
<a href="#">SM8325</a>	8	5,629	1,945	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">SM8450</a>	8	4,896	1,278	NA	Unknown	Mobile/Embedded
<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 435</a>	8	1,062	347	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 662</a>	8	2,431	908	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7325</a>	8	5,561	2,026	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7c @ 1.96 GHz</a>	8	3,712	1,519	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	3,395	1,225	9	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 7c Gen 2 @ 2.55 GHz</a>	8	3,858	1,481	7	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 7cPlus Gen 3 @ 2.40 GHz</a>	8	6,028	1,719	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8 Gen2 Mobile Platform for Galaxy</a>	8	9,362	3,093	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 835</a>	8	2,211	1,035	9	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 835 @ 2.45 GHz</a>	8	3,524	954	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8350</a>	8	4,608	2,484	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 845 @ 2.8 GHz</a>	8	3,446	1,349	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 850 @ 2.40 GHz</a>	8	2,946	1,198	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	3,326	1,424	5	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 855 @ 2.84 GHz</a>	8	5,547	1,556	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 860 @ 2.96 GHz</a>	8	5,291	1,545	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8c @ 2.46 GHz</a>	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	5,032	1,715	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.0 GHz</a>	8	6,728	1,737	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.15 GHz</a>	8	6,657	1,953	7	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 3 @ 2.69 GHz</a>	8	10,110	2,188	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 3 @ 3.0</a>	1	1,811	2,463	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 3 @ 3.0 GHz</a>	8	11,762	2,413	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon X Elite - X1E8010</a>	12	26,323	4,018	NA	Unknown	Laptop
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
<a href="#">Spreadtrum SC7731e</a>	4	318	216	NA	Unknown	Unknown
<a href="#">Spreadtrum SC9832E</a>	4	535	301	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9853I-IA</a>	8	748	467	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9863A</a>	8	1,450	462	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9863A Board</a>	8	1,671	519	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T310</a>	4	1,601	1,186	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T603</a>	8	1,809	547	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T606</a>	8	2,773	970	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T610</a>	8	2,747	1,113	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T612</a>	8	3,051	1,107	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T616</a>	8	2,957	1,070	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T618</a>	8	2,941	1,134	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T760</a>	8	4,735	1,537	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum T820</a>	8	5,384	1,864	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum UIS7885(prototype)</a>	8	5,741	1,932	NA	Unknown	Mobile/Embedded
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,241	1,962	NA	Unknown	Mobile/Embedded
<a href="#">sun50iw1p1</a>	4	559	280	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------



CPU Benchmarks

▼

<a href="#">sun8iw11p1</a>	4	335	243	NA	Unknown	Mobile/Embedded
<a href="#">Synaptics VS640</a>	4	862	550	NA	Unknown	Mobile/Embedded
<a href="#">T606</a>	8	2,824	989	NA	Unknown	Mobile/Embedded
<a href="#">T610-Unisoc</a>	8	2,539	1,067	NA	Unknown	Mobile/Embedded
<a href="#">T610S-Unisoc</a>	8	2,781	1,191	NA	Unknown	Mobile/Embedded
<a href="#">T618</a>	8	2,772	1,179	NA	Unknown	Mobile/Embedded
<a href="#">T700-Unisoc</a>	8	2,398	1,011	NA	Unknown	Mobile/Embedded
<a href="#">taoyao based Qualcomm Technologies, Inc. Yupik IDP</a>	8	6,359	1,818	NA	Unknown	Mobile/Embedded
<a href="#">Thor</a>	6	839	387	NA	Unknown	Mobile/Embedded
<a href="#">tn8</a>	4	1,027	630	NA	Unknown	Mobile/Embedded
<a href="#">UGOOS UT8 Board</a>	4	1,127	551	NA	Unknown	Mobile/Embedded
<a href="#">UIS7862A</a>	8	2,557	1,062	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC7731e</a>	4	338	241	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9832e</a>	4	498	316	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9863a</a>	8	1,433	486	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9863A1</a>	8	1,399	455	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T310</a>	4	1,420	1,098	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T606</a>	8	2,663	988	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T610</a>	8	2,812	1,073	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T612</a>	8	2,632	1,061	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T616</a>	8	3,152	1,189	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T618</a>	8	2,563	1,163	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T700</a>	8	2,644	1,068	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS7862S</a>	8	2,601	1,082	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581A</a>	8	1,704	507	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums312</a>	4	972	1,078	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums512</a>	8	2,607	1,113	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230</a>	8	2,266	906	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230H</a>	8	2,924	1,086	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230T</a>	8	2,897	1,097	NA	Unknown	Mobile/Embedded
<a href="#">UNIVERSAL3470</a>	4	391	254	NA	Unknown	Mobile/Embedded
<a href="#">UNIVERSAL3475</a>	4	306	197	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin710</a>	8	2,822	945	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin810</a>	8	4,219	1,565	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin820</a>	8	5,067	1,693	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000</a>	8	6,914	2,592	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000E</a>	8	7,141	2,687	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin970</a>	8	3,058	892	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin980</a>	8	5,254	1,716	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin985</a>	8	5,481	1,852	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin990</a>	8	6,132	2,011	NA	Unknown	Mobile/Embedded
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,398	2,158	NA	Unknown	Mobile/Embedded
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Laptop
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Laptop
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks

<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Mobile/Embedded
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	327	293	NA	Unknown	Mobile/Embedded
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	904	482	NA	Unknown	Mobile/Embedded
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">VIA Nano L2007@1600MHz</a>	1	238	273	25	BGA400	Laptop
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	187	256	8	BGA400	Laptop
<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	400	298	NA	BGA400	Laptop
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,352	559	NA	Unknown	Unknown
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,296	1,592	NA	Unknown	Mobile/Embedded
<a href="#">Virtual @ 2.56GHz</a>	8	3,778	1,058	NA	Unknown	Unknown
<a href="#">Virtual @ 3.41GHz</a>	10	10,760	2,410	NA	Unknown	Unknown
<a href="#">Virtual @ 3.80GHz</a>	12	12,575	3,738	NA	Unknown	Unknown
<a href="#">XTRONS_IX</a>	8	1,266	431	NA	Unknown	Mobile/Embedded
<a href="#">Z3-6540M@2.1GHz</a>	4	1,599	788	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.1+GHz</a>	4	1,597	784	NA	Unknown	Desktop
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,561	733	70	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-7000</a>	8	9,450	1,523	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,227	745	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6780@2.7GHz</a>	8	3,693	851	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,673	781	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian ZX-D D4600@2.0GHz</a>	4	1,492	602	NA	Unknown	Unknown
<a href="#">ZHAOXIN Z3-6540M@2.1+GHz</a>	4	1,378	690	NA	Unknown	Desktop
<a href="#">天玑900</a>	8	4,259	1,567	NA	Unknown	Mobile/Embedded

Showing 1 to 5,437 of 5,437 entries

[Previous](#) **1** [Next](#)

- Notes:**
- 1

Price is obtained from our affiliates. '\*' after the price denotes the last seen price for products that are no longer available.
- 2

CPU Value is calculated by taking CPU Mark / Price.
- 3

Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- 4

Power Performance is calculated by taking CPU Mark / TDP.
- 5

Test Date is the date of our first benchmark submission.

